No. 6457.1

1938-40
97-99

GIVEN BY

MASS. SECRETARY OF THE COMMONWEALTH

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1939

PREPARED BY

FREDERIC W. COOK

THE SECRETARY OF THE COMMONWEALTH

EDITED BY

ARTHUR J. HASSETT

STATE REGISTRAR OF VITAL STATISTICS

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE

600—6-40—28824-A.

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1939.

Part I.

Mortality Statistics.

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonable distribution of deaths	4
Infant mortality	4, 5
Causes of death	5–9
Source of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9, 10
Autopsies	10
Causes of death	10
Statistical Tables	11–209
General mortality	11–172
Table 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county, city and town: 1939	11–16
Table 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county, city and town: 1939	17–21
Table 3.—Deaths by sex and age, in each county: 1939	22, 23
Table 4.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants: 1939	24–29
Table 5.—Mortality of males and females: 1915 to 1939	30
Table 6.—Deaths of specified ages: census years 1910 to 1935	30
Table 7.—Per cent of deaths at specified ages—both sexes: 1915 to 1939	31
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1936 to 1939	31
Table 9.—Deaths of males and females at specified ages: 1930 to 1939	32
Table 10.—Deaths by sex, age, and marital condition: 1939	33
Table 11.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1935, by months: 1939	33
Table 12.—Live births, deaths under 1 year, stillbirths and rates per 1,000 population and per 1,000 live births: 1913 to 1939	34
Table 13.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex: 1939	35–53
Table 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1939	54–89
Table 15.—Deaths of residents out of state dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1939	90–105
Table 16.—Deaths of residents of Massachusetts dying out of state, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1939	106–115
Table 17.—Deaths from important causes in each municipality: 1939	116–140
Table 18.—Deaths allocated from important causes by occupations: 1939	142–162
Table 19.—Deaths from principal causes: 1915 to 1939	163
Table 20.—Deaths from principal communicable diseases: 1915 to 1939	163
Table 21.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1933 to 1939	164, 165
Table 22.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1910 to 1935	166
Table 23.—Deaths produced by external causes: 1915 to 1939	166
Table 24.—Deaths from cancer, by sex, age, and marital condition: 1939	167–172
Infant mortality	173–196
Table 25.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1939	173–175
Table 26.—Infant and maternal deaths and death rates, for the State and counties: 1939	175
Table 27.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1935: 1932 to 1939	176
Table 28.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1935: 1939	176, 177
Table 29.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1923 to 1939	177
Table 30.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1914 to 1939	178

STATISTICAL TABLES—*Concluded.* PAGE
Infant mortality—*concluded.*
TABLE 31.—Infant deaths per 1,000 live births, by causes: 1932 to 1939 178
TABLE 32.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1932 to 1939 178
TABLE 33.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1935: 1939 . . 179–196
Deaths from special causes 197–199
TABLE 34.—Deaths from influenza, by months, in municipalities having over 10,000 inhabitants in 1935: 1939 197
TABLE 35.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1935: 1939 198
TABLE 36.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1935: 1939 199
Maternal mortality 200
TABLE 37.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1915 to 1939 . . 200
TABLE 38.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1915 to 1939 . . . 200
Deaths investigated by medical examiners 201–209
TABLE 39.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number of deaths autopsied in each county: 1939 201
TABLE 40.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1939 . 202–207
TABLE 41.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1930 to 1939 . . . . 208, 209

PART II A.
BIRTH STATISTICS.

INTRODUCTION 210–213
Birth registration 210
Importance of birth records 210, 211
Adoptions 211
Certain records impounded 211
Allocation 211, 212
Live births 212
Birth rate 212
Changes in the birth rate 212
Stillbirths 212
Birth rates of the principal municipalities 212
Sex proportions at birth 212
Nativity of parents 213
Plural births 213
Natural increase 213
STATISTICAL TABLES 214–231
TABLE 42.—Live births, by sex and parent nativity; and birth rates in each county and municipality: 1939 214–218
TABLE 43.—Allocated live births, by sex and parent nativity and birth rates in each county and municipality: 1939 219–223
TABLE 44.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1935: 1939 224
TABLE 45.—Plural births and stillbirths, by sex, in each county and municipality: 1939 . 225–229
TABLE 46.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1935: 1915 to 1939 230
TABLE 47.—Live births, by sex and parent nativity, and sex proportions at birth: 1915 to 1939 230
TABLE 48.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1915 to 1939 . . . 231

PART II B.
MARRIAGE STATISTICS.

INTRODUCTION 232, 233
Marriage registration 232
Source of data 232
Solemnization 232, 233
Accuracy 233
Purpose, marriage requirements 233
STATISTICAL TABLES 234–245
TABLE 49.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1939 234–238
TABLE 50.—Marriages by sex, age, and marital condition: 1939 239
TABLE 51.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1935: 1939 . . . . 240, 241
TABLE 52.—Marriages in each county, by sex and age: 1939 . . . . 240, 241
TABLE 53.—Marriages, by sex and age: 1939 242
TABLE 54.—First marriages, by sex and age: 1939 242
TABLE 55.—First marriage of grooms and remarriages of brides, by age: 1939 . . . 242
TABLE 56.—Remarriages of grooms and first marriages of brides, by age: 1939 . . . 243
TABLE 57.—Remarriages of both parties, by age: 1939 243
TABLE 58.—First marriages and remarriages: 1939 243
TABLE 59.—Marriages, marriage rates, and nativity of persons married: 1915 to 1939 . 244
TABLE 60.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1935: 1915 to 1939 244
TABLE 61.—Marriages of non-residents, classified by the residence of the groom and bride in each State: 1939 245

Part II C.

Divorce Statistics.

PAGE

Introduction . . . 246, 247
Causes for divorce . . . 246
Source of data . . . 246
Applications for divorce . . . 246
Contested cases . . . 246
Number of divorces . . . 246
Divorce rates . . . 246, 247
Party to which granted . . . 247
Divorce classified by causes . . . 247
Annulled cases . . . 247
Duration of marriages . . . 247
Statistical Tables . . . 248–266
Table 62.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State —1939 . . . 248
A. Barnstable County . . . 249
B. Berkshire County . . . 250
C. Bristol County . . . 251
D. Dukes County . . . 252
E. Essex County . . . 253
F. Franklin County . . . 254
G. Hampden County . . . 255
H. Hampshire County . . . 256
I. Middlesex County . . . 257
J. Nantucket County . . . 258
K. Norfolk County . . . 259
L. Plymouth County . . . 260
M. Suffolk County . . . 261
N. Worcester County . . . 262
Table 63.—Number and per cent of divorces granted to husbands and to wives: 1915 to 1939 . . . 263
Table 64.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1910 to 1934 . . . 263
Table 65.—Comparison of increase in divorces and divorce rates with increase in population: 1910 to 1935 . . . 263
Table 66.—Divorce rates based on total population and on married population: census years 1910 to 1935 . . . 263
Table 67.—Annual average number of divorces in the State and in each county: census years, 1915 to 1935 . . . 264
Table 68.—Divorces granted for specified causes for 25 years: 1915 to 1939 . . . 264
Table 69.—Statutory causes of divorce: 1915 to 1939 . . . 264
Table 70.—Applications for divorce: 1915 to 1939 . . . 265
Table 71.—Divorces granted, classified by cause and party to which granted: 1939 . . . 265
Table 72.—Libels for divorce granted and not granted, contested and not contested classified by party to which granted: 1939 . . . 265
Table 73.—Number of years libellants were married at time of application for divorce: 1915 to 1939 . . . 266

Part II D.

Population Statistics.

Introductory . . . 267
Estimated population . . . 267
Statistical Table . . . 268
Table 74.—Census population of municipalities having over 15,000 inhabitants in 1935: 1910 to 1935 . . . 268

Appendix.

International classification of causes of death . . . 269–275
1. Detailed International List . . . 269–274
2. Abridged International List . . . 275

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, May 2, 1940.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the ninety-eighth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1939 in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages and Divorces. The fact that deaths are reported monthly while births, marriages and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1939

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

PART I
MORTALITY STATISTICS

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Importance of Death Records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9, 10
Autopsies	10
Cause of death	10
Statistical tables	11–209

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and required as early as 1639 the registration of births, marriages and deaths; in 1840 statutes required that copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1939 inclusive, 3,803,526 deaths have been reported, filed, and tabulated in the Division of Vital Statistics.

The original records are on file in the cities and towns in which the events occur and in the city and town given as the residence of the deceased at the time of death, and copies are also on file at the State House.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and is required to transmit a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Occupations. — Much interest is being shown in the study of occupations in connection with cause of death due to the fact that many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks. Table 18 has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of the event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after

an absence from Massachusetts of more than one year, are considered as non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. While these deaths are often charged to municipalities in which they do not occur, it is probable that at some future time a plan will be devised whereby these deaths besides being allocated to the place of residence, will also be charged to the place where the accident actually happened. The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparing the allocated tables.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1939 as compared with that of 1938, the number of deaths occurring in the State during the calendar year 1939 being 50,907, an increase as compared with 1938, of 1,011. Based on the estimated population of 1939 of 4,446,868, these deaths correspond to a rate of 11.4 per 1,000 population, being 11.3 in 1938. Deaths of residents of Massachusetts numbered 50,292 in 1939, resulting in a death rate of 11.3 per 1,000 inhabitants.

During the ten-year periods, from 1920 to 1929, inclusive, the average death rate of the Commonwealth was 12.6, and 1930 to 1939, inclusive, 11.5.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1915 the average death rate for Massachusetts has been 12.8 per 1,000 living.

Sex. — Of the 50,907 deaths in 1939, 26,340, or 51.7 per cent, were males, the percentage in 1938 being 52.2. The proportion of males in the living population, as shown by the United States Census of 1930, was 48.7 per cent. Expressed as a ratio there were 1,072 deaths of males per 1,000 deaths of females in 1939, as compared with 1,092 in 1938, 1,101 in 1937, and 1,086 in 1936. Of the 50,292 residents of the State who died in 1939, 26,037, or 51.8 per cent, were males.

Table 5 on page 30, shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 50,292 deaths in 1939 of residents of the State, 2,338, or 4.6 per cent were of infants under 1 year of age. The rates for infant deaths in previous years, were 4.9 per cent in 1938, and an average of 5.6 for the five years from 1934 to 1938, 7.9 for the five years from 1929 to 1933 and 11.4 for the five years from 1924 to 1928. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,338 decedents under 1 year of age in 1939, 1,370, or 58.6 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males, including the reputed centenarians, numbering 23, of whom 4 were males and 19 were females. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1936–1939 are shown in Table 8, on page 31.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 26,037 male decedents in 1939, 1,370 or 5.3 per cent, were under 1 year of age; among the 24,255 female decedents, 968 or 4 per cent, were under 1 year; and among the decedents of both sexes 4.6 per cent were under 1 year (see Table 9, page 32).

Marital Condition. — Not quite one-half (46.4 per cent) of the decedents 15

years of age and over, whose marital condition was reported in 1939 were married, 18.2 per cent were single, 33.8 per cent were widowed, 1.4 per cent were divorced, and .2 per cent were unknown. Among the male decedents 56.3 per cent were married, 18.1 per cent were single, 23.7 per cent were widowed, 1.6 per cent were divorced, and .3 per cent were unknown. Among the female decedents 36.1 per cent were married, 18.2 per cent were single, 44.4 per cent were widowed, 1.2 per cent were divorced, and one-tenth of one per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 10, on page 33, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1939 nearly two-thirds (60.3 per cent) were native, and 39.4 per cent were foreign. There were three-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in March (5,155), and the next largest number in January (4,801). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1939 was 138. The months showing the highest average for the year were March (166), February (160), April (158), January (155), and December (145). Table 11, on page 33, shows the number of deaths in each month of 1939, in counties, and in cities having over 50,000 in habitants in 1935.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1939 was 37.4 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases and is the lowest ever recorded in the Commonwealth. Reference to Table 29, on page 177, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1930 to 1939, there has been a decrease of 14.1 per cent in the number of live births registered. In 1939, deaths of Boston residents under 1 year of age numbered 449 or 37.5 per 1,000 live births. The rates for previous years were 43.7 per cent in 1938, 48.5 in 1937, 50.8 in 1936, and 49.1 in 1935. In the ten years from 1930 to 1939 there has been a decrease of 1,957 in the number of live births registered. For the remainder of the State, the number of births registered decreased 15.1 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 76.9 per 1,000 live births in 1923 to 37.3 in 1939, as compared with a decrease in Boston from 82.4 in 1923 to 37.5 in 1939. (See Table 29, on page 177.)

Deaths under one month and also under one year of age in each municipality are shown in Table 25, on pages 173 to 175.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1935 are shown for the years 1932 to 1939 in Table 27, on page 176.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1939, 1,367 deaths occurred in the first week, constituting 58.5 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (35.5) was higher than on any other day. In the first month of life there were 1,605 deaths, or 68.6 per cent of all infant deaths.

In the first three months there were 1,848 deaths, or 79 per cent of all infant deaths. Over three-fourths, 88.8 per cent, of the infant deaths occurred in the first half of the year.

Over three-fourths, 83 per cent, of the 1,367 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 1,411 babies who died from these causes before reaching the age of 1 year, 51.7 per cent died in less than one day, 80.4 per cent died in less than one week, and 90.3 per cent died in less than one month. Gastric and intestinal diseases which were formerly important factors in causing infant deaths have greatly decreased due to the improvement of hygiene and popular education. These causes claimed 91, or 3.9 per cent of the babies who died before reaching 1 year of age, as compared with 5.4 per cent in 1938. Eighteen and seven-tenths per cent of the babies who died from these causes died in less than one month after birth, 14.3 per cent within one but less than two months after birth, and 5.5 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes,—from 23.3 deaths per 1,000 live births in 1932 to 18.5 in 1939. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1935 when there were 455 infant deaths from this cause, 374 in 1936, 392 in 1937, 302 in 1938, and 294 in 1939. The principal causes of infant deaths for the years 1932 to 1939 are shown in Table 31, page 178.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 214 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1939 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — More than one-half of the 50,292 resident deaths reported in 1939 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 82.9 per cent of the deaths for the year. There were 50,907 registered deaths in 1939, the allocated rate being 11.3 and the registered rate, 11.4. Table 19, on page 163, shows the number of residents of the State who died from these causes.

Heart Disease,* as usual, was the leading cause of resident deaths in 1939, the total number being 17,604 corresponding to a rate of 395.8 per 100,000 population as compared with 16,296 deaths or 368.2 per 100,000 in 1938. Deaths from heart

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

disease, reported as having occurred in Massachusetts numbered 17,737 or 398.9 per 100,000 population. The great increase in the last few years was partly due to the fact that under the revised classification of causes of death, diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 6,914, the rate being 155.5 per 100,000 population with cancers of the digestive tract and peritoneum claiming 50 per cent of these deaths, cancer of the genitourinary organs 21.5; breast 11.4; respiratory system 5.4; buccal cavity and pharynx 3.2; skin 1.4 and 7.1 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.9 in 1910, to 155.3 in 1938 and 155.5 in 1939. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive tract and peritoneum 56.3; genitourinary organs 18.9; breast .2; respiratory organs 8.8; buccal cavity and pharynx 6.1; skin 1.8 and other or unspecified organs 7.9. The per cent distribution of the female deaths was as follows: digestive tract and peritoneum 44.7; genitourinary organs 23.6; breast 20.8; respiratory system 2.5; buccal cavity and pharynx .9; skin 1.1 and other or unspecified organs 6.4.

Of cancer of the digestive tract and peritoneum, cancer of the stomach claimed the largest number of males, 19.2 per cent, while cancer of the intestines claimed 17.5 of the females. Among the deaths from cancer of the genitourinary organs 23.7 per cent were of the prostate gland and 39 per cent were of the uterus. Over two-thirds of the deaths from cancer of the lungs were of males 69.4, while 30.6 per cent were of females. In the buccal cavity group cancers of the tongue and of the pharynx were responsible for the largest number of male and female deaths, being 23.9 and 5.3 per cent, respectively. More than one-half, 57.7 per cent of the deaths from cancer of the skin were of males, while 42.3 per cent were females.

Registered deaths from cancer showed an increase of 61 and a total of 7,092 in 1939, corresponding to a death rate of 159.5 as compared with 158.9 in 1938. Of the resident deaths from cancer more than one-half, 54.5 per cent were of females.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,504 deaths of residents, or 101.3 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 95.8 in 1935, 97.5 in 1936, 98.8 in 1937 and 97 in 1938. These diseases caused 4,543 registered deaths, corresponding to a rate of 102.2 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 3,126 resident deaths in 1939, or 70.3 per 100,000 population, compared with 3,216 deaths, or 72.7 per 100,000 population in 1938. It also was responsible for 3,138 deaths occurring in the State with a rate of 70.5 per 100,000 population.

Nephritis,* all forms, was the cause of 2,916 deaths of Massachusetts residents in 1939, corresponding to a rate of 65.6 per 100,000 population, as compared with 68 in 1938, 68.5 in 1937, 71.2 in 1936, 74.1 in 1935, and an average rate of 82.7 for the five years from 1930 to 1934. There were 2,807 deaths caused by chronic nephritis*, and 61 by acute nephritis. Of the registered deaths 2,821 were from chronic nephritis* and 60 from acute nephritis, resulting in a total of 2,930 for all forms of nephritis and a death rate of 65.9 per 100,000 population.

Tuberculosis in its various forms claimed 1,602 victims in 1939, of whom 1,505 died from tuberculosis of the respiratory system*. Deaths due to the latter cause constituted 3 per cent of all resident deaths during the year, the rate being 33.8 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, an increase of .2 per cent per 100,000 population has been noted in 1933. Tuberculosis (all forms) was responsible for 1,647 deaths registered in Massachusetts including 1,545 deaths from tuberculosis of the respiratory system*. The rates for the latter disease were 3 per cent of all deaths during the year and 34.7 per 100,000 population.

Diabetes* was the cause of 1,506 deaths of Massachusetts residents in 1939, an increase of 70 from those reported in 1938 and was responsible for a rate of 33.9 per 100,000 population. The rate from this disease has shown a steady increase for the past five years with the exception of 1935 and 1938 when the rates were 29.9 and 32.4 per 100,000 population, respectively. The rate was 33.9 in 1937 and 31.7 in 1936. Almost two-thirds, 66.3 per cent, of the resident deaths from diabetes were of females, with the age periods 65 to 74 years having the greatest number, 25.6 per cent; of the males 12.1 per cent were in these age periods also. This disease attacked persons 50 years of age and over most severely and these age groups had a rate of 92 per cent of diabetic deaths, 67 per cent being females and 33 per cent males. Deaths from diabetes reported as having occurred in the State, numbered 1,526 or 34.3 per 100,000 population.

Congenital Debility* and Malformations*, including premature birth, caused 1,187 resident deaths in 1939, corresponding to a rate of 26.7 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2). There were 1,207 registered deaths from these diseases, resulting in a rate of 27.1 per 100,000 population.

Alcoholism and Cirrhosis of the Liver* (specified as alcoholic, etc.) were responsible for 681 resident deaths in 1939, corresponding to a rate of 15.3 per 100,000 population. Of these 198 were due to alcoholism which is an increase of 25 over those reported in 1938, corresponding to a rate of 4.5 per 100,000 population. These diseases caused 688 deaths in Massachusetts with a rate of 15.5 per 100,000 population. Alcoholism claimed 200 of these, or 4.5 per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes of residents of the State in 1939 totalled 210, corresponding to a rate of 33 per 10,000 confinements. This rate was a decrease from 1938, the rate being 36.5 and 40.4 for 1937.

Puerperal septicemia* was responsible for 65 resident deaths including 27 due to abortion with septic conditions, the rates for this cause in 1939 being 10 per 10,000 confinements. In 1938 the rate was 9.6 and in 1937, 10.7. Of the deaths from these diseases, 22 were from 20 to 29 years of age, 3 were under 20 years of age and the remainder, 40, were from 30 to 44 years of age.

Diarrhea and Enteritis* caused 195 deaths of residents in 1939, or 4.4 per 100,000 population. Forty-six and two-tenths per cent of the total number of deaths charged to these causes in 1939 were of infants under 2 years of age. The rates from this cause of all ages were 7.4 in 1935, 5.9 in 1936, 5.2 in 1937 and 5.1 in 1938. During 1939 registered deaths totalled 199 from these causes, or 4.5 per 100,000 population. The number of infants under 2 years of age was 91 or 45.7 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 20.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 230 deaths of Massachusetts residents, or 5.2 per 100,000 inhabitants, as compared with 7.4 in 1935, 6.4 in 1936, 9.8 in 1937 and 3.5 in 1938. The number of registered deaths was 235, or 5.3 per 100,000 population. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated from 3.5 in 1938 to 27.9 in 1929.

Whooping Cough,* one of the principal epidemic maladies of childhood, was responsible for 45 deaths of both adults and children, the number of registered deaths being 46, or 1 per 100,000 population. This is an increase over 1938 of .2 per cent.

Measles,* another childhood disease, caused 16 deaths in 1939, or .4 per 100,000 population. This rate was .3 in 1938, .6 in 1937, .8 in 1936 and .9 in 1935. The total number and death rate for deaths occurring in Massachusetts were 17 and .4, respectively.

Scarlet Fever,* another epidemic disease of childhood, was the cause of 15 deaths in 1939, corresponding to a rate of .3 per 100,000 population. These rates have changed from year to year during the period 1914 to 1939, the highest being 6.8 in 1914 and the lowest, .3 in 1939. The number and rate for registered deaths were the same in 1939.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are diphtheria — number 15, or .3 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .4 in 1938 and 1937 and .6 in 1936 and 1935. The total and death rate for deaths registered in the State were 17 and .4, respectively.

Epidemic Cerebrospinal Meningitis claimed 17 victims in 1939, as compared with 18 in 1938, 72 in 1937, 100 in 1936 and 55 in 1935. The rate for this cause was .4 per 100,000 population. This disease was responsible for the same number of registered deaths.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1939 being 7, 19 in 1938, 14 in 1937 and 1936 and 16 in 1935. The registered deaths had the same total in 1939.

Dysentery caused 11 deaths in 1939, also being responsible for the same number of registered deaths. There were 19 in 1938, 10 in 1937 and 1936 and 9 in 1935.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .2 in 1939. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1939 was 11, as compared with 11 in 1938, 13 in 1937 and 10 in 1936 and 1935. The number and death rate for registered deaths were 11 and .2, respectively, during 1939.

Acute Poliomyelitis* has shown a decrease for 1939, the number of deaths being 4, or .1 per 100,000 population, as compared with .2 in 1938, .5 in 1937, .2 in 1936 and 1.4 in 1935. Deaths reported as having occurred in the State had the same number and rate.

There were no deaths from Smallpox in 1939.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 83.9 in 1935, 83.6 in 1936, 84.9 in 1937, 81.1 in 1938 and 76.0 in 1939. The death rate from violence was 76.6 per 100,000 population for registered deaths in 1939.

Resident deaths due to Railroad Accidents and Injuries* totalled 51 in 1939, and corresponded to a rate of 1.1 per 100,000 population. The rates for the previous years were 1.2 in 1938, 1.5 in 1937, 1.7 in 1936 and 1.6 in 1935. Registered deaths were the same in 1939 with the same rate.

Resident deaths resulting from Street-car Accidents and Injuries* numbered 12, or .3 per 100,000 population. The registered deaths had the same total and rate.

Automobile Accidents and Injuries* caused 630 deaths of residents in 1939, including 4 deaths from automobile and railroad collisions, and 1 death from automobile and street-car collisions. The rate was 14.2 per 100,000 population, as compared with 14.9 in 1938, 19.9 in 1937, 20.3 in 1936 and 19.5 in 1935. These accidents caused 646 deaths registered in Massachusetts in 1939, or 14.5 per 100,000 population. Of these, 4 deaths were from automobile and railroad collisions and 1 death from automobile and street-car collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1939 the resident deaths from this cause numbered 14. In 1938 there were 11 deaths; in 1937, 72; in 1936, 13; and in 1935, 21. The total deaths occurring in the State from this cause were the same in 1939. The highest temperature recorded in 1939 was 96 degrees on September 16. The highest tem-

perature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents* in 1939 numbered 23, or .5 per 100,000 population. The corresponding figures for previous years were .9 in 1935, .8 in 1936, .9 in 1937 and .8 in 1938. Deaths registered in Massachusetts had a total of 24 and a rate of .5 in 1939.

The number of Suicides* of Massachusetts residents in 1939 was 570, or 12.8 per 100,000 population. The rates since 1934 have been: 1935, 13.1; 1936, 12.7; 1937, 14.6; and 1938, 13.2. Reported deaths from suicide in 1939 numbered 579, or 13 per 100,000 population.

Resident deaths caused by firearms numbered 136 in 1939, corresponding to a rate of 3.1 per 100,000 population. Of these deaths 103 were suicides, 14 were homicides, and 19 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1939 were 137, or 3.1 per 100,000 population. These deaths included 106 suicides, 14 homicides, and 17 accidents.

Resident deaths from Homicide* numbered 61 in 1939, or 1.4 per 100,000 population. The rates for homicide in recent years are 1.7 in 1935 and 1936, 2.0 in 1937 and 1.4 in 1938. There were 63 registered deaths from homicide in 1939, or 1.4 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 13, on pages 35 to 53. The causes denoted by letters, shown separately in indented type, Table 13, are a part of the total cause shown in the International List. Ages, grouped in five year periods, are shown in Table 14, on pages 54 to 89. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 15 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 16. In Table 17, on pages 116 to 140, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1933 to 1939 are shown for the 38 causes and groups of causes in the Abridged International List in Table 21, on pages 164 and 165. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 166 to 200.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of death investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from diseases resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1939 was 10,353, or 20.3 per cent of the total number of deaths which occurred during the year, as compared with 10,238 deaths in 1938, or 20.5 per cent of the total number of deaths. Almost two-thirds (64.6 per cent) of these deaths were of males. Of the deaths investigated by medical examiners,

3,204, or 30.9 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,408 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1939 was in Suffolk County, 2,523, as compared with 2,532 in 1938. Of the deaths investigated in Suffolk County, 742, or 29.4 per cent, were reported as due to violence (see Table 39, page 201).

Autopsies. — Autopsies were made in 894, or 8.6 per cent, of the cases investigated by the medical examiners in 1939, as compared with 9.1 per cent in 1938, 10.2 per cent in 1937, 9.3 per cent in 1936 and 8.8 per cent in 1935.

The highest proportion of autopsies was in Suffolk County where 22.8 per cent of the views were autopsied, there being 22.9 per cent in 1938. Table 41, on pages 208 and 209, shows the number of views and the number of autopsies in each county in each year from 1930 to 1939, and the number and per cent of views autopsied for the ten-year period, 1930 to 1939.

Cause of Death. — Over one-half (57.2 per cent) of the deaths viewed by medical examiners in 1939 were from causes not due to violence, 30.9 per cent were due to violence, and .6 per cent were stillbirths. One thousand, one hundred and sixty-six or 11.3 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 5,919, of which 5,709 were from natural causes and 185 were due to alcoholism.

Deaths due to violence numbered 3,204, of which 2,552 were due to accident or negligence, 586 were suicides, and 66 were homicides.

Of the 2,552 deaths due to accident or negligence, 1,156 were due to falls, blows, and falling bodies, 640 were due to automobile accidents, 4 of which were railroad and automobile accidents, 162 resulted from drowning, 51 were due to railroad accidents, and 543 to other causes. There were no street-car and automobile collisions.

Suicides numbered 586, or 18.3 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 170, and by hanging or strangulation, 137, constituted more than one-half (52.4 per cent) of the total number. The number of suicides by firearms was 109, by poisons, 55, by drowning, 47, and other methods, 68. Almost three-fourths (74.6 per cent) of the suicides were males.

Of the 586 persons committing suicide, 131 were 50 to 59 years of age, 126 were 40 to 49 years of age, 104 were 30 to 39 years of age, 63 were 20 to 29 years of age, 148 were over 60 years of age, and 14 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 98, and from 40 to 49 years of age, 82, and among the female suicides the largest numbers were from 40 to 49 years of age, 44, and 50 to 59 years of age, 33. The most common method of committing suicide was by poisonous gas.

Homicides numbered 66, of which 17 were by firearms, 7 were by cutting or piercing instruments, 38 by other means, and 4 were cases of infanticide. Of the 66 homicides, 40, or 60.6 per cent, were males.

STATISTICAL TABLES

General Mortality

Table 1

Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: 1939

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Including non-residents.
The State.	**50,907**	**26,340**	**24,567**	**30,826**	**19,938**	**143**	**4,446,868**	**11.4**
Counties.								
Barnstable	534	310	224	422	110	2	40,760	13.1
Berkshire	1,356	731	625	1,003	347	6	121,477	11.2
Bristol	4,428	2,203	2,225	2,380	2,041	7	368,241	12.0
Dukes	102	59	43	69	31	2	6,407	15.9
Essex	5,748	2,901	2,847	3,525	2,216	7	510,587	11.3
Franklin	606	300	306	472	134	–	52,398	11.6
Hampden	3,586	1,842	1,744	2,230	1,347	9	333,495	10.8
Hampshire	918	457	461	599	318	1	75,535	12.2
Middlesex	10,081	5,053	5,028	6,073	3,990	18	981,526	10.3
Nantucket	53	27	26	39	14	–	3,495	15.2
Norfolk	3,436	1,727	1,709	2,218	1,213	5	341,100	10.1
Plymouth	2,062	1,105	957	1,465	593	4	170,136	12.1
Suffolk	12,166	6,573	5,593	6,730	5,369	67	944,130	12.9
Worcester	5,831	3,052	2,779	3,601	2,215	15	499,655	11.7
Municipalities								
Abington	61	29	32	55	6	–	5,696	10.7
Acton	20	10	10	14	6	–	2,781	7.2
Acushnet	84	39	45	49	35	–	3,951	21.3
Adams	136	73	63	66	70	–	13,011	10.5
Agawam	40	21	19	23	17	–	7,309	5.5
Alford	3	1	2	2	1	–	221	13.6
Amesbury	123	63	60	83	40	–	10,514	11.7
Amherst	43	17	26	35	8	–	7,029	6.1
Andover	101	47	54	50	51	–	11,085	9.1
Arlington	334	146	188	211	123	–	40,855	8.2
Ashburnham	19	12	7	13	6	–	2,051	9.3
Ashby	5	1	4	4	1	–	957	5.2
Ashfield	8	2	6	7	1	–	972	8.2
Ashland	25	11	14	18	7	–	2,589	9.7
Athol	109	48	61	70	39	–	10,821	10.1
Attleboro	323	177	146	213	109	1	21,898	14.8
Auburn	41	26	15	25	16	–	6,902	5.9
Avon	20	13	7	14	6	–	2,362	8.5
Ayer	50	28	22	43	7	–	4,617	10.8
Barnstable	170	104	66	139	30	1	8,761	19.4
Barre	28	11	17	17	11	–	3,509	8.0
Becket	3	3	–	2	–	1	771	3.9
Bedford	57	50	7	47	10	–	3,736	15.3
Belchertown	45	21	24	38	7	–	4,549	9.9
Bellingham	21	10	11	10	11	–	3,056	6.9
Belmont	145	71	74	83	62	–	27,752	5.2
Berkley	13	7	6	7	6	–	1,191	10.9
Berlin	4	1	3	3	1	–	1,106	3.6
Bernardston	10	6	4	9	1	–	1,051	9.5
Beverly	311	154	157	206	105	–	26,615	11.7
Billerica	75	47	28	38	37	–	7,379	10.2
Blackstone	33	13	20	19	14	–	4,588	7.2
Blandford	3	3	–	2	1	–	469	6.4
Bolton	9	5	4	5	4	–	739	12.2
Boston	11,147	5,903	5,244	6,155	4,930	62	852,316	13.1
Bourne	65	45	20	49	16	–	3,752	17.3
Boxborough	1	–	1	1	–	–	490	2.0
Boxford	8	4	4	6	2	–	796	10.1
Boylston	35	19	16	18	17	–	1,609	21.8
Braintree	170	95	75	109	61	–	18,458	9.2
Brewster	11	4	7	8	3	–	715	15.4
Bridgewater	121	94	27	85	33	3	9,336	13.0
Brimfield	8	5	3	8	–	–	900	8.9
Brockton	838	431	407	564	274	–	62,407	13.4
Brookfield	12	6	6	11	1	–	1,309	9.2
Brookline	589	224	365	376	210	3	52,999	11.1
Buckland	16	8	8	12	4	–	1 581	10.1
Burlington	16	13	3	10	5	1	2,546	6.3
Cambridge	1,353	678	675	794	557	2	122,274	11.1

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN : 1939.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1939.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Canton	49	21	28	33	16	–	7,153	6.9
Carlisle	4	1	3	3	1	–	796	5.0
Carver	17	10	7	10	7	–	1,726	9.8
Charlemont	7	4	3	6	1	–	1,020	6.9
Charlton	52	31	21	45	7	–	2,566	20.3
Chatham	17	6	11	14	3	–	2,163	7.9
Chelmsford	71	32	39	38	33	–	8,135	8.7
CHELSEA	636	494	142	369	264	3	42,673	14.9
Cheshire	20	10	10	17	3	–	1,660	12.0
Chester	8	3	5	7	1	–	1,362	5.9
Chesterfield	5	5	–	5	–	–	469	10.7
CHICOPEE	222	118	104	90	131	1	41,952	5.3
Chilmark	2	1	1	1	1	–	253	7.9
Clarksburg	9	7	2	6	3	–	1,368	6.6
Clinton	148	75	73	80	68	–	12,373	12.0
Cohasset	31	20	11	24	7	–	3,731	8.3
Colrain	12	6	6	11	1	–	1,705	7.0
Concord	79	39	40	60	18	1	7,955	9.9
Conway	9	4	5	7	2	–	1,001	9.0
Cummington	2	–	2	2	–	–	686	2.9
Dalton	36	21	15	30	5	1	4,341	8.3
Danvers	398	200	198	239	156	3	14,762	27.0
Dartmouth	59	33	26	37	22	–	10,034	5.9
Dedham	123	56	67	69	54	–	15,594	7.9
Deerfield	15	8	7	10	5	–	3,039	4.9
Dennis	35	20	15	27	8	–	2,195	15.9
Dighton	41	15	26	23	18	–	3,116	13.2
Douglas	14	7	7	7	7	–	2,597	5.4
Dover	2	1	1	2	–	–	1,408	1.4
Dracut	41	24	17	21	20	–	6,500	6.3
Dudley	21	13	8	9	12	–	4,854	4.3
Dunstable	5	3	2	4	1	–	452	11.1
Duxbury	28	14	14	24	4	–	2,762	10.1
East Bridgewater	32	14	18	20	12	–	3,746	8.5
East Brookfield	13	9	4	9	3	1	963	13.5
East Longmeadow	17	10	7	9	8	–	3,420	5.0
Eastham	7	4	3	7	–	–	665	10.5
Easthampton	64	33	31	32	32	–	10,486	6.1
Easton	38	20	18	22	16	–	5,294	7.2
Edgartown	9	3	6	6	2	1	1,512	6.0
Egremont	6	2	4	6	–	–	623	9.6
Erving	15	6	9	9	6	–	1,302	11.5
Essex	24	10	14	19	5	–	1,505	15.9
EVERETT	374	166	208	184	190	–	47,228	7.9
Fairhaven	96	38	58	61	35	–	11,056	8.7
FALL RIVER	1,520	751	769	758	758	4	119,441	12.7
Falmouth	51	30	21	34	16	1	8,157	6.3
FITCHBURG	396	200	196	226	170	–	42,655	9.3
Florida	1	–	1	1	–	–	497	2.0
Foxborough	154	85	69	108	46	–	6,293	24.5
Framingham	268	128	140	171	97	–	23,069	11.6
Franklin	45	27	18	27	18	–	7,937	5.7
Freetown	22	14	8	18	4	–	1,959	11.2
GARDNER	293	150	143	187	105	1	21,342	13.7
Gay Head	–	–	–	–	–	–	–	–
Georgetown	29	15	14	20	9	–	2,144	13.5
Gill	4	3	1	3	1	–	1,006	4.0
GLOUCESTER	325	181	144	206	118	1	24,164	13.4
Goshen	1	1	–	1	–	–	266	3.8
Gosnold	–	–	–	–	–	–	–	–
Grafton	125	64	61	75	50	–	8,297	15.1
Granby	3	2	1	3	–	–	1,015	3.0
Granville	8	6	2	5	3	–	732	10.9
Great Barrington	108	60	48	93	14	1	6,779	15.9
Greenfield	231	108	123	187	44	–	16,285	14.2
Groton	30	17	13	23	7	–	2,626	11.4
Groveland	15	12	3	14	1	–	2,219	6.8
Hadley	18	11	7	10	8	–	2,738	6.6
Halifax	4	3	1	4	–	–	898	4.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1939.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1939.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Hamilton	15	5	10	9	6	–	2,413	6.2
Hampden	6	4	2	6	–	–	1,011	5.9
Hancock	8	4	4	8	–	–	452	17.7
Hanover	22	14	8	16	6	–	2,709	8.1
Hanson	58	30	28	45	13	–	2,633	22.0
Hardwick	19	10	9	8	11	–	2,379	8.0
Harvard	7	2	5	4	3	–	952	7.4
Harwich	37	15	22	30	7	–	2,416	15.3
Hatfield	7	5	2	6	1	–	2,433	2.9
HAVERHILL	596	305	291	399	197	–	50,280	11.9
Hawley	3	1	2	3	–	–	308	9.7
Heath	1	1	–	1	–	–	403	2.5
Hingham	51	29	22	41	10	–	7,967	6.4
Hinsdale	6	3	3	5	1	–	1,144	5.2
Holbrook	35	13	22	30	5	–	3,374	10.4
Holden	53	34	19	34	19	–	3,955	13.4
Holland	2	2	–	2	–	–	260	7.7
Holliston	30	15	15	26	4	–	2,979	10.1
HOLYOKE	716	356	360	368	348	–	56,139	12.8
Hopedale	27	12	15	19	8	–	3,160	8.5
Hopkinton	37	16	21	32	5	–	2,666	13.9
Hubbardston	10	6	4	6	4	–	1,000	10.0
Hudson	62	27	35	41	20	1	8,520	7.3
Hull	35	17	18	21	14	–	3,159	11.1
Huntington	11	4	7	10	1	–	1,442	7.6
Ipswich	68	37	31	44	24	–	6,800	10.0
Kingston	25	11	14	16	9	–	2,808	8.9
Lakeville	36	21	15	29	7	–	1,443	24.9
Lancaster	26	12	14	20	6	–	2,590	10.0
Lanesborough	3	1	2	3	–	–	1,296	2.3
LAWRENCE	928	486	442	423	505	–	88,412	10.5
Lee	30	13	17	22	7	1	4,286	7.0
Leicester	31	19	12	22	9	–	4,426	7.0
Lenox	25	15	10	19	6	–	2,706	9.2
LEOMINSTER	211	100	111	147	63	1	21,974	9.6
Leverett	10	6	4	10	–	–	772	13.0
Lexington	112	52	60	62	49	1	12,088	9.3
Leyden	–	–	–	–	–	–	–	–
Lincoln	18	11	7	14	4	–	1,649	10.9
Littleton	12	8	4	9	3	–	1,606	7.5
Longmeadow	22	11	11	17	4	1	5,737	3.8
LOWELL	1,370	702	668	749	619	2	100,114	13.7
Ludlow	61	28	33	36	25	–	8,569	7.1
Lunenburg	12	3	9	5	7	–	2,313	5.2
LYNN	1,063	514	549	650	412	1	100,909	10.5
Lynnfield	19	7	12	12	7	–	2,182	8.7
MALDEN	652	320	332	355	294	3	57,277	11.4
Manchester	23	7	16	14	9	–	2,509	9,2
Mansfield	46	25	21	29	17	–	6,710	6.9
Marblehead	99	49	50	80	18	1	11,599	8.5
Marion	11	3	8	10	1	–	2,083	5.3
MARLBOROUGH	168	78	90	120	47	1	15,965	10.5
Marshfield	24	15	9	18	6	–	2,494	9.6
Mashpee	6	2	4	6	–	–	398	15.1
Mattapoisett	20	8	12	17	3	–	1,855	10.8
Maynard	40	18	22	16	24	–	7,107	5.6
Medfield	123	54	69	58	64	1	4,253	28.9
MEDFORD	485	237	248	270	215	–	63,083	7.7
Medway	26	14	12	16	10	–	3,376	7.7
MELROSE	294	154	140	193	99	2	25,285	11.6
Mendon	13	7	6	12	1	–	1,416	9.2
Merrimac	27	13	14	24	3	–	2,209	12.2
Methuen	181	68	113	79	102	–	21,076	8.6
Middleborough	134	67	67	95	39	–	9,108	14.7
Middlefield	1	–	1	1	–	–	242	4.1
Middleton	86	63	23	55	30	1	2,223	38.7
Milford	188	99	89	109	79	–	15,261	12.3
Millbury	63	33	30	40	23	–	6,879	9.2
Millis	13	5	8	7	6	–	2,438	5.3
Millville	5	4	1	3	2	–	1,901	2.6
Milton	153	78	75	97	56	–	19,770	7.7
Monroe	1	1	–	1	–	–	261	3.8
Monson	101	55	46	88	13	–	5,452	18.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: 1939.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Including non-residents.
Montague	115	53	62	75	40	–	7,967	14.4
Monterey	3	2	1	3	–	–	329	9.1
Montgomery	–	–	–	–	–	–	–	–
Mount Washington	1	1	–	1	–	–	68	14.7
Nahant	10	5	5	6	4	–	1,834	5.5
Nantucket	53	27	26	39	14	–	3,495	15.2
Natick	170	81	89	123	47	–	15,156	11.2
Needham	92	40	52	59	33	–	12,759	7.2
New Ashford	–	–	–	–	–	–	–	–
New Bedford	1,297	637	660	603	694	–	110,022	11.8
New Braintree	3	1	2	3	–	–	463	6.5
New Marlborough	8	4	4	7	1	–	975	8.2
New Salem	8	5	3	7	1	–	470	17.0
Newbury	18	11	7	17	1	–	1,619	11.1
Newburyport	214	107	107	171	43	–	14,815	14.4
Newton	705	326	379	469	236	–	66,966	10.5
Norfolk	253	173	80	143	110	–	2,683	94.3
North Adams	249	141	108	169	79	1	22,524	11.1
North Andover	58	31	27	37	21	–	7,353	7.9
North Attleborough	60	26	34	32	28	–	10,206	5.9
North Brookfield	30	15	15	20	10	–	3,348	9.0
North Reading	33	19	14	28	5	–	2,677	12.3
Northampton	532	271	261	344	187	1	24,661	21.6
Northborough	29	12	17	25	4	–	2,817	10.3
Northbridge	57	30	27	28	29	–	11,395	5.0
Northfield	24	11	13	21	3	–	2,015	11.9
Norton	26	15	11	21	5	–	3,103	8.4
Norwell	19	5	14	15	4	–	1,801	10.5
Norwood	195	107	88	127	68	–	16,071	12.1
Oak Bluffs	58	33	25	41	17	–	1,959	29.6
Oakham	2	–	2	2	–	–	441	4.5
Orange	69	36	33	55	14	–	5,400	12.8
Orleans	24	17	7	19	5	–	1,652	14.5
Otis	4	3	1	4	–	–	460	8.7
Oxford	25	14	11	19	6	–	4,541	5.5
Palmer	94	55	39	61	31	2	9,437	10.0
Paxton	6	2	4	4	2	–	785	7.6
Peabody	211	111	100	105	106	–	22,780	9.3
Pelham	5	3	2	4	1	–	550	9.1
Pembroke	21	12	9	18	3	–	1,740	12.1
Pepperell	30	17	13	25	5	–	3,080	9.7
Peru	–	–	–	–	–	–	–	–
Petersham	11	7	4	10	1	–	772	14.2
Phillipston	5	5	–	4	1	–	482	10.4
Pittsfield	597	318	279	455	141	1	47,516	12.6
Plainfield	2	1	1	1	1	–	357	5.6
Plainville	10	8	2	6	4	–	1,628	6.1
Plymouth	174	93	81	111	63	–	13,316	13.1
Plympton	11	6	5	7	4	–	602	18.3
Princeton	3	3	–	1	2	–	707	4.2
Provincetown	45	26	19	31	14	–	4,319	10.4
Quincy	670	346	324	407	262	1	81,575	8.2
Randolph	67	30	37	49	18	–	8,552	7.8
Raynham	21	6	15	18	3	–	2,273	9.7
Reading	83	36	47	60	23	–	11,589	7.2
Rehoboth	23	11	12	10	13	–	2,934	7.8
Revere	195	93	102	80	115	–	35,319	5.5
Richmond	4	2	2	4	–	–	671	6.0
Rochester	16	11	5	13	3	–	1,310	12.2
Rockland	78	41	37	65	13	–	8,236	9.5
Rockport	30	11	19	19	11	–	3,638	8.2
Rowe	2	–	2	2	–	–	277	7.2
Rowley	13	8	5	12	1	–	1,625	8.0
Royalston	9	6	3	7	2	–	933	9.6
Russell	13	6	7	9	4	–	1,326	9.8
Rutland	178	144	34	129	49	–	2,406	74.0
Salem	527	273	254	360	167	–	43,585	12.1
Salisbury	19	12	7	12	7	–	2,294	8.3
Sandisfield	1	1	–	1	–	–	525	1.9
Sandwich	19	11	8	15	4	–	1,586	12.0
Saugus	87	42	45	58	29	–	15,432	5.6
Savoy	5	5	–	4	1	–	299	16.7
Scituate	40	22	18	33	7	–	4,537	8.8
Seekonk	42	18	24	23	19	–	5,243	8.0

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1939.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1939.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Sharon	40	20	20	24	16	–	3,996	10.0
Sheffield	11	7	4	8	3	–	1,961	5.6
Shelburne	20	11	9	19	1	–	1,660	12.0
Sherborn	5	2	3	4	1	–	1,043	4.8
Shirley	10	6	4	3	7	–	2,661	3.8
Shrewsbury	46	15	31	35	10	1	7,365	6.2
Shutesbury	5	3	2	3	2	–	255	19.6
Somerset	43	22	21	24	19	–	5,899	7.3
SOMERVILLE	939	431	508	541	396	2	100,773	9.3
South Hadley	51	24	27	26	25	–	6,897	7.4
Southampton	7	4	3	6	1	–	976	7.2
Southborough	19	8	11	15	4	–	2,109	9.0
Southbridge	129	60	69	68	61	–	17,228	7.5
Southwick	11	6	5	6	5	–	1,616	6.8
Spencer	68	34	34	51	17	–	6,692	10.2
SPRINGFIELD	1,811	910	901	1,178	629	4	149,642	12.1
Sterling	13	4	9	9	4	–	1,607	8.1
Stockbridge	22	10	12	18	4	–	2,072	10.6
Stoneham	155	64	91	108	47	–	11,580	13.4
Stoughton	74	33	41	55	19	–	8,737	8.5
Stow	8	–	8	6	2	–	1,235	6.5
Sturbridge	20	10	10	15	5	–	2,058	9.7
Sudbury	18	6	12	13	5	–	2,070	8.7
Sunderland	11	10	1	6	5	–	1,204	9.1
Sutton	21	13	8	10	11	–	2,656	7.9
Swampscott	87	34	53	66	21	–	10,607	8.2
Swansea	37	24	13	32	5	–	4,689	7.9
TAUNTON	599	311	288	376	221	2	37,503	16.0
Templeton	31	13	18	26	5	–	4,437	7.0
Tewksbury	14	8	6	9	5	–	7,486	1.9
State Infirmary	387	292	95	207	180	–	–	–
Tisbury	29	19	10	18	11	–	2,087	13.9
Tolland	–	–	–	–	–	–	–	–
Topsfield	14	8	6	12	2	–	1,232	11.4
Townsend	25	14	11	20	5	–	2,120	11.8
Truro	3	2	1	3	–	–	568	5.3
Tyngsborough	13	7	6	9	4	–	1,331	9.8
Tyringham	4	3	1	4	–	–	243	16.5
Upton	29	13	16	26	3	–	2,293	12.6
Uxbridge	43	21	22	28	15	–	6,500	6.6
Wakefield	138	65	73	91	46	1	16,660	8.3
Wales	13	4	9	12	–	1	403	32.3
Walpole	48	20	28	39	9	–	7,611	6.3
WALTHAM	507	270	237	326	181	–	41,798	12.1
Ware	99	44	55	60	39	–	8,051	12.3
Wareham	67	43	24	48	19	–	6,387	10.5
Warren	29	14	15	19	9	1	3,662	7.9
Warwick	4	4	–	4	–	–	749	5.3
Washington	1	–	1	1	–	–	280	3.6
Watertown	186	89	97	100	86	–	36,692	5.1
Wayland	40	19	21	31	9	–	3,735	10.7
Webster	113	62	51	60	52	1	14,637	7.7
Wellesley	82	37	45	56	26	–	15,211	5.4
Wellfleet	16	8	8	15	1	–	1,061	15.1
Wendell	2	1	1	2	–	–	439	4.6
Wenham	7	5	2	5	2	–	1,266	5.5
West Boylston	20	8	12	14	6	–	2,200	9.1
West Bridgewater	29	16	13	21	7	1	3,496	8.3
West Brookfield	15	7	8	12	2	1	1,261	11.9
West Newbury	14	3	11	13	1	–	1,475	9.5
West Springfield	92	46	46	67	25	–	17,529	5.2
West Stockbridge	7	1	6	6	1	–	1,151	6.1
West Tisbury	4	3	1	3	–	1	293	13.7
Westborough	204	88	116	143	61	–	6,073	33.6
WESTFIELD	316	179	137	222	94	–	18,788	16.8
Westford	37	22	15	19	18	–	3,967	9.3
Westhampton	1	1	–	1	–	–	434	2.3
Westminster	14	9	5	8	6	–	2,003	7.0
Weston	26	14	12	22	4	–	4,334	6.0
Westport	38	14	24	24	14	–	4,355	8.7
Westwood	24	14	10	17	7	–	2,953	8.1
Weymouth	277	151	126	212	65	–	22,568	12.3

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1939.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1939.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Whately	4	2	2	2	2	–	1,133	3.5
Whitman	90	46	44	64	26	–	7,591	11.9
Wilbraham	22	14	8	14	8	–	3,207	6.9
Williamsburg	17	7	10	11	6	–	1,859	9.1
Williamstown	42	19	23	36	6	–	4,623	9.1
Wilmington	37	14	23	26	11	–	4,947	7.5
Winchendon	83	55	28	57	26	–	6,981	11.9
Winchester	130	67	63	87	43	–	13,989	9.3
Windsor	3	2	1	2	1	–	435	6.9
Winthrop	188	83	105	126	60	2	17,142	11.0
WOBURN	152	81	71	92	59	1	19,942	7.6
WORCESTER	2,559	1,348	1,211	1,505	1,046	8	190,471	13.4
Worthington	4	3	1	3	1	–	573	7.0
Wrentham	50	32	18	44	6	–	4,705	10.6
Yarmouth	28	16	12	25	3	–	2,376	11.8

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths[2], by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town : 1939.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Excluding non-residents
The State.	**50,292**	**26,037**	**24,255**	**30,330**	**19,816**	**146**	**4,446,868**	**11.3**
Counties.								
Barnstable	542	310	232	428	114	–	40,760	13.3
Berkshire	1,390	762	628	1,016	368	6	121,477	11.4
Bristol	4,317	2,175	2,142	2,304	2,006	7	368,241	11.7
Dukes	102	56	46	70	31	1	6,407	15.9
Essex	5,956	3,062	2,894	3,648	2,295	13	510,587	11.7
Franklin	663	339	324	517	146	–	52,398	12.7
Hampden	3,565	1,841	1,724	2,196	1,360	9	333,495	10.7
Hampshire	760	380	380	499	260	1	75,535	10.1
Middlesex	10,707	5,372	5,335	6,552	4,140	15	981,526	10.9
Nantucket	54	27	27	39	15	–	3,495	15.5
Norfolk	3,464	1,774	1,690	2,268	1,192	4	341,100	10.2
Plymouth	2,236	1,176	1,060	1,594	639	3	170,136	13.1
Suffolk	11,020	5,890	5,130	5,797	5,153	70	944,130	11.7
Worcester	5,516	2,873	2,643	3,402	2,097	17	499,655	11.0
Municipalities.								
Abington	88	43	45	80	8	–	5,696	15.4
Acton	28	15	13	19	9	–	2,781	10.1
Acushnet	33	15	18	10	23	–	3,951	8.4
Adams	155	83	72	79	76	–	13,011	11.9
Agawam	74	37	37	46	28	–	7,309	10.1
Alford	4	2	2	3	1	–	221	18.1
Amesbury	132	66	66	90	42	–	10,514	12.6
Amherst	68	30	38	54	14	–	7,029	9.7
Andover	137	65	72	76	61	–	11,085	12.4
Arlington	405	196	209	263	142	–	40,855	9.9
Ashburnham	26	16	10	18	8	–	2,051	13.2
Ashby	9	3	6	6	3	–	957	9.4
Ashfield	10	3	7	8	2	–	972	10.3
Ashland	41	19	22	27	14	–	2,589	15.8
Athol	144	70	74	100	44	–	10,821	13.3
Attleboro	265	142	123	169	95	1	21,898	12.1
Auburn	65	42	23	42	23	–	6,902	9.4
Avon	36	22	14	29	7	–	2,362	15.2
Ayer	50	28	22	42	8	–	4,617	10.8
Barnstable	125	75	50	96	29	–	8,761	14.3
Barre	36	17	19	22	14	–	3,509	10.3
Becket	6	4	2	5	–	1	771	7.8
Bedford	40	29	11	28	12	–	3,736	10.7
Belchertown	36	13	23	29	7	–	4,549	7.9
Bellingham	26	11	15	11	15	–	3,056	8.5
Belmont	214	105	109	127	87	–	27,752	7.7
Berkley	14	9	5	8	6	–	1,191	11.8
Berlin	6	3	3	5	1	–	1,106	5.4
Bernardston	14	8	6	11	3	–	1,051	13.3
Beverly	287	147	140	192	95	–	26,615	10.8
Billerica	93	51	42	51	42	–	7,379	12.6
Blackstone	56	28	28	35	21	–	4,588	12.2
Blandford	3	3	–	2	1	–	469	6.4
Bolton	16	8	8	12	4	–	739	21.7
Boston	9,999	5,330	4,669	5,306	4,629	64	852,316	11.7
Bourne	45	26	19	32	13	–	3,752	12.0
Boxborough	2	1	1	1	1	–	490	4.1
Boxford	10	6	4	8	2	–	796	12.6
Boylston	16	11	5	11	5	–	1,609	9.9
Braintree	175	90	85	119	56	–	18,458	9.5
Brewster	13	7	6	10	3	–	715	18.2
Bridgewater	98	55	43	62	35	1	9,336	10.5
Brimfield	9	7	2	7	2	–	900	10.0
Brockton	827	420	407	534	292	1	62,407	13.3
Brookfield	18	10	8	15	3	–	1,309	13.8
Brookline	601	279	322	380	219	2	52,999	11.3
Buckland	23	12	11	18	5	–	1,581	14.5
Burlington	36	24	12	28	7	1	2,546	14.1
Cambridge	1,316	632	684	783	532	1	122,274	10.8
Canton	77	38	39	48	29	–	7,153	10.8
Carlisle	12	6	6	7	5	–	796	15.1
Carver	22	15	7	12	10	–	1,726	12.7
Charlemont	15	7	8	15	–	–	1,020	14.7
Charlton	43	21	22	38	5	–	2,566	16.8
Chatham	34	18	16	29	5	–	2,163	15.7
Chelmsford	103	49	54	62	41	–	8,135	12.7
Chelsea	469	273	196	193	273	3	42,673	11.0
Cheshire	19	10	9	15	4	–	1,660	11.4
Chester	18	9	9	15	3	–	1,362	13.2
Chesterfield	8	5	3	6	2	–	469	17.1

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths[2], by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town: 1939.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Excluding non-residents
CHICOPEE	379	210	169	183	195	1	41,952	9.0
Chilmark	5	3	2	4	1	–	253	19.8
Clarksburg	10	5	5	4	6	–	1,368	7.3
Clinton	146	75	71	75	71	–	12,373	11.8
Cohasset	35	25	10	27	8	–	3,731	9.4
Colrain	13	7	6	12	1	–	1,705	7.6
Concord	81	45	36	64	16	1	7,955	10.2
Conway	12	6	6	10	2	–	1,001	12.0
Cummington	6	4	2	5	1	–	686	8.7
Dalton	53	31	22	45	7	1	4,341	12.2
Danvers	161	82	79	109	51	1	14,762	10.9
Dartmouth	83	47	36	49	34	–	10,034	8.3
Dedham	178	83	95	100	78	–	15,594	11.4
Deerfield	30	17	13	19	11	–	3,039	9.9
Dennis	39	21	18	34	5	–	2,195	17.8
Dighton	43	20	23	23	20	–	3,116	13.8
Douglas	20	10	10	9	11	–	2,597	7.7
Dover	5	4	1	3	2	–	1,408	3.6
Dracut	66	41	25	39	27	–	6,500	10.2
Dudley	39	24	15	23	16	–	4,854	8.0
Dunstable	5	3	2	4	1	–	452	11.1
Duxbury	28	14	14	22	6	–	2,762	10.1
East Bridgewater	48	22	26	34	14	–	3,746	12.8
East Brookfield	16	10	6	10	5	1	963	16.6
East Longmeadow	31	16	15	17	14	–	3,420	9.1
Eastham	7	3	4	6	1	–	665	10.5
Easthampton	110	59	51	61	49	–	10,486	10.5
Easton	73	37	36	48	25	–	5,294	13.8
Edgartown	26	15	11	14	12	–	1,512	17.2
Egremont	11	4	7	11	–	–	623	17.7
Erving	17	9	8	13	4	–	1,302	13.1
Essex	29	12	17	22	7	–	1,505	19.3
EVERETT	477	229	248	254	223	–	47,228	10.1
Fairhaven	135	56	79	82	53	–	11,056	12.2
FALL RIVER	1,335	654	681	652	680	3	119,441	11.2
Falmouth	72	46	26	52	20	–	8,157	8.8
FITCHBURG	417	209	208	236	181	–	42,655	9.8
Florida	1	1	–	1	–	–	497	2.0
Foxborough	68	32	36	57	11	–	6,293	10.8
Framingham	254	115	139	166	88	–	23,069	11.0
Franklin	79	46	33	48	31	–	7,937	10.0
Freetown	24	14	10	21	3	–	1,959	12.3
GARDNER	193	100	93	106	87	–	21,342	9.0
Gay Head	–	–	–	–	–	–	–	–
Georgetown	33	17	16	26	7	–	2,144	15.4
Gill	5	2	3	3	2	–	1,006	5.0
GLOUCESTER	353	200	153	212	140	1	24,164	14.6
Goshen	3	2	1	3	–	–	266	11.3
Gosnold	2	1	1	2	–	–	137	14.6
Grafton	69	29	40	45	24	–	8,297	8.3
Granby	9	5	4	8	1	–	1,015	8.9
Granville	11	9	2	7	4	–	732	15.0
Great Barrington	79	45	34	65	13	1	6,779	11.7
Greenfield	198	95	103	160	38	–	16,285	12.2
Groton	31	17	14	25	6	–	2,626	11.8
Groveland	21	15	6	20	1	–	2,219	9.5
Hadley	25	15	10	13	12	–	2,738	9.1
Halifax	6	2	4	5	1	–	898	6.7
Hamilton	25	11	14	15	10	–	2,413	10.4
Hampden	9	8	1	8	1	–	1,011	8.9
Hancock	10	6	4	10	–	–	452	22.1
Hanover	29	19	10	21	8	–	2,709	10.7
Hanson	44	20	24	37	7	–	2,633	16.7
Hardwick	32	17	15	17	15	–	2,379	13.5
Harvard	16	9	7	11	4	1	952	16.8
Harwich	55	26	29	42	13	–	2,416	22.8
Hatfield	14	8	6	11	3	–	2,433	5.8
HAVERHILL	621	322	299	406	209	6	50,280	12.4
Hawley	3	1	2	3	–	–	308	9.7
Heath	4	4	–	3	1	–	403	9.9
Hingham	79	40	39	62	17	–	7,967	9.9
Hinsdale	14	8	6	12	2	–	1,144	12.2
Holbrook	47	19	28	41	6	–	3,374	13.9
Holden	42	27	15	27	15	–	3,955	10.6

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths[2], by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town : 1939.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Excluding non-residents.
Holland	2	2	–	2	–	–	260	7.7
Holliston	34	16	18	27	7	–	2,979	11.4
HOLYOKE	689	334	355	344	345	–	56,139	12.3
Hopedale	34	15	19	23	11	–	3,160	10.8
Hopkinton	48	21	27	42	6	–	2,666	18.0
Hubbardston	17	8	9	10	7	–	1,000	17.0
Hudson	90	42	48	58	31	1	8,520	10.6
Hull	34	15	19	22	12	–	3,159	10.8
Huntington	17	9	8	16	1	–	1,442	11.8
Ipswich	78	44	34	51	27	–	6,800	11.5
Kingston	42	19	23	30	12	–	2,808	15.0
Lakeville	19	9	10	13	6	–	1,443	13.2
Lancaster	29	13	16	24	5	–	2,590	11.2
Lanesborough	6	4	2	6	–	–	1,296	4.6
LAWRENCE	948	503	445	429	518	1	88,412	10.7
Lee	45	23	22	34	9	2	4,286	10.5
Leicester	48	25	23	35	13	–	4,426	10.8
Lenox	37	26	11	25	12	–	2,706	13.7
LEOMINSTER	241	108	133	166	74	1	21,974	11.0
Leverett	12	8	4	10	2	–	772	15.5
Lexington	108	60	48	72	35	1	12,088	8.9
Leyden	–	–	–	–	–	–	–	–
Lincoln	14	9	5	10	4	–	1,649	8.5
Littleton	15	12	3	11	4	–	1,606	9.3
Longmeadow	40	18	22	33	6	1	5,737	7.0
LOWELL	1,289	673	616	667	621	1	100,114	12.9
Ludlow	50	25	25	26	24	–	8,569	5.8
Lunenburg	15	6	9	8	7	–	2,313	6.5
LYNN	1,161	586	575	698	460	3	100,909	11.5
Lynnfield	28	14	14	19	9	–	2,182	12.8
MALDEN	663	325	338	361	298	4	57,277	11.6
Manchester	31	12	19	21	10	–	2,509	12.4
Mansfield	68	40	28	46	22	–	6,710	10.1
Marblehead	137	70	67	119	18	–	11,599	11.8
Marion	16	8	8	13	3	–	2,083	7.7
MARLBOROUGH	182	86	96	131	51	–	15,965	11.4
Marshfield	29	14	15	24	5	–	2,494	11.6
Mashpee	5	2	3	4	1	–	398	12.6
Mattapoisett	24	11	13	20	4	–	1,855	12.9
Maynard	65	34	31	31	34	–	7,107	9.1
Medfield	36	17	19	27	9	–	4,253	8.5
MEDFORD	646	336	310	370	276	–	63,083	10.2
Medway	42	21	21	26	16	–	3,376	12.4
MELROSE	286	144	142	190	95	1	25,285	11.3
Mendon	9	5	4	6	3	–	1,416	6.4
Merrimac	36	19	17	33	3	–	2,209	16.3
Methuen	228	104	124	111	117	–	21,076	10.8
Middleborough	135	71	64	100	35	–	9,108	14.8
Middlefield	4	3	1	2	2	–	242	16.5
Middleton	31	20	11	23	7	1	2,223	13.9
Milford	167	90	77	104	63	–	15,261	10.9
Millbury	96	48	48	63	33	–	6,879	14.0
Millis	24	16	8	15	9	–	2,438	9.8
Millville	13	8	5	7	6	–	1,901	6.8
Milton	207	106	101	141	66	–	19,770	10.5
Monroe	–	–	–	–	–	–	–	–
Monson	49	32	17	44	5	–	5,452	9.0
Montague	98	38	60	64	34	–	7,967	12.3
Monterey	5	2	3	5	–	–	329	15.2
Montgomery	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–
Nahant	12	3	9	8	4	–	1,834	6.5
Nantucket	54	27	27	39	15	–	3,495	15.5
Natick	176	84	92	124	52	–	15,156	11.6
Needham	113	56	57	69	44	–	12,759	8.9
New Ashford	1	–	1	1	–	–	112	8.9
NEW BEDFORD	1,353	673	680	628	725	–	110,022	12.3
New Braintree	5	3	2	4	1	–	463	10.8
New Marlborough	10	6	4	9	1	–	975	10.3
New Salem	11	6	5	10	1	–	470	23.4
Newbury	26	13	13	23	3	–	1,619	16.1
NEWBURYPORT	211	105	106	167	44	–	14,815	14.2
NEWTON	785	368	417	529	256	–	66,966	11.7
Norfolk	12	7	5	8	4	–	2,683	4.5
NORTH ADAMS	248	140	108	166	82	–	22,524	11.0
North Andover	85	43	42	54	31	–	7,353	11.6
North Attleborough	117	58	59	69	48	–	10,206	11.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths[2], by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town: 1939.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Excluding non-residents.
North Brookfield	43	24	19	29	14	–	3,348	12.8
North Reading	28	16	12	24	4	–	2,677	10.5
Northampton	248	123	125	168	80	–	24,661	10.1
Northborough	35	18	17	29	6	–	2,817	12.4
Northbridge	86	46	40	43	43	–	11,395	7.5
Northfield	29	15	14	26	3	–	2,015	14.4
Norton	37	26	11	28	9	–	3,103	11.9
Norwell	26	12	14	22	4	–	1,801	14.4
Norwood	147	81	66	77	69	1	16,071	9.1
Oak Bluffs	29	14	15	21	8	–	1,959	14.8
Oakham	7	5	2	6	1	–	441	15.9
Orange	92	53	39	73	19	–	5,400	17.0
Orleans	24	15	9	21	3	–	1,652	14.5
Otis	7	4	3	7	–	–	460	15.2
Oxford	40	24	16	28	12	–	4,541	8.8
Palmer	96	54	42	59	35	2	9,437	10.2
Paxton	12	6	6	10	2	–	785	15.3
Peabody	255	142	113	133	122	–	22,780	11.2
Pelham	9	6	3	8	1	–	550	16.4
Pembroke	30	19	11	25	5	–	1,740	17.2
Pepperell	32	19	13	25	7	–	3,080	10.4
Peru	2	1	1	2	–	–	194	10.3
Petersham	14	7	7	12	1	1	772	18.1
Phillipston	10	5	5	6	4	–	482	20.7
Pittsfield	502	263	239	376	126	–	47,516	10.6
Plainfield	2	1	1	–	2	–	357	5.6
Plainville	14	11	3	9	5	–	1,628	8.6
Plymouth	169	95	74	103	66	–	13,316	12.7
Plympton	12	7	5	8	4	–	602	19.9
Princeton	10	5	5	8	2	–	707	14.1
Provincetown	49	31	18	34	15	–	4,319	11.3
Quincy	751	391	360	449	301	1	81,575	9.2
Randolph	102	46	56	78	24	–	8,552	11.9
Raynham	28	12	16	21	7	–	2,273	12.8
Reading	131	70	61	102	29	–	11,589	11.3
Rehoboth	35	18	17	19	16	–	2,934	11.9
Revere	325	176	149	142	182	1	35,319	9.2
Richmond	4	2	2	4	–	–	671	6.0
Rochester	21	16	5	18	3	–	1,310	16.0
Rockland	105	56	49	92	13	–	8,236	12.7
Rockport	48	20	28	31	17	–	3,638	13.2
Rowe	6	2	4	6	–	–	277	21.7
Rowley	19	15	4	17	2	–	1,625	11.7
Royalston	9	6	3	7	2	–	933	9.6
Russell	17	6	11	12	5	–	1,326	12.8
Rutland	22	12	10	18	4	–	2,406	9.1
Salem	469	246	223	301	168	–	43,585	10.8
Salisbury	22	14	8	17	5	–	2,294	9.6
Sandisfield	7	6	1	5	2	–	525	13.3
Sandwich	21	12	9	19	2	–	1,586	13.2
Saugus	151	73	78	95	56	–	15,432	9.8
Savoy	9	8	1	6	3	–	299	30.1
Scituate	56	30	26	50	6	–	4,537	12.3
Seekonk	49	24	25	22	27	–	5,243	9.3
Sharon	43	23	20	28	15	–	3,996	10.8
Sheffield	21	13	8	18	3	–	1,961	10.7
Shelburne	27	17	10	25	2	–	1,660	16.3
Sherborn	9	4	5	8	1	–	1,043	8.6
Shirley	20	13	7	12	8	–	2,661	7.5
Shrewsbury	70	32	38	53	16	1	7,365	9.5
Shutesbury	7	3	4	5	2	–	255	27.5
Somerset	62	32	30	36	26	–	5,899	10.5
Somerville	1,135	556	579	672	460	3	100,773	11.3
South Hadley	75	39	36	41	34	–	6,897	10.9
Southampton	9	5	4	8	1	–	976	9.2
Southborough	29	15	14	20	9	–	2,109	13.8
Southbridge	154	75	79	86	68	–	17,228	8.9
Southwick	15	7	8	8	7	–	1,616	9.3
Spencer	91	48	43	66	25	–	6,692	13.6
Springfield	1,639	833	806	1,070	565	4	149,642	11.0
Sterling	18	6	12	12	6	–	1,607	11.2
Stockbridge	30	15	15	25	5	–	2,072	14.5
Stoneham	131	62	69	96	35	–	11,580	11.3
Stoughton	98	51	47	73	25	–	8,737	11.2
Stow	13	4	9	10	3	–	1,235	10.5
Sturbridge	25	13	12	19	6	–	2,058	12.1

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS[2], BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN 1939.

MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1939.	Death rate per 1,000 population. Excluding non-residents.
Sudbury	23	10	13	18	5	–	2,070	11.1
Sunderland	18	15	3	10	8	–	1,204	15.0
Sutton	28	15	13	14	14	–	2,656	10.5
Swampscott	122	49	73	85	37	–	10,607	11.5
Swansea	54	34	20	45	9	–	4,689	11.5
TAUNTON	454	241	213	294	158	2	37,503	12.1
Templeton	49	22	27	40	9	–	4,437	11.0
Tewksbury	32	22	10	24	8	–	7,486	4.3
State Infirmary	–	–	–	–	–	–	–	–
Tisbury	37	21	16	27	10	–	2,087	17.7
Tolland	2	1	1	2	–	–	147	13.6
Topsfield	19	9	10	14	5	–	1,232	15.4
Townsend	29	17	12	24	5	–	2,120	13.7
Truro	4	3	1	4	–	–	568	7.0
Tyngsborough	14	8	6	8	6	–	1,331	10.5
Tyringham	5	3	2	5	–	–	243	20.6
Upton	35	15	20	29	6	–	2,293	15.3
Uxbridge	69	41	28	43	26	–	6,500	10.6
Wakefield	176	89	87	113	63	–	16,660	10.6
Wales	14	6	8	13	–	1	403	34.7
Walpole	69	33	36	53	16	–	7,611	9.1
WALTHAM	432	232	200	275	157	–	41,798	10.3
Ware	86	40	46	44	41	1	8,051	10.7
Wareham	88	56	32	68	20	–	6,387	13.8
Warren	41	21	20	29	11	1	3,662	11.2
Warwick	7	5	2	7	–	–	749	9.3
Washington	4	2	2	2	2	–	280	14.3
Watertown	336	170	166	199	136	1	36,692	9.2
Wayland	62	35	27	52	10	–	3,735	16.6
Webster	136	76	60	76	59	1	14,637	9.3
Wellesley	128	67	61	90	38	–	15,211	8.4
Wellfleet	16	7	9	16	–	–	1,061	15.1
Wendell	5	2	3	4	1	–	439	11.4
Wenham	11	7	4	8	3	–	1,266	8.7
West Boylston	27	14	13	18	9	–	2,200	12.3
West Bridgewater	37	21	16	25	11	1	3,496	10.6
West Brookfield	19	9	10	16	2	1	1,261	15.1
West Newbury	19	8	11	15	4	–	1,475	12.9
West Springfield	168	84	84	121	47	–	17,529	9.6
West Stockbridge	14	7	7	12	2	–	1,151	12.2
West Tisbury	3	2	1	2	–	1	293	10.2
Westborough	70	30	40	60	10	–	6,073	11.5
WESTFIELD	210	118	92	152	58	–	18,788	11.2
Westford	39	23	16	23	16	–	3,967	9.8
Westhampton	2	1	1	2	–	–	434	4.6
Westminster	19	14	5	13	6	–	2,003	9.5
Weston	39	19	20	29	10	–	4,334	9.0
Westport	55	23	32	34	20	1	4,355	12.6
Westwood	30	18	12	20	10	–	2,953	10.2
Weymouth	294	167	127	220	74	–	22,663	13.0
Whately	7	4	3	2	5	–	1,133	6.2
Whitman	124	67	57	92	32	–	7,591	16.3
Wilbraham	40	22	18	25	15	–	3,207	12.5
Williamsburg	27	11	16	18	9	–	1,859	14.5
Williamstown	64	34	30	52	11	1	4,623	13.8
Wilmington	58	27	31	42	16	–	4,947	11.7
Winchendon	95	62	33	66	29	–	6,981	13.6
Winchester	118	57	61	75	43	–	13,989	8.4
Windsor	7	4	3	6	1	–	435	16.1
Winthrop	227	111	116	156	69	2	17,142	13.2
WOBURN	186	101	85	102	84	–	19,942	9.3
WORCESTER	2,163	1,142	1,021	1,239	915	9	190,471	11.4
Worthington	2	1	1	2	–	–	573	3.5
Wrentham	27	14	13	22	5	–	4,705	5.7
Yarmouth	33	18	15	29	4	–	2,376	13.9

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Line No.	Table 3 — State, Counties and Sex.	Allocated Deaths,[1] by Sex and — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State.**	**50,292**	**2,859**	**2,338**	**217**	**136**	**86**	**82**	**309**	**290**	**425**	**581**	**696**
2	Males . . .	26,037	1,669	1,370	120	78	46	55	164	185	240	305	368
3	Females . . .	24,255	1,190	968	97	58	40	27	145	105	185	276	328
4	Barnstable.	542											
5	Males . . .	310	18	14	3	1	–	–	1	1	1	9	4
6	Females . . .	232	9	7	2	–	–	–	2	1	–	–	1
7	Berkshire.	1,390											
8	Males . . .	762	56	44	6	3	3	–	6	7	8	14	15
9	Females . . .	628	38	33	4	–	–	1	8	2	6	10	12
10	Bristol.	4,317											
11	Males . . .	2,175	147	118	10	11	2	6	11	22	22	30	34
12	Females . . .	2,142	121	96	11	6	8	–	12	10	21	40	25
13	Dukes.	102											
14	Males . . .	56	6	5	1	–	–	–	–	–	–	–	–
15	Females . . .	46	3	3	–	–	–	–	–	–	–	–	1
16	Essex.	5,956											
17	Males . . .	3,062	185	148	13	10	7	7	18	17	23	26	33
18	Females . . .	2,894	139	116	9	5	5	4	18	15	19	27	36
19	Franklin.	663											
20	Males . . .	339	22	22	–	–	–	–	3	1	4	6	5
21	Females . . .	324	13	13	–	–	–	–	–	–	1	3	5
22	Hampden.	3,565											
23	Males . . .	1,841	108	94	7	1	4	2	14	11	18	24	24
24	Females . . .	1,724	84	65	8	7	2	2	16	13	16	18	32
25	Hampshire.	760											
26	Males . . .	380	25	21	4	–	–	–	2	1	4	6	3
27	Females . . .	380	21	15	2	2	2	–	3	–	3	3	3
28	Middlesex.	10,707											
29	Males . . .	5,372	354	291	25	13	11	14	42	36	60	53	70
30	Females . . .	5,335	260	209	26	9	10	6	31	18	32	53	67
31	Nantucket.	54											
32	Males . . .	27	–	–	–	–	–	–	–	–	–	–	–
33	Females . . .	27	–	–	–	–	–	–	–	–	1	1	–
34	Norfolk.	3,464											
35	Males . . .	1,774	99	79	8	5	5	2	4	11	17	26	30
36	Females . . .	1,690	67	57	4	2	2	2	7	6	20	13	13
37	Plymouth.	2,236											
38	Males . . .	1,176	68	59	5	3	–	1	8	10	7	6	18
39	Females . . .	1,060	45	34	3	6	2	–	2	2	5	9	9
40	Suffolk.	11,020											
41	Males . . .	5,890	368	307	20	20	8	13	35	44	56	67	88
42	Females . . .	5,130	248	206	17	11	6	8	28	25	44	56	93
43	Worcester.	5,516											
44	Males . . .	2,873	213	168	18	11	6	10	20	24	20	38	44
45	Females . . .	2,643	142	114	11	10	3	4	18	13	17	43	31

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1939.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	828	1,098	1,696	2,385	3,237	3,965	5,149	6,265	6,633	6,022	4,419	2,379	831	202	23	-
2	431	585	1,006	1,387	1,918	2,271	2,862	3,332	3,320	2,840	1,863	945	283	59	4	-
3	397	513	690	998	1,319	1,694	2,287	2,933	3,313	3,182	2,556	1,434	548	143	19	-
4																
5	9	6	8	11	18	18	30	25	45	50	31	21	4	-	-	-
6	3	5	5	4	6	18	13	28	26	22	45	31	9	4	-	-
7																
8	14	16	29	33	64	56	75	106	101	78	49	25	8	2	-	-
9	6	15	17	25	39	40	57	83	78	68	62	38	17	5	2	-
10																
11	36	54	80	107	160	201	250	289	270	230	148	64	14	6	-	-
12	42	42	66	95	140	173	222	263	278	252	205	100	33	-	2	-
13																
14	-	-	-	2	4	3	4	9	6	9	5	6	1	1	-	-
15	1	1	1	3	2	2	5	3	10	2	10	1	1	-	-	-
16																
17	33	55	111	146	216	254	354	400	416	357	246	121	48	3	-	-
18	43	54	70	109	127	195	244	355	406	408	340	194	72	21	2	-
19																
20	8	4	10	12	29	24	31	46	39	49	29	11	4	2	-	-
21	7	3	5	11	22	17	27	36	40	46	45	27	10	6	-	-
22																
23	29	34	84	127	161	185	206	236	203	186	108	63	15	5	-	-
24	26	43	54	95	108	132	161	201	233	207	152	94	35	3	1	-
25																
26	3	10	17	20	25	21	43	46	57	48	29	12	7	1	-	-
27	6	3	4	11	26	36	42	44	54	50	40	21	8	2	-	-
28																
29	89	126	202	277	393	460	549	668	674	608	417	219	58	16	1	-
30	96	129	149	202	280	339	490	636	739	761	570	299	143	35	6	-
31																
32	1	-	-	-	2	4	6	1	4	3	2	2	2	-	-	-
33	-	-	-	-	2	5	2	-	4	7	3	2	-	-	-	-
34																
35	25	29	71	84	104	146	189	239	232	200	148	87	23	10	-	-
36	24	30	42	67	84	115	150	223	215	254	195	105	38	20	2	-
37																
38	16	25	32	43	68	81	115	120	159	176	133	60	25	6	-	-
39	14	15	38	31	50	61	98	94	162	154	145	83	32	10	1	-
40																
41	117	165	273	386	490	603	690	772	731	523	304	134	40	2	2	-
42	89	114	174	234	305	389	532	671	717	598	448	252	83	28	2	-
43																
44	51	61	89	139	184	215	320	375	383	323	214	120	34	5	1	-
45	40	59	65	111	128	172	244	296	351	353	296	187	67	9	1	-

[2] Age at last birthday

Table 4

Line No.	Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town).	155											
2	Males	83	7	6	1	–	–	–	–	–	–	2	–
3	Females	72	6	5	1	–	–	–	2	–	–	2	1
4	Amesbury (town).	132											
5	Males	66	6	4	–	1	–	1	–	–	–	–	–
6	Females	66	4	3	1	–	–	–	–	–	–	1	–
7	Andover (town).	137											
8	Males	65	4	3	1	–	–	–	–	–	1	1	1
9	Females	72	1	1	–	–	–	–	–	–	–	1	1
10	Arlington (town).	405											
11	Males	196	12	8	3	–	1	–	2	4	2	2	1
12	Females	209	8	6	–	–	–	2	1	–	–	4	2
13	Athol (town).	144											
14	Males	70	3	3	–	–	–	–	1	–	2	2	1
15	Females	74	6	4	2	–	–	–	1	–	–	1	1
16	Attleboro.	265											
17	Males	142	5	5	–	–	–	–	–	1	2	2	1
18	Females	123	2	1	–	–	1	–	2	1	–	–	1
19	Belmont (town).	214											
20	Males	105	2	2	–	–	–	–	1	–	–	–	1
21	Females	109	4	4	–	–	–	–	2	–	–	1	1
22	Beverly.	287											
23	Males	147	5	5	–	–	–	–	1	1	1	1	1
24	Females	140	5	4	–	–	–	1	–	1	1	1	3
25	Boston.	9,999											
26	Males	5,330	329	273	19	17	7	13	34	41	50	60	80
27	Females	4,669	212	176	15	8	5	8	21	22	38	49	86
28	Braintree (town).	175											
29	Males	90	5	4	–	1	–	–	–	–	–	–	1
30	Females	85	8	5	1	–	1	1	1	3	–	–	–
31	Brockton.	827											
32	Males	420	26	23	2	1	–	–	2	1	2	–	5
33	Females	407	20	15	1	2	2	–	1	1	1	4	3
34	Brookline (town).	601											
35	Males	279	7	4	2	1	–	–	–	1	2	3	3
36	Females	322	3	3	–	–	–	–	–	–	7	2	2
37	Cambridge.	1,316											
38	Males	632	53	44	3	2	3	1	8	4	8	4	7
39	Females	684	48	39	4	3	1	1	4	1	6	6	14
40	Chelsea.	469											
41	Males	273	18	16	–	2	–	–	1	2	4	4	3
42	Females	196	22	20	–	2	–	–	3	–	1	5	2
43	Chicopee.	379											
44	Males	210	19	18	–	–	–	1	1	1	3	3	3
45	Females	169	7	6	–	1	–	–	2	1	3	7	6
46	Clinton (town).	146											
47	Males	75	9	6	1	1	–	1	1	1	–	–	–
48	Females	71	4	3	–	–	–	1	–	–	–	–	1
49	Danvers (town).	161											
50	Males	82	5	5	–	–	–	–	1	–	3	–	–
51	Females	79	2	2	–	–	–	–	1	–	–	–	3
52	Dedham (town).	178											
53	Males	83	3	3	–	–	–	–	–	1	1	3	1
54	Females	95	6	4	2	–	–	–	1	–	1	3	1
55	Easthampton (town).	110											
56	Males	59	4	3	1	–	–	–	–	–	1	–	–
57	Females	51	2	2	–	–	–	–	–	–	–	–	–
58	Everett.	477											
59	Males	229	14	14	–	–	–	–	4	1	5	2	2
60	Females	248	14	7	3	–	4	–	2	1	1	5	2
61	Fairhaven (town).	135											
62	Males	56	3	3	–	–	–	–	–	–	–	3	–
63	Females	79	1	–	1	–	–	–	–	–	–	1	1
64	Fall River.	1,335											
65	Males	654	65	53	3	5	1	3	1	8	8	10	7
66	Females	681	49	42	3	2	2	–	3	3	9	20	9
67	Fitchburg.	417											
68	Males	209	18	12	2	2	1	1	–	–	2	5	5
69	Females	208	15	14	–	1	–	–	1	2	1	5	6
70	Framingham (town).	254											
71	Males	115	14	14	–	–	–	–	1	–	1	1	–
72	Females	139	5	4	–	1	–	–	2	2	–	1	1
73	Gardner.	193											
74	Males	100	7	7	–	–	–	–	1	1	–	2	1
75	Females	93	4	1	2	–	1	–	1	1	2	3	1
76	Gloucester.	353											
77	Males	200	10	8	2	–	–	–	1	2	3	3	1
78	Females	153	6	5	–	–	–	1	3	–	3	1	–
79	Greenfield (town).	198											
80	Males	95	7	7	–	–	–	–	1	–	–	3	–
81	Females	103	5	5	–	–	–	–	–	–	1	1	4

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1939.

Line No	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	4	2	4	4	12	10	13	10	5	4	3	1	1	–	–
3	–	–	4	3	8	2	12	10	7	7	5	1	1	1	–	–
4																
5	–	–	2	2	4	6	10	9	10	8	4	2	3	–	–	–
6	–	2	–	3	3	6	3	8	10	11	7	3	2	3	–	–
7																
8	1	–	4	2	5	2	5	12	8	10	2	3	4	–	–	–
9	2	2	–	4	3	5	5	5	13	14	8	6	1	1	–	–
10																
11	4	6	7	13	17	13	19	24	25	23	12	6	3	1	–	–
12	2	1	6	7	14	16	26	21	30	31	28	4	5	3	–	–
13																
14	2	2	2	3	1	3	6	11	10	7	7	6	1	–	–	–
15	–	1	1	2	4	6	8	6	8	10	10	8	1	–	–	–
16																
17	2	3	1	7	13	18	13	20	20	19	8	4	1	2	–	–
18	2	1	4	3	3	12	15	15	15	17	18	8	4	–	–	–
19																
20	3	1	6	7	10	9	13	11	10	21	7	1	2	–	–	–
21	2	3	4	5	6	6	5	21	17	12	14	4	1	1	–	–
22																
23	3	1	2	10	9	9	15	21	29	20	9	6	3	–	–	–
24	2	1	1	6	2	8	17	18	28	20	11	11	4	–	–	–
25																
26	108	153	257	356	445	538	614	699	662	476	276	114	36	–	2	–
27	80	106	164	211	278	362	487	618	651	539	409	237	72	26	1	–
28																
29	1	–	5	2	3	13	7	18	12	11	11	–	1	–	–	–
30	1	3	–	3	5	4	8	10	9	15	5	2	6	2	–	–
31																
32	3	9	10	21	24	36	40	51	51	72	45	15	5	2	–	–
33	6	5	18	16	21	24	37	36	61	60	57	27	6	2	1	–
34																
35	4	5	6	12	18	19	38	37	45	33	23	14	6	3	–	–
36	1	4	10	9	17	24	27	54	47	46	34	21	9	5	–	–
37																
38	14	23	28	29	58	64	70	83	66	57	33	18	3	1	1	–
39	15	23	19	35	40	37	70	84	80	86	57	39	16	3	1	–
40																
41	6	4	11	20	26	33	39	36	25	20	10	9	2	–	–	–
42	4	2	8	11	9	8	19	27	27	25	11	8	3	–	1	–
43																
44	3	4	13	19	20	25	22	27	19	15	7	4	2	–	–	–
45	4	6	6	8	12	15	20	22	21	10	11	5	2	1	–	–
46																
47	5	3	–	3	4	11	11	11	8	2	3	2	1	–	–	–
48	2	1	–	2	4	5	13	9	6	12	4	6	1	1	–	–
49																
50	1	1	1	4	3	6	8	10	13	7	14	4	1	–	–	–
51	–	2	3	4	–	5	6	7	11	9	13	9	3	1	–	–
52																
53	3	1	5	6	2	6	13	11	11	7	6	1	2	–	–	–
54	1	2	3	3	1	6	13	15	11	12	10	5	–	1	–	–
55																
56	–	2	1	4	3	5	7	8	8	10	5	1	–	–	–	–
57	–	–	1	3	3	2	5	7	10	9	5	2	2	–	–	–
58																
59	2	7	8	15	20	19	20	30	36	22	16	5	1	–	–	–
60	8	6	7	9	16	21	28	24	40	22	19	17	5	1	–	–
61																
62	2	1	3	1	4	5	11	8	4	7	3	1	–	–	–	–
63	3	4	1	2	4	6	8	14	12	9	8	3	2	–	–	–
64																
65	9	21	23	33	54	57	74	98	77	58	31	13	5	2	–	–
66	7	15	21	33	53	56	69	84	84	73	58	25	9	–	1	–
67																
68	3	6	5	11	13	13	18	30	27	24	17	9	2	1	–	–
69	2	10	8	6	11	9	21	25	27	23	21	11	3	1	–	–
70																
71	4	4	8	7	8	4	12	13	14	12	6	4	2	–	–	–
72	–	3	4	6	7	14	11	11	21	23	18	4	6	–	–	–
73																
74	1	–	5	2	7	8	16	11	11	12	8	6	1	–	–	–
75	2	–	1	7	4	8	4	7	13	15	10	6	4	–	–	–
76																
77	3	–	6	5	7	13	25	34	32	21	21	10	3	–	–	–
78	3	6	2	3	3	5	12	20	22	27	23	10	3	1	–	–
79																
80	4	2	1	3	8	9	13	15	10	13	3	2	1	–	–	–
81	2	1	1	2	7	6	6	16	13	14	11	9	3	1	–	–

[2] Age at last birthday.

Line No.	Table 4 — Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Haverhill.	621											
2	Males	322	14	9	–	2	1	2	–	–	3	4	5
3	Females	299	15	12	2	–	1	–	1	1	1	3	1
4	Holyoke.	689											
5	Males	334	12	9	2	–	–	1	5	2	3	4	6
6	Females	355	14	9	3	1	1	–	2	2	–	2	4
7	Lawrence.	948											
8	Males	503	39	32	2	3	1	1	5	5	2	3	5
9	Females	445	23	20	1	1	1	–	6	5	4	6	12
10	Leominster.	241											
11	Males	108	12	9	1	1	–	1	–	1	1	1	2
12	Females	133	10	8	1	1	–	–	–	–	1	1	2
13	Lexington (town).	108											
14	Males	60	9	9	–	–	–	–	1	1	1	1	–
15	Females	48	6	6	–	–	–	–	–	–	–	–	–
16	Lowell.	1,289											
17	Males	673	40	32	4	3	–	1	2	3	4	9	9
18	Females	616	33	26	4	1	2	–	–	1	3	3	11
19	Lynn.	1,161											
20	Males	586	35	28	3	2	1	1	2	4	2	3	7
21	Females	575	29	27	–	1	–	1	2	2	3	1	7
22	Malden.	663											
23	Males	325	21	16	1	1	–	3	3	1	2	4	9
24	Females	338	14	12	–	2	–	–	2	1	2	5	5
25	Marblehead (town).	137											
26	Males	70	2	2	–	–	–	–	–	1	–	–	2
27	Females	67	–	–	–	–	–	–	–	–	1	–	1
28	Marlborough.	182											
29	Males	86	6	6	–	–	–	–	–	–	2	1	1
30	Females	96	3	3	–	–	–	–	1	1	–	–	1
31	Medford.	646											
32	Males	336	17	16	1	–	–	–	4	2	2	4	4
33	Females	310	17	14	2	–	–	1	1	2	1	4	2
34	Melrose.	286											
35	Males	144	7	7	–	–	–	–	–	–	–	–	1
36	Females	142	3	2	1	–	–	–	1	–	2	–	1
37	Methuen (town).	228											
38	Males	104	9	7	–	1	1	–	1	1	1	4	1
39	Females	124	9	8	–	–	1	–	1	2	2	2	–
40	Milford (town).	167											
41	Males	90	8	4	2	1	1	–	1	1	–	2	1
42	Females	77	3	2	–	–	1	–	–	–	–	1	–
43	Milton (town).	207											
44	Males	106	2	2	–	–	–	–	–	–	1	1	2
45	Females	101	4	2	–	1	1	–	–	–	–	1	–
46	Natick (town).	176											
47	Males	84	2	2	–	–	–	–	1	–	–	2	–
48	Females	92	3	3	–	–	–	–	1	1	1	–	–
49	Needham (town).	113											
50	Males	56	4	3	1	–	–	–	–	–	1	1	1
51	Females	57	3	3	–	–	–	–	–	–	1	–	–
52	New Bedford.	1,353											
53	Males	673	38	31	3	2	–	2	7	4	5	6	16
54	Females	680	30	16	7	4	3	–	3	3	8	11	9
55	Newburyport.	211											
56	Males	105	7	6	–	1	–	–	1	–	–	–	–
57	Females	106	2	2	–	–	–	–	–	–	–	1	1
58	Newton.	785											
59	Males	368	24	20	1	1	1	1	–	1	1	3	5
60	Females	417	11	11	–	–	–	–	1	2	–	2	4
61	North Adams.	248											
62	Males	140	13	12	1	–	–	–	2	1	–	4	2
63	Females	108	8	7	1	–	–	–	2	–	3	–	2
64	North Attleborough (town).	117											
65	Males	58	4	2	2	–	–	–	1	–	–	3	1
66	Females	59	5	4	–	–	1	–	–	–	–	–	–
67	Northampton.	248											
68	Males	123	6	4	2	–	–	–	–	–	1	1	–
69	Females	125	9	6	1	1	1	–	2	–	1	2	–
70	Northbridge (town)	86											
71	Males	46	4	4	–	–	–	–	3	3	1	–	1
72	Females	40	3	2	1	–	–	–	–	–	–	–	–
73	Norwood (town).	147											
74	Males	81	7	6	–	–	–	1	–	–	3	1	–
75	Females	66	2	2	–	–	–	–	–	–	–	–	1
76	Peabody.	255											
77	Males	142	5	5	–	–	–	–	1	1	1	3	3
78	Females	113	11	8	–	2	–	1	–	–	2	1	2
79	Pittsfield.	502											
80	Males	263	20	15	3	1	1	–	3	4	4	4	7
81	Females	239	15	13	1	–	–	1	2	1	1	5	6

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1939—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years	100 years and over.	Age unknown.
1																
2	3	7	8	18	22	34	27	35	50	41	28	18	5	–	–	–
3	2	3	5	8	18	19	23	37	42	44	47	20	8	1	–	–
4																
5	8	4	18	19	35	32	34	48	33	35	24	9	2	1	–	–
6	6	9	10	20	20	26	36	43	54	54	31	17	5	–	–	–
7																
8	3	15	16	40	37	38	69	62	70	51	25	14	4	–	–	–
9	3	15	17	17	21	36	43	68	63	49	34	17	5	1	–	–
10																
11	2	4	4	4	9	5	18	9	11	14	6	3	2	–	–	–
12	1	5	2	7	8	6	13	15	14	23	10	10	5	–	–	–
13																
14	1	–	3	4	2	3	6	9	2	4	6	6	1	–	–	–
15	–	1	1	3	–	5	5	6	5	5	3	5	2	1	–	–
16																
17	7	15	18	39	57	66	80	85	98	67	55	14	5	–	–	–
18	10	17	17	20	41	43	56	91	95	85	56	20	11	3	–	–
19																
20	6	10	22	29	48	54	57	87	75	67	50	21	6	1	–	–
21	9	13	16	24	29	43	52	77	77	62	76	32	16	4	1	–
22																
23	6	4	10	16	23	23	39	48	35	34	26	15	4	2	–	–
24	7	11	12	9	18	28	35	51	45	41	32	11	8	1	–	–
25																
26	1	2	5	1	3	6	9	10	11	11	4	–	2	–	–	–
27	3	1	2	1	3	5	4	7	10	13	10	5	1	–	–	–
28																
29	–	–	2	7	1	14	8	6	7	15	11	3	2	–	–	–
30	1	2	3	3	6	7	6	9	17	14	14	4	4	–	–	–
31																
32	8	7	9	21	23	33	33	51	44	36	20	10	7	1	–	–
33	8	11	5	11	14	25	29	40	46	37	32	17	5	2	1	–
34																
35	3	4	2	6	10	12	14	14	17	19	19	15	1	–	–	–
36	5	5	2	6	10	6	11	16	19	19	21	11	3	1	–	–
37																
38	1	2	3	3	7	8	13	16	12	10	10	1	1	–	–	–
39	1	1	3	6	6	8	5	14	16	24	11	8	5	–	–	–
40																
41	2	1	3	6	3	14	6	10	14	9	4	3	1	–	1	–
42	1	3	1	3	3	12	5	7	11	12	7	5	3	–	–	–
43																
44	1	1	7	2	3	14	11	21	12	14	11	2	1	–	–	–
45	1	2	3	7	5	5	8	13	14	12	14	7	4	1	–	–
46																
47	–	3	5	2	5	7	7	12	8	17	7	4	2	–	–	–
48	–	–	1	3	5	6	7	13	13	17	10	6	4	1	–	–
49																
50	–	1	2	1	9	3	3	7	6	7	4	3	1	2	–	–
51	1	–	2	1	3	6	3	8	5	7	10	4	1	2	–	–
52																
53	13	17	31	38	42	63	85	90	83	67	48	16	3	1	–	–
54	12	11	22	29	43	55	75	86	99	85	57	33	9	–	–	–
55																
56	1	2	6	3	9	6	15	12	15	11	9	5	3	–	–	–
57	–	2	3	3	7	4	11	9	12	17	14	15	3	2	–	–
58																
59	4	5	17	20	28	26	32	47	49	47	36	16	4	3	–	–
60	12	11	13	17	20	19	31	47	50	70	58	30	15	4	–	–
61																
62	1	5	4	7	8	10	11	27	16	16	9	3	1	–	–	–
63	–	3	3	6	8	5	7	13	18	11	13	5	–	–	1	–
64																
65	1	–	1	2	5	5	8	3	9	6	4	4	–	1	–	–
66	4	1	–	2	2	6	8	7	7	9	4	3	1	–	–	–
67																
68	2	5	12	6	9	9	11	17	18	12	11	3	–	–	–	–
69	4	1	–	3	4	10	15	13	16	19	17	7	2	–	–	–
70																
71	–	–	1	–	2	6	5	5	9	4	2	–	–	–	–	–
72	1	–	3	2	2	4	5	6	4	4	3	1	1	–	1	–
73																
74	2	1	4	1	7	10	14	7	15	7	2	–	–	–	–	–
75	–	1	2	4	3	3	6	14	7	10	9	3	–	1	–	–
76																
77	2	3	5	10	16	10	22	13	15	14	9	5	4	–	–	–
78	3	1	3	6	8	11	12	9	15	17	9	3	–	–	–	–
79																
80	6	4	11	11	25	18	27	32	36	27	14	8	2	–	–	–
81	5	8	7	9	12	21	20	33	29	21	20	20	3	1	–	–

[2] Age at last birthday.

Line No.	Table 4 — Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Plymouth (town).	169											
2	Males	95	2	–	–	1	–	1	1	–	1	1	1
3	Females	74	5	4	–	1	–	–	–	–	–	–	–
4	Quincy.	751											
5	Males	391	26	20	3	–	3	–	1	6	4	6	5
6	Females	360	16	14	1	1	–	–	3	–	5	1	4
7	Reading (town)	131											
8	Males	70	5	5	–	–	–	–	1	2	–	1	3
9	Females	61	3	3	–	–	–	–	–	1	–	1	–
10	Revere.	325											
11	Males	176	13	10	1	1	1	–	–	1	1	3	2
12	Females	149	12	10	1	–	1	–	2	2	1	–	5
13	Salem.	469											
14	Males	246	17	14	1	–	1	1	3	1	1	2	4
15	Females	223	15	12	2	–	1	–	–	1	–	4	1
16	Saugus (town).	151											
17	Males	73	7	4	3	–	–	–	–	–	2	–	1
18	Females	78	1	1	–	–	–	–	2	–	–	1	–
19	Somerville.	1,135											
20	Males	556	41	30	6	–	2	3	4	4	12	8	11
21	Females	579	26	21	3	1	1	–	5	4	4	10	9
22	Southbridge (town).	154											
23	Males	75	7	6	–	1	–	–	1	–	–	2	1
24	Females	79	7	5	2	–	–	–	–	–	–	2	1
25	Springfield.	1,639											
26	Males	833	44	37	3	1	3	–	5	5	5	9	10
27	Females	806	37	29	3	3	1	1	7	8	6	4	15
28	Stoneham (town).	131											
29	Males	62	5	4	1	–	–	–	1	1	–	–	3
30	Females	69	3	3	–	–	–	–	–	–	–	2	2
31	Swampscott (town).	122											
32	Males	49	2	2	–	–	–	–	1	–	1	1	1
33	Females	73	2	2	–	–	–	–	–	1	–	–	–
34	Taunton.	454											
35	Males	241	18	12	2	3	1	–	–	4	2	3	3
36	Females	213	14	14	–	–	–	–	1	1	1	5	–
37	Wakefield (town).	176											
38	Males	89	4	2	1	1	–	–	1	–	2	–	–
39	Females	87	2	2	–	–	–	–	3	–	–	1	3
40	Waltham.	432											
41	Males	232	15	15	–	–	–	–	–	2	5	2	2
42	Females	200	7	6	–	1	–	–	2	–	2	2	1
43	Watertown (town).	336											
44	Males	170	9	7	–	–	1	1	1	3	6	2	–
45	Females	166	13	11	1	–	–	1	–	1	3	2	2
46	Webster (town).	136											
47	Males	76	6	3	2	1	–	–	–	–	–	–	1
48	Females	60	4	4	–	–	–	–	–	–	–	3	–
49	Wellesley (town).	128											
50	Males	67	1	1	–	–	–	–	–	1	–	1	3
51	Females	61	1	1	–	–	–	–	–	–	1	–	–
52	W. Springfield (town)	168											
53	Males	84	5	5	–	–	–	–	–	–	1	3	2
54	Females	84	4	2	1	1	–	–	–	1	–	–	2
55	Westfield.	210											
56	Males	118	15	13	2	–	–	–	2	1	2	–	1
57	Females	92	3	2	–	1	–	–	4	–	1	–	1
58	Weymouth (town).	294											
59	Males	167	11	10	–	1	–	–	1	2	2	1	5
60	Females	127	4	4	–	–	–	–	2	1	1	1	2
61	Winchester (town).	118											
62	Males	57	1	–	–	1	–	–	–	–	1	–	1
63	Females	61	2	1	1	–	–	–	–	–	–	–	–
64	Winthrop (town).	227											
65	Males	111	8	8	–	–	–	–	–	–	1	–	3
66	Females	116	2	–	1	1	–	–	2	1	4	2	–
67	Woburn.	186											
68	Males	101	5	3	–	–	1	1	–	–	–	2	–
69	Females	85	6	4	1	–	1	–	–	–	–	–	1
70	Worcester.	2,163											
71	Males	1,142	76	62	6	2	2	4	6	10	7	15	20
72	Females	1,021	48	39	–	6	1	2	9	6	8	19	13

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1939 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	4	3	5	9	4	10	8	16	9	9	9	2	–	–	–
3	–	1	2	–	2	9	10	9	5	11	13	5	–	2	–	–
4																
5	6	7	19	23	19	31	35	56	48	45	29	22	2	1	–	–
6	5	7	14	20	24	27	29	30	47	51	43	27	6	–	1	–
7																
8	1	2	1	2	4	3	5	8	9	16	4	2	1	–	–	–
9	–	–	3	1	7	–	3	7	8	11	5	8	2	1	–	–
10																
11	2	4	4	6	14	21	24	21	24	12	12	8	2	2	–	–
12	3	3	1	9	13	11	13	13	18	19	15	4	4	1	–	–
13																
14	5	3	15	7	25	24	30	28	24	31	18	5	3	–	–	–
15	3	2	4	5	10	12	18	30	36	34	26	12	7	2	1	–
16																
17	–	3	4	1	7	8	7	7	6	8	7	5	–	–	–	–
18	2	1	5	6	4	8	10	11	11	8	4	4	–	–	–	–
19																
20	13	13	27	26	38	47	61	60	62	61	35	25	7	1	–	–
21	6	15	14	24	21	41	65	68	79	90	60	18	19	–	1	–
22																
23	5	2	–	6	8	6	9	5	10	8	4	1	–	–	–	–
24	1	2	1	4	4	9	10	8	10	6	6	5	2	1	–	–
25																
26	16	19	35	63	67	85	95	101	102	85	42	36	6	3	–	–
27	10	21	25	45	49	62	76	95	109	88	78	47	21	2	1	–
28																
29	–	1	3	2	2	3	4	8	8	8	5	2	6	–	–	–
30	2	1	1	1	2	3	8	3	9	13	10	6	3	–	–	–
31																
32	–	1	3	1	4	2	7	5	10	2	5	1	1	1	–	–
33	1	1	1	2	6	3	4	9	11	9	12	6	2	3	–	–
34																
35	4	8	9	9	22	21	24	26	30	35	13	9	1	–	–	–
36	4	5	8	12	11	15	21	22	25	27	27	10	3	–	1	–
37																
38	2	3	–	2	6	7	7	12	12	12	15	4	–	–	–	–
39	–	–	–	3	6	4	7	6	11	19	13	8	–	1	–	–
40																
41	3	5	8	14	18	20	24	28	29	27	15	14	1	–	–	–
42	1	4	6	7	11	10	13	22	38	31	15	17	10	1	–	–
43																
44	3	4	13	11	16	7	13	25	20	19	9	6	2	1	–	–
45	6	2	5	10	6	7	16	18	20	25	17	9	2	2	–	–
46																
47	4	3	5	3	5	4	9	9	13	8	3	1	2	–	–	–
48	2	3	2	2	3	6	4	7	7	6	8	3	–	–	–	–
49																
50	–	2	4	5	–	6	7	9	8	11	5	4	–	–	–	–
51	5	–	2	2	2	4	5	9	6	12	4	4	2	1	1	–
52																
53	1	2	3	3	9	6	14	10	7	7	6	4	1	–	–	–
54	3	4	4	7	4	6	6	7	8	11	7	9	1	–	–	–
55																
56	–	3	5	3	12	9	15	14	10	9	13	1	2	1	–	–
57	–	–	3	7	–	10	3	11	13	19	7	8	2	–	–	–
58															–	
59	4	4	8	10	16	11	15	14	22	12	17	10	2	–	–	–
60	–	2	–	6	6	9	10	13	22	18	19	8	2	1	–	–
61																
62	–	1	3	–	3	9	3	6	12	9	2	4	1	1	–	–
63	–	1	2	1	3	4	7	8	8	12	8	4	–	1	–	–
64																
65	1	4	1	4	5	11	13	16	20	15	6	3	–	–	–	–
66	2	3	1	3	5	8	13	13	21	15	13	3	4	1	–	–
67																
68	2	6	2	7	2	6	11	11	18	10	9	10	–	–	–	–
69	–	–	2	2	6	6	10	10	15	7	12	6	2	–	–	–
70																
71	17	18	44	60	77	82	141	160	158	134	58	43	13	3	–	–
72	18	21	27	49	50	54	100	127	150	129	107	57	26	3	–	–

[2] Age at last birthday.

Table 5

Years.	Mortality[1] of Males and Females: 1915 to 1939. Deaths.[3] Males.	Deaths.[3] Females.	Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population. Males.	Death rates[2] per 1,000 population. Females.	Death rates[2] per 1,000 population. Excess of male rate
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–
1936	27,104	24,950	1,086	–	–	–
1937	27,395	24,892	1,101	–	–	–
1938	26,046	23,850	1,092	–	–	–
1939	26,340	24,567	1,072	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and 1935.
[3] Including nonresidents.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1910 to 1935. 1935.	1930.	1925.	1920.	1915.	1910.
All Ages.	49,634[4]	49,503	51,890	53,632	53,131	54,407
Under 5 years	3,809	5,873	8,623	11,739	12,891	15,433
Under 1 year	3,014	4,440	6,294	8,382	9,490	11,499
5 to 9 years	513	742	922	1,129	1,026	1,091
10 to 14 years	461	479	678	689	648	678
15 to 19 years	616	705	891	957	984	1,002
20 to 29 years	1,627	1,956	2,498	3,282	3,234	3,329
30 to 39 years	2,405	2,959	3,161	3,916	3,823	4,102
40 to 49 years	4,488	4,278	4,521	4,554	4,825	4,615
50 to 59 years	7,001	6,989	6,838	6,154	6,058	5,501
60 to 69 years	11,083	9,881	9,186	7,784	7,323	7,168
70 to 79 years	10,964	9,637	8,882	8,049	7,613	6,977
80 years and over	6,667	6,003	5,685	5,370	4,667	4,471
Age unknown	–	1	5	9	39	40
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	11.4	11.6	12.5	13.9	14.4	16.2
Under 5 years	–	16.8	–	30.4	35.5	46.9
Under 1 year	–	68.3	–	111.9	126.1	162.6
5 to 9 years	–	1.9	–	3.1	3.1	3.7
10 to 14 years	–	1.2	–	2.1	2.1	2.4
15 to 19 years	–	1.9	–	3.2	3.1	3.4
20 to 29 years	–	2.9	–	4.9	4.6	5.2
30 to 39 years	–	–[3]	–	6.4	6.5	7.4
40 to 49 years	–	–[3]	–	9.1	10.3	11.0
50 to 59 years	–	–[3]	–	17.2	19.1	19.9
60 to 69 years	–	–[3]	–	37.5	40.5	43.1
70 to 79 years	–	–[3]	–	85.5	87.1	79.2
80 years and over	–	–[3]	–	193.0	177.5	191.3

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925 and 1935.
[3] U. S. Census figures for 1930 not available.
[4] Allocated.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935[2]	6.1	7.7	3.3	89.0
1936[2]	5.5	7.1	3.2	89.7
1937[2]	5.2	6.5	3.0	90.5
1938[2]	4.9	6.2	2.9	90.9
1939[2]	4.6	5.7	2.5	91.8

[1] Exclusive of stillbirths. [2] Allocated.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1939.[1]	1938.[1]	1937.[1]	1936.[1]		1939.[1]	1938.[1]	1937.[1]	1936.[1]
All Ages.	1,073	1,091	1,099	1,086	40 to 44 years	1,458	1,345	1,366	1,499
Under 1 year	1,415	1,278	1,296	1,286	45 to 49 years	1,390	1,409	1,458	1,382
1 year	1,237	1,161	1,267	1,224	50 to 54 years	1,454	1,463	1,524	1,392
2 years	1,345	1,197	960	1,071	55 to 59 years	1,341	1,391	1,389	1,360
3 years	1,150	1,151	1,148	1,393	60 to 64 years	1,251	1,271	1,230	1,210
4 years	2,037	1,103	2,056	1,250	65 to 69 years	1,136	1,150	1,123	1,139
5 to 9 years	1,131	1,536	1,457	1,335	70 to 74 years	1,002	1,046	1,009	1,027
10 to 14 years	1,762	1,285	1,491	1,163	75 to 79 years	893	904	926	882
15 to 19 years	1,297	1,474	1,731	1,209	80 to 84 years	729	756	787	796
20 to 24 years	1,105	964	1,198	1,071	85 to 89 years	659	660	635	605
25 to 29 years	1,122	1,036	920	1,087	90 to 94 years	516	500	460	489
30 to 34 years	1,086	1,130	1,150	1,144	95 to 99 years	413	427	282	433
35 to 39 years	1.140	1,144	1,262	1,302	100 years and over	211	360	421	182

[1] Allocated.

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1930 to 1						
	Both sexes.		Males.		Females.		
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Ce dist but	s.
All Ages.							
1930	49,503[2]	100.0	25,242	100.0	24,261		961
1931	48,743	100.0	25,021	100.0	23,722		948
1932	49,531	100.0	25,321	100.0	24,210		956
1933	50,832	100.0	26,131	100.0	24,701		945
1934	50,760	100.0	26,569	100.0	24,191	100.	910
1935	49,634[3]	100.0	25,642	100.0	23,992	100.0	936
1936	51,435[3]	100.0	26,773	100.0	24,662	100.0	921
1937	51,739[3]	100.0	27,088	100.0	24,651	100.0	910
1938	49,285[3]	100.0	25,719	100.0	23,566	100.0	916
1939	50,292[3]	100.0	26,037	100.0	24,255	100.0	932
Under 1 Year.							
1930	4,440	9.0	2,482	9.8	1,958	8.1	789
1931	3,803	7.8	2,174	8.7	1,629	6.9	749
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
1935	3,014	6.1	1,760	6.9	1,254	5.2	713
1936	2,854	5.5	1,605	6.0	1,249	5.1	778
1937	2,684	5.2	1,515	5.6	1,169	4.7	772
1938	2,439	4.9	1,367	5.3	1,072	4.5	783
1939	2,338	4.6	1,370	5.3	968	4.0	707
Under 5 Years.							
1930	5,873	11.9	3,271	13.0	2,602	10.7	795
1931	4,969	10.2	2,810	11.2	2,159	9.1	768
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
1935	3,809	7.7	2,216	8.6	1,593	6.6	719
1936	3,667	7.1	2,052	7.7	1,615	6.5	787
1937	3,354	6.5	1,889	7.0	1,465	5.9	776
1938	3,033	6.2	1,687	6.5	1,346	5.7	798
1939	2,859	5.7	1,669	6.4	1,190	4.9	713
20 to 29 Years.							
1930	1,956	3.9	968	3.8	988	4.1	1,019
1931	1,920	3.9	908	3.6	1,012	4.3	1,115
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
1935	1,627	3.3	808	3.2	819	3.4	1,014
1936	1,618	3.2	840	3.1	778	3.2	931
1937	1,546	3.0	789	2.9	757	3.1	959
1938	1,428	2.9	715	2.8	713	3.0	997
1939	1,277	2.5	673	2.6	604	2.5	897
All Other Ages.							
1930	41,674[2]	84.2	21,003	83.2	20,671	85.2	984
1931	41,854	85.9	21,303	85.2	20,551	86.6	965
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922
1935	44,198	89.0	22,618	88.2	21,580	90.0	954
1936	46,150	89.7	23,881	89.2	22,269	90.3	932
1937	46,839	90.5	24,410	90.1	22,429	91.0	919
1938	44,824	90.9	23,317	90.7	21,507	91.3	922
1939	46,156	91.8	23,695	91.0	22,461	92.6	948

[1] Exclusive of stillbirths.
[2] Includes 1 death, age not reported.
[3] Allocated.

Table 10

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1939.

Age at Death.	Both Sexes.	Males. Total.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Total.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
The State.													
15 Years and Over.	46,834	24,019	4,351	13,520	5,693	391	64	22,815	4,158	8,239	10,127	280	11
15 to 19 years	425	240	237	3	–	–	–	185	174	11	–	–	–
20 to 29 years	1,277	673	495	166	10	1	1	604	301	292	1	10	–
30 to 39 years	1,926	1,016	376	596	13	29	2	910	190	665	26	29	–
40 to 49 years	4,081	2,393	547	1,641	126	71	8	1,688	270	1,210	158	50	–
50 to 59 years	7,202	4,189	755	2,936	389	93	16	3,013	476	1,867	616	50	4
60 to 69 years	11,414	6,194	923	3,960	1,208	84	19	5,220	841	2,313	2,010	54	2
70 to 79 years	12,655	6,160	719	3,197	2,140	89	15	6,495	1,063	1,533	3,833	64	2
80 years and over	7,854	3,154	299	1,021	1,807	24	3	4,700	843	348	3,483	23	3
Boston.													
15 Years and Over.	9,339	4,925	1,228	2,525	1,061	78	33	4,414	958	1,436	1,955	59	6
15 to 19 years	88	50	49	1	–	–	–	38	37	1	–	–	–
20 to 29 years	275	140	99	37	3	–	1	135	62	67	1	5	–
30 to 39 years	447	261	125	122	4	8	2	186	39	133	12	2	–
40 to 49 years	988	613	166	390	33	20	4	375	71	246	44	14	–
50 to 59 years	1,623	983	233	609	112	23	6	640	125	333	168	11	3
60 to 69 years	2,417	1,312	294	721	269	17	11	1,105	211	388	494	11	1
70 to 79 years	2,328	1,138	201	513	410	6	8	1,190	252	221	705	12	–
80 years and over	1,173	428	61	132	230	4	1	745	161	47	531	4	2

Table 11

ALLOCATED DEATHS,[1] IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1939.

Counties and Cities having over 50,000 Inhabitants in 1935 (Grouped in order of population).	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	50,292	4,801	4,478	5,155	4,744	4,287	3,653	3,638	3,476	3,669	3,873	4,024	4,494
Average daily number of deaths.	138	155	160	166	158	138	122	117	112	122	125	134	145
COUNTIES.													
Middlesex	10,707	1,024	954	1,090	999	899	797	802	736	786	831	858	931
Suffolk	11,020	1,031	1,003	1,176	1,060	945	806	774	781	786	849	857	952
Essex	5,956	580	477	573	563	519	461	456	414	461	419	470	563
Worcester	5,516	549	492	599	537	464	387	379	373	404	439	409	484
Bristol	4,317	400	416	426	396	361	298	322	307	290	345	366	390
Hampden	3,565	361	312	342	324	291	265	262	259	278	260	282	329
Norfolk	3,464	306	321	359	318	312	255	232	220	253	270	293	325
Plymouth	2,236	217	192	242	209	194	144	155	141	159	206	170	207
Berkshire	1,390	137	128	151	130	105	94	109	92	107	93	124	120
Hampshire	760	68	84	65	66	71	56	53	57	54	58	71	57
Franklin	663	70	50	55	60	52	46	42	56	45	54	63	70
Barnstable	542	46	40	56	68	60	30	39	30	36	37	48	52
Dukes	102	9	9	17	12	7	10	7	5	7	7	6	6
Nantucket	54	3	–	4	2	7	4	6	5	3	5	7	8
CITIES OVER 100,000.													
Boston	9,999	948	921	1,056	968	862	738	715	703	702	766	762	858
Worcester	2,163	215	199	252	197	186	143	150	152	165	162	151	191
Springfield	1,639	156	155	142	158	125	122	114	122	145	115	131	154
Cambridge	1,316	115	132	141	123	105	112	107	84	80	100	113	104
Fall River	1,335	118	129	129	135	99	92	119	101	80	106	111	116
New Bedford	1,353	134	131	134	113	124	90	89	84	91	119	120	124
Lynn	1,161	97	104	102	120	102	84	83	88	99	82	86	114
Somerville	1 135	88	100	133	119	101	75	72	85	92	91	85	94
Lowell	1,289	124	116	121	117	107	118	91	84	103	93	106	109
CITIES 50,000 TO 100,000.													
Lawrence	948	91	85	94	84	80	66	74	59	59	83	83	90
Quincy	751	61	76	72	77	67	54	52	49	51	60	63	69
Newton	785	76	68	78	74	61	56	56	56	59	69	61	71
Brockton	827	79	77	100	80	58	53	58	49	55	74	64	80
Medford	646	61	62	65	51	56	45	56	53	48	40	51	58
Malden	663	62	60	73	55	49	47	52	53	47	63	50	62
Holyoke	689	65	49	72	60	67	53	55	45	46	55	54	68
Brookline (Town)	601	52	65	62	69	53	34	41	40	39	52	42	52

[1] Exclusive of stillbirths.

Table 12	Deaths.[1]		Live Births.		Deaths Under 1 Year.		Stillbirths.	
Years.	Number.	Per 1,000 population.	Number.	Per 1,000 population.	Number.	Per 1,000 live births.	Number.	Per 1,000 live births.
1913 . .	53,402	14.9	91,644	25.6	10,086	110.1	3,175	34.6
1914 . .	52,978	14.5	93,399	25.6	9,894	105.9	3,349	35.9
1915 . .	53,131	14.4	93,155	25.2	9,490	101.9	3,161	33.9
1916 . .	56,366	14.9	93,487	24.8	9,334	99.8	3,300	35.3
1917 . .	56,628	14.7	95,731	24.9	9,325	97.4	3,324	34.7
1918 . .	78,842	20.2	95,607	24.5	10,820	113.2	3,779	39.5
1919 . .	52,345	13.6	87,827	22.9	7,769	88.5	3,092	35.2
1920 . .	53,632	13.9	91,859	23.8	8,382	91.2	3,336	36.3
1921 . .	47,780	12.3	92,245	23.7	7,005	75.9	3,428	37.2
1922 . .	51,115	13.0	87,636	22.3	7,129	81.3	3,268	37.3
1923 . .	52,380	13.2	89,210	22.5	6,968	78.1	3,332	37.3
1924 . .	49,466	12.4	91,463	22.8	6,191	67.7	3,548	38.8
1925 . .	51,890	12.5	86,014	20.8	6,294	73.1	3,141	36.5
1926 . .	52,888	12.7[2]	83,502	20.0	6,130	73.4	2,997	35.9
1927 . .	49,324	11.8[2]	82,273	19.6	5,320	64.7	2,969	36.1
1928 . .	51,442	12.2[2]	79,054	18.8	5,118	64.7	2,821	35.7
1929 . .	52,171	12.3[2]	74,122	17.5	4,592	62.0	2,540	34.3
1930 . .	49,503	11.6	73,690	17.3	4,440	60.3	2,597	35.2
1931 . .	48,743	11.4	69,385	16.2	3,803	54.8	2,440	35.2
1932 . .	49,531	11.5	68,518	15.9	3,635	53.1	2,350	34.3
1933 . .	50,832	11.8	63,457	14.7	3,294	51.9	2,173	34.2
1934 . .	50,760	11.7	63,767	14.7	3,136	49.2	1,997	31.3
1935* . .	49,634	11.4	62,416	14.3	3,014	48.3	1,886	30.2
1936* . .	51,435	11.7	61,184	14.0	2,854	46.6	1,816	29.5
1937* . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28.7
1938* . .	49,285	11.1	62,382	14.1	2,439	39.1	1,730	27.7
1939* . .	50,292	11.3	62,575	14.1	2,338	37.4	1,765	28.2

[1] Exclusive of stillbirths.
[2] Revised.

*Allocated.

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	50,292	4,801	4,478	5,155	4,744	4,287	3,653	3,638	3,476	3,669	3,873	4,024	4,494
		M	26,037	2,550	2,331	2,597	2,419	2,197	1,926	1,911	1,824	1,858	2,007	2,069	2,348
		F	24,255	2,251	2,147	2,558	2,325	2,090	1,727	1,727	1,652	1,811	1,866	1,955	2,146
I	INFECTIOUS AND PARASITIC DISEASES	T	2,267	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,407	141	147	150	154	116	111	102	100	91	94	101	100
		F	860	67	83	120	80	89	61	56	59	55	66	61	63
1	Typhoid fever	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	2	–	–	–	–	1	–	–	–	1	1
		F	4	–	–	–	1	1	–	–	–	2	–	–	–
2	Paratyphoid fever	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
3	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	2	1	–	1	–	–	–	–	–	–	1
		F	11	3	1	–	4	2	–	1	–	–	–	–	–
8	Scarlet fever	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	1	1	2	1	–	–	–	–	1	–	1
		F	6	1	1	3	–	–	–	1	–	–	–	–	–
9	Whooping cough	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	5	1	6	4	3	2	1	1	1	–	–	–
		F	21	2	1	8	1	2	–	1	3	1	1	–	1
10	Diphtheria	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	2	1	–	–	–	–	–	–	2	1	1
		F	7	–	–	–	–	–	–	2	–	–	3	1	1
11	Influenza	T	230	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	14	16	26	22	9	–	1	2	4	6	6	7
		F	117	7	19	48	17	14	3	1	–	2	1	3	2
11a	With respiratory complications specified	T	179	–	–	–	–	–	–	–	–	–	–	–	–
		M	82	9	14	24	17	7	–	1	–	2	1	2	5
		F	97	5	17	39	16	13	3	1	–	–	–	2	1
11b	Without respiratory complications specified	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	5	2	2	5	2	–	–	2	2	5	4	2
		F	20	2	2	9	1	1	–	–	–	2	1	1	1
12	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	2	1	1	–	–	–	1	–	–	–
		F	5	1	1	–	–	–	–	–	–	–	2	1	–
13a	Amebic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13b	Bacillary	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	2	1	–	–	–	–	1	–	–	–
		F	4	1	1	–	–	–	–	–	–	–	2	–	–
13c	Unspecified or due to other causes	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
14	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	1	–	–	2	2	–	–	–	1	1
		F	11	2	3	2	1	1	–	–	1	–	1	–	–
16	Acute poliomyelitis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	1	–	–	1	–	1	–
17	Lethargic or epidemic encephalitis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	2	1	–	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
17a	Equine encephalomyelitis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17b	Lethargic	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	2	1	–	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
18	Epidemic cerebrospinal meningitis	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	2	1	2	1	2	1	2	–	–	1	–
		F	4	1	1	1	–	–	1	–	–	–	–	–	–
19	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Anthrax	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	2	1	–	1	–	2	1	2	–
		F	3	–	–	–	–	–	–	1	–	–	1	1	–
23–32	Tuberculosis (total)	T	1,602	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,033	99	101	95	103	92	86	83	77	70	73	73	81
		F	569	45	44	46	48	64	52	42	44	43	50	45	46
23	Tuberculosis of the respiratory system	T	1,505	–	–	–	–	–	–	–	–	–	–	–	–
		M	978	93	98	90	100	87	81	78	73	66	68	67	77
		F	527	42	41	42	45	61	45	39	39	40	47	44	42
24	Tuberculosis of the meninges and central nervous system	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	3	2	–	1	3	1	1	1	–	1	4	1
		F	11	2	–	1	1	1	–	2	2	1	–	–	1
25	Tuberculosis of the intestines and peritoneum	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	1	1	–	1	1	1	–	–	–
		F	9	1	1	1	1	–	3	–	–	–	1	–	1
26	Tuberculosis of the vertebral column	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	1	–	1	1	1	–	–	2	–
		F	10	–	1	–	–	2	1	1	3	–	1	–	1
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	1	1	–	2	–	1
		F	4	–	1	–	–	–	1	–	–	1	–	–	1
27a	Bones	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	1	–	–	1
27b	Joints	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	1	–	2	–	–
		F	2	–	1	–	–	–	1	–	–	–	–	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	–	–	–	1	–	–	–
		F	3	–	–	–	1	–	–	–	–	1	–	1	–
30	Tuberculosis of the genitourinary system	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	2	–	1	1	1	–	2	2	–	2
		F	3	–	–	1	–	–	1	–	–	–	1	–	–
31	Tuberculosis of other organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
32	Disseminated tuberculosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
32a	Acute	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
32b	Chronic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	204	–	–	–	–	–	–	–	–	–	–	–	–
		M	144	13	17	12	14	6	15	11	12	12	11	14	7
		F	60	4	9	4	6	5	1	5	7	2	5	5	7
34a	Congenital	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	1	–	–	1	–	–	–	2	1
		F	5	–	–	1	–	–	–	1	–	–	1	2	–
34b	Acquired	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	2	–	1	–	–	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
34c	Unspecified	T	187	-	-	-	-	-	-	-	-	-	-	-	-
		M	132	13	16	12	11	6	14	10	12	12	11	11	4
		F	55	4	9	3	6	5	1	4	7	2	4	3	7
35	Gonococcus infection and other venereal diseases	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	1	-	-	-	-
		F	8	-	1	2	1	-	-	-	-	1	-	2	1
36	Purulent infection, septicemia, nonpuerperal	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	1	2	-	3	-	-	-	-
		F	13	-	-	4	-	-	-	1	2	2	-	1	3
37	Yellow fever	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Malaria	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Other diseases due to protozoal parasites	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-
		F	2	-	-	-	1	-	-	-	-	-	-	1	-
40	Ankylostomiasis	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid cysts	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by Helminths	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	1	-	-
43	Mycoses	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	1	-	-	-	-	2	1	-	1	-
		F	6	1	-	-	-	-	2	-	1	1	-	-	1
44	Other infectious and parasitic diseases	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	1	1	-	-	-	-	1
44a	Chicken-pox	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	-	-	-	-	1
44b	German measles	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
44c	Others under this title	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
II.	CANCERS AND OTHER TUMORS	T	7,130	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,202	279	261	281	266	268	264	247	270	245	261	276	284
		F	3,928	345	327	333	330	345	311	320	334	342	306	309	326
45–53	Cancer and other malignant tumors (total)	T	6,914	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,142	276	255	277	261	257	261	243	266	241	256	270	279
		F	3,772	328	312	319	313	330	300	308	315	331	297	303	316
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	226	-	-	-	-	-	-	-	-	-	-	-	-
		M	191	13	18	21	17	21	10	13	15	14	17	18	14
		F	35	2	3	3	2	4	-	4	-	4	6	4	3
45a	Lip	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	-	2	5	1	3	2	3	-	2	2	1
		F	3	-	1	-	-	-	-	1	-	1	-	-	-
45b	Tongue	T	62	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	4	6	7	5	5	1	1	6	5	5	5	4
		F	8	-	-	2	-	1	-	1	-	-	1	3	-
45c	Mouth	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	4	4	1	4	1	2	1	1	2	1	3
		F	3	-	-	-	-	-	-	1	-	-	1	-	1
45d	Jaw	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	1	2	2	2	2	1	1	-	3	2	1
		F	5	1	-	-	1	1	-	1	-	-	-	-	1
45e	Other and unspecified parts of buccal cavity	T	35	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	4	7	1	-	4	2	3	1	2	2	2	3
		F	4	-	-	-	-	1	-	-	-	1	1	1	-
45f	Pharynx	T	53	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	2	-	5	4	5	1	4	3	6	3	6	2
		F	12	1	2	1	1	1	-	-	-	2	3	-	1
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,455	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,769	159	146	151	148	134	151	137	142	144	146	156	155
		F	1,686	150	147	142	136	134	143	126	142	156	130	134	146
46a	Esophagus	T	165	-	-	-	-	-	-	-	-	-	-	-	-
		M	121	17	10	12	10	5	13	5	12	2	12	12	11
		F	44	3	3	8	3	5	3	5	4	3	3	1	3
46b	Stomach and duodenum	T	1,143	-	-	-	-	-	-	-	-	-	-	-	-
		M	662	68	65	46	58	46	51	53	51	44	52	59	69
		F	481	41	34	44	39	51	44	37	47	42	35	33	34

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46c	Intestine (except rectum and anus)	T	1,018	-	-	-	-	-	-	-	-	-	-	-	-
		M	412	27	28	37	30	34	38	41	28	36	44	29	40
		F	606	65	50	50	50	43	41	44	52	60	47	41	63
46d	Rectum and anus	T	487	-	-	-	-	-	-	-	-	-	-	-	-
		M	278	25	28	25	20	19	22	19	32	29	14	23	22
		F	209	10	19	13	9	6	22	20	17	24	19	30	20
46e	Liver and biliary passages	T	360	-	-	-	-	-	-	-	-	-	-	-	-
		M	152	16	7	15	20	15	10	10	7	17	12	16	7
		F	208	20	20	17	19	17	22	10	14	18	18	18	15
46f	Pancreas	T	235	-	-	-	-	-	-	-	-	-	-	-	-
		M	124	6	8	13	10	11	14	7	12	13	12	15	3
		F	111	8	18	10	14	11	9	6	7	7	6	8	7
46g	Mesentery and peritoneum	T	47	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	-	-	3	-	4	3	2	-	3	-	2	3
		F	27	3	3	-	2	1	2	4	1	2	2	3	4
46h	Others	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
47	Cancer and other malignant tumors of the respiratory system	T	372	-	-	-	-	-	-	-	-	-	-	-	-
		M	277	31	15	30	17	23	23	21	20	17	28	24	28
		F	95	8	7	11	14	4	5	6	12	8	8	7	5
47a	Larynx	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	60	5	2	5	5	6	4	9	7	4	3	3	7
		F	9	1	1	1	1	-	1	1	1	1	1	-	-
47b	Lungs and pleura	T	255	-	-	-	-	-	-	-	-	-	-	-	-
		M	177	22	12	20	11	12	18	12	9	10	19	16	16
		F	78	7	6	9	11	4	4	5	10	4	7	6	5
47c	Others	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	4	1	5	1	5	1	-	4	3	6	5	5
		F	8	-	-	1	2	-	-	-	1	3	-	1	-
48	Cancer and other malignant tumors of the uterus	T	579	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	579	65	54	39	40	52	44	56	47	47	30	49	56
49	Cancer and other malignant tumors of other female genital organs	T	195	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	195	16	12	19	17	20	17	18	13	15	22	10	16
49a	Ovary and Fallopian tube	T	166	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	166	15	10	14	16	15	17	16	11	12	17	9	14
49b	Vagina and vulva	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	28	1	2	4	1	5	-	2	2	3	5	1	2
49c	Others	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
50	Cancer and other malignant tumors of the breast	T	789	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	2	-	-	-	1	2	-	-	1	-	-
		F	782	60	58	68	68	78	60	67	76	65	65	63	54
51	Cancer and other malignant tumors of the male genito-urinary organs	T	594	-	-	-	-	-	-	-	-	-	-	-	-
		M	594	59	54	41	53	43	56	51	52	41	43	48	53
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	Kidneys and suprarenals (male)	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	69	10	7	3	7	9	4	7	3	4	2	7	6
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	Bladder (male)	T	145	-	-	-	-	-	-	-	-	-	-	-	-
		M	145	16	11	8	12	7	14	8	14	14	13	15	13
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	Prostate	T	352	-	-	-	-	-	-	-	-	-	-	-	-
		M	352	30	34	27	32	27	32	33	34	21	26	25	31
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	Testes	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	-	1	-	2	2	-	1	1	1	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51e	Scrotum	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51f	Others	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	1	3	1	-	4	-	-	1	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Cancer and other malignant tumors of the skin	T	97	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	1	3	6	10	6	4	1	6	5	5	3	6
		F	41	4	1	2	6	6	2	2	2	2	6	3	5
53	Cancer and other malignant tumors of other or unspecified organs	T	607	-	-	-	-	-	-	-	-	-	-	-	-
		M	248	12	17	28	16	30	16	18	31	20	16	21	23
		F	359	23	30	35	30	32	29	29	23	34	30	33	31
53a	Kidneys and suprarenals (female)	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	-	6	4	1	4	1	3	4	5	2	3	4

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
53b	Bladder (female)	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	80	3	6	9	8	5	7	6	5	8	7	9	7
53c	Brain	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	1	1	6	1	8	5	5	8	2	2	2	9
		F	43	3	3	3	4	3	3	6	3	5	4	4	2
53d	Bones (except jaw)	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	3	5	4	2	6	1	1	5	3	3	2	3
		F	39	3	6	5	2	3	3	2	1	5	3	4	2
53e	Others	T	320	–	–	–	–	–	–	–	–	–	–	–	–
		M	160	8	11	18	13	16	10	12	18	15	11	17	11
		F	160	14	9	14	15	17	15	12	10	11	14	13	16
54	Nonmalignant tumors	T	154	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	1	3	2	4	9	–	3	2	3	3	3	3
		F	118	15	11	10	16	9	8	6	16	10	6	3	8
54a	Of the ovary	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	2	–	1	–	–	–	–	–	–	–	–
54b	Of the uterus	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	70	8	7	5	11	6	6	2	8	5	4	3	5
54c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	3	2	3	7	–	3	2	1	1	2	2
		F	31	5	2	4	3	2	1	2	5	3	2	–	2
54e	Of other organs	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	1	2	–	–	–	2	2	1	1
		F	13	1	–	1	1	1	1	2	3	2	–	–	1
55	Tumors of which the nature is not specified	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	3	2	1	2	3	1	2	1	2	3	2
		F	38	2	4	4	1	6	3	6	3	1	3	3	2
55a	Of the ovary	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55b	Of the uterus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	3	1	1	2	1	1	2	1	2	1	1
		F	21	1	3	2	1	2	1	4	2	1	2	1	1
55e	Of other organs	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	–	2	–	–	–	–	2	1
		F	15	1	1	2	–	4	2	1	1	–	1	1	1
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,664	–	–	–	–	–	–	–	–	–	–	–	–
		M	566	46	52	57	69	46	37	40	36	42	42	46	53
		F	1,098	97	80	114	114	102	90	94	80	77	89	73	88
56	Acute rheumatic fever	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	3	2	–	1	1	2	–	1	1	–	1	–
		F	14	–	2	2	1	1	2	1	1	3	–	1	–
57	Chronic rheumatism, osteoarthritis	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	2	1	–	–	–	1	–	4	1	2
		F	29	4	3	1	4	2	5	1	2	2	1	2	2
58	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,506	–	–	–	–	–	–	–	–	–	–	–	–
		M	508	38	46	54	63	43	32	39	32	38	37	40	46
		F	998	90	72	105	104	93	80	84	72	66	83	64	85
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Pellagra	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	1	–	–	2	2
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
63	Rickets	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
64	Osteomalacia	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
65	Diseases of the pituitary body	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	1	-	-	-	-	-	-	-	-	-
66	Diseases of the thyroid and parathyroid glands	T	46	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	2	-	1	-	-	-	-	2	-	-	2
		F	38	1	3	4	4	3	3	2	4	4	4	5	1
66a	Simple goiter	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
66b	Exophthalmic goiter	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	2	-	1	-	-	-	-	2	-	-	1
		F	29	1	3	4	1	2	2	2	4	3	3	3	1
66c	Myxedema and cretinism	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	4	-	-	-	2	-	-	-	-	-	1	1	-
66d	Tetany	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
66e	Others	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	1	-	1	-	-	1	-	1	-
67	Diseases of the thymus gland	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	2	1	2	2	1	1	1	-	1	1	1
		F	6	-	-	1	1	2	-	2	-	-	-	-	-
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	2	1	1	1	1	-
69	Other general diseases	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	1	-	-	-
		F	2	1	-	-	-	1	-	-	-	-	-	-	-
IV.	DISEASES OF THE BLOOD AND BLOODMAKING ORGANS	T	413	-	-	-	-	-	-	-	-	-	-	-	-
		M	210	15	15	16	20	13	25	12	27	14	15	15	23
		F	203	13	20	13	21	13	12	18	14	15	23	19	22
70	Hemorrhagic conditions	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	1	1	-	1	-	-	1	-	-	-	1
		F	4	-	-	-	1	-	-	-	1	-	2	-	-
70a	Primary purpuras	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	1	-	1	-	-	1	-	-	-	1
		F	3	-	-	-	1	-	-	-	-	-	2	-	-
70b	Hemophilia	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
71	Anemias	T	112	-	-	-	-	-	-	-	-	-	-	-	-
		M	38	1	2	4	1	3	8	1	4	6	1	3	4
		F	74	4	8	5	8	3	4	6	3	5	11	7	10
71a	Pernicious anemia	T	94	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	1	1	3	1	2	8	1	4	5	1	3	4
		F	60	4	7	5	6	3	4	4	2	5	10	5	5
71b	Others	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	1	-	1	-	-	-	1	-	-	-
		F	14	-	1	-	2	-	-	2	1	-	1	2	5
72	Leukemias and pseudoleukemias	T	271	-	-	-	-	-	-	-	-	-	-	-	-
		M	155	11	12	10	18	9	16	10	21	7	13	11	17
		F	116	9	12	7	11	9	7	9	9	10	10	12	11
72a	True leukemias	T	168	-	-	-	-	-	-	-	-	-	-	-	-
		M	82	8	6	6	8	3	10	7	9	3	8	7	7
		F	86	5	8	6	9	6	5	6	5	9	8	10	9
72b	Pseudoleukemias (Hodgkin's disease)	T	103	-	-	-	-	-	-	-	-	-	-	-	-
		M	73	3	6	4	10	6	6	3	12	4	5	4	10
		F	30	4	4	1	2	3	2	3	4	1	2	2	2
73	Diseases of the spleen	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	-	-	1	-	-	1	1	1	1	-	-
		F	3	-	-	-	1	-	1	-	1	-	-	-	-
74	Other diseases of the blood and bloodmaking organs	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	1	-	-	-	-	1	1
		F	6	-	-	1	-	1	-	3	-	-	-	-	1
V.	CHRONIC POISONINGS AND INTOXICATIONS	T	207	-	-	-	-	-	-	-	-	-	-	-	-
		M	177	27	21	14	10	17	9	12	12	7	20	14	14
		F	30	7	1	3	7	-	2	3	4	1	-	1	1
75	Alcoholism (acute or chronic)	T	198	-	-	-	-	-	-	-	-	-	-	-	-
		M	170	26	18	14	10	17	9	12	11	7	19	14	13
		F	28	6	1	3	7	-	2	3	4	-	-	1	1
76	Chronic poisoning by other organic substances	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months: January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
76a	Occupational	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
77	Chronic poisoning by mineral substances	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	3	–	–	–	–	–	1	–	1	–	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
77a	Lead	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77b	Occupational (except lead)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	5,074	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,308	244	202	214	213	181	186	166	166	168	164	204	200
		F	2,766	249	252	282	280	248	184	163	178	209	234	244	243
78	Encephalitis (nonepidemic)	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	5	2	1	3	1	1	–	3	1	2	–	–
		F	18	2	–	3	1	–	3	2	1	1	2	2	1
78a	Abscess of the brain	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	1	1	2	–	–	–	3	–	–	–	–
		F	2	1	–	–	1	–	–	–	–	–	–	–	–
78b	Others	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	1	–	1	1	1	–	–	1	2	–	–
		F	16	1	–	3	–	–	3	2	1	1	2	2	1
79	Meningitis	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	–	6	3	3	2	5	2	3	–	2	4	3
		F	20	1	2	2	2	3	1	–	4	2	1	2	–
79a	Simple meningitis	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	–	5	2	3	2	4	2	3	–	2	3	3
		F	17	1	2	2	1	3	1	–	3	1	1	2	–
79b	Nonepidemic cerebrospinal meningitis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	1	–	–	1	–	–	–	–	1	–
		F	3	–	–	–	1	–	–	–	1	1	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	3	–	2	3	1	1	1	–	–	3	2	1
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
81	Other diseases of the spinal cord	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	5	5	1	1	4	–	5	2	3	–	4	5
		F	26	2	1	4	3	4	4	1	1	1	1	–	4
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,504	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,960	213	168	178	187	143	161	138	141	144	147	172	168
		F	2,544	225	239	254	258	225	163	151	163	189	218	232	227
82a	Cerebral hemorrhage	T	3,937	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,690	183	147	159	169	113	133	117	119	127	123	155	145
		F	2,247	204	224	221	232	204	135	132	143	163	186	199	204
82b	Cerebral embolism and thrombosis	T	528	–	–	–	–	–	–	–	–	–	–	–	–
		M	252	27	18	19	16	26	26	21	21	16	24	17	21
		F	276	18	14	30	23	21	27	18	18	22	31	31	23
82c	Softening of the brain	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	–	1	3	–	–	1	1	–	–	2
		F	11	1	–	2	1	–	–	–	2	3	1	1	–
82d	Hemiplegia and other paralysis, cause unspecified	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	2	–	1	1	2	–	–	–	–	–	–
		F	10	2	1	1	2	–	1	1	–	1	–	1	–
83	General paralysis of the insane	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	81	3	8	12	4	8	8	4	6	9	4	7	8
		F	24	5	3	3	1	5	3	1	–	1	1	1	–
84	Dementia praecox and other psychoses	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	2	–	1	–	1	–	2	–	–	–
		F	7	2	–	1	1	–	1	1	–	1	–	–	–
84a	Dementia praecox	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	1	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
84b	Other psychoses	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	–	–	1	–	2	–	–	–
		F	5	1	–	1	1	–	1	–	–	1	–	–	–
85	Epilepsy	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	8	2	8	2	3	3	5	4	–	–	5	6
		F	24	4	1	2	4	2	1	–	2	1	4	3	–
86	Convulsions (under 5 years of age)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	5	1	–	2	–	1	–	–	–	1	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
87	Other diseases of the nervous system	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	2	6	2	4	10	4	6	6	5	5	7	7
		F	66	5	3	6	5	4	2	7	5	11	6	4	8
87a	Neuralgia and neuritis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	4	–	–	–	–	–	–	–	–	1	1	1	1
87b	Other diseases of the nervous system	T	125	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	2	6	2	4	10	4	6	6	5	5	7	6
		F	62	5	3	6	5	4	2	7	5	10	5	3	7
88	Diseases of the organs of vision	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	4	–	–	–	–	1	1	–	1	1	–	–	–
89	Diseases of the ear and of the mastoid process	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	5	4	5	6	8	2	4	1	3	1	3	2
		F	27	2	3	4	5	3	5	–	1	–	1	–	3
89a	Diseases of the ear	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	5	3	1	5	3	2	1	1	3	1	3	–
		F	21	1	3	4	5	2	3	–	1	–	1	–	1
89b	Diseases of the mastoid process	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	4	1	5	–	3	–	–	–	–	2
		F	6	1	–	–	–	1	2	–	–	–	–	–	2
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T	18,589	–	–	–	–	–	–	–	–	–	–	–	–
		M	9,776	939	877	1,023	933	826	666	693	660	701	728	792	938
		F	8,813	856	786	942	851	747	572	633	544	638	695	742	807
90	Pericarditis	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	1	–	1	2	–	1	–	3	–	1
		F	14	2	–	3	3	1	3	–	–	–	2	–	–
91	Acute endocarditis	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	60	5	8	4	2	4	6	4	6	4	5	6	6
		F	56	4	6	3	6	4	3	5	6	5	4	6	4
91a	Specified as acute	T	95	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	5	5	2	2	4	5	3	6	3	4	5	5
		F	46	3	6	3	6	4	1	4	5	2	4	6	2
91b	Unspecified (under 45 years of age)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	3	2	–	–	1	1	–	1	1	1	1
		F	10	1	–	–	–	–	2	1	1	3	–	–	2
92	Chronic endocarditis, valvular diseases	T	1,576	–	–	–	–	–	–	–	–	–	–	–	–
		M	707	65	67	85	65	67	46	46	47	53	47	62	57
		F	869	74	89	97	99	74	57	57	52	64	78	62	66
92a	Endocarditis specified as chronic and valvular disease	T	1,472	–	–	–	–	–	–	–	–	–	–	–	–
		M	661	56	60	80	62	65	42	43	44	52	46	59	52
		F	811	67	86	90	93	69	54	55	45	61	74	54	63
92b	Endocarditis unspecified (45 years and over)	T	104	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	9	7	5	3	2	4	3	3	1	1	3	5
		F	58	7	3	7	6	5	3	2	7	3	4	8	3
93	Diseases of the myocardium	T	5,999	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,769	269	271	302	292	242	204	182	168	191	199	204	245
		F	3,230	345	324	341	318	306	214	226	166	217	215	258	300
93a	Acute myocarditis	T	158	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	3	6	6	6	10	7	7	5	6	6	4	4
		F	88	16	7	10	10	11	5	6	5	4	4	4	6
93b	Myocarditis unspecified (under 45 years of age)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	1	–	1	1	–	–	–	2	–
		F	4	–	–	–	1	1	–	–	–	–	–	–	2
93c	Chronic myocarditis and myocardial degeneration	T	4,149	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,943	184	184	213	201	180	152	118	129	134	143	150	155
		F	2,206	230	233	232	224	219	143	151	121	151	136	175	191
93d	Other diseases of myocardium	T	1,681	–	–	–	–	–	–	–	–	–	–	–	–
		M	749	82	81	81	84	52	44	56	34	51	50	48	86
		F	932	99	84	99	83	75	66	69	40	62	75	79	101
94	Diseases of the coronary arteries and angina pectoris	T	4,372	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,951	293	236	282	252	234	196	221	215	221	221	272	308
		F	1,421	125	108	143	136	105	90	119	99	95	124	137	140
94a	Angina pectoris	T	251	–	–	–	–	–	–	–	–	–	–	–	–
		M	173	17	12	16	16	15	13	18	15	13	11	12	15
		F	78	9	13	9	3	6	6	6	4	3	4	8	7
94b	Diseases of the coronary arteries	T	4,121	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,778	276	224	266	236	219	183	203	200	208	210	260	293
		F	1,343	116	95	134	133	99	84	113	95	92	120	129	133
95	Other diseases of the heart	T	5,515	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,815	272	258	302	264	241	177	204	187	200	223	215	272
		F	2,700	256	214	307	241	215	170	189	184	215	231	225	253
95a	Functional diseases of the heart	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	–	1	–	–	1	–	–	1	1	1
		F	8	–	1	1	2	1	–	1	–	1	–	1	–
95b	Other and unspecified	T	5,499	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,807	270	257	302	263	241	177	203	187	200	222	214	271
		F	2,692	256	213	306	239	214	170	188	184	214	231	224	253

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
96	Aneurysm (except of the heart)	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	3	1	6	5	2	3	1	3	4	–	4	2
		F	15	1	2	2	2	2	–	–	1	–	1	1	3
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	793	–	–	–	–	–	–	–	–	–	–	–	–
		M	354	27	28	32	46	27	25	30	26	25	25	22	41
		F	439	42	37	40	40	36	29	32	32	37	32	43	39
98	Gangrene	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	2	5	–	–	–	–	–	1	–	1	1
		F	10	1	1	–	1	1	1	–	1	1	2	1	–
99	Other diseases of the arteries	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	2	1	2	6	4	4	2	6	1	4	4	3
		F	28	5	2	3	2	2	2	2	1	1	3	4	1
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	1	–	2	1	3	1	1	–	1	2
		F	25	1	2	3	3	1	1	3	2	2	2	4	1
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	2	1	–	–	–	1	1	–
		F	5	–	1	–	–	–	1	–	–	1	1	1	–
103	Other diseases of the circulatory system	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	3,519	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,897	277	257	284	232	142	90	73	62	86	110	116	168
		F	1,622	199	199	290	196	142	85	55	54	68	91	108	135
104	Diseases of the nasal fossae and annexae	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	3	2	3	–	–	2	–	1	3	1	3
		F	5	–	–	1	1	2	–	1	–	–	–	–	–
105	Diseases of the larynx	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	3	2	–	1	–	–	–	–	1	1
		F	8	3	1	1	–	2	–	–	–	–	–	1	–
106	Bronchitis	T	92	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	2	8	3	14	3	2	–	2	1	4	1	5
		F	47	7	5	6	6	1	2	2	1	2	3	5	7
106a	Acute	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	2	2	5	–	1	–	–	–	4	–	2
		F	27	4	3	2	4	–	1	2	–	1	2	2	6
106b	Chronic	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	3	–	6	–	–	–	2	–	–	1	2
		F	9	2	–	2	2	–	–	–	1	–	–	2	–
106c	Unspecified (under 5 years of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
106d	Unspecified (5 years and over)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	1	3	3	1	–	–	1	–	–	–
		F	9	–	2	1	–	1	1	–	–	1	1	1	1
107	Bronchopneumonia (including capillary bronchitis)	T	1,882	–	–	–	–	–	–	–	–	–	–	–	–
		M	963	132	110	145	113	88	38	39	34	49	64	59	92
		F	919	103	110	153	106	80	54	37	33	44	54	68	77
107a	Bronchopneumonia	T	1,875	–	–	–	–	–	–	–	–	–	–	–	–
		M	960	132	109	144	113	88	38	39	34	49	64	59	91
		F	915	103	110	152	106	80	53	37	33	44	53	68	76
107b	Capillary bronchitis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	–	–	–	–	–	–	1
		F	4	–	–	1	–	–	1	–	–	–	1	–	1
108	Lobar pneumonia	T	1,211	–	–	–	–	–	–	–	–	–	–	–	–
		M	680	118	116	112	84	42	36	18	12	21	27	42	52
		F	531	73	70	113	70	51	19	10	15	15	28	25	42
109	Pneumonia, unspecified	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	–	3	3	1	1	1	2	2	1	1	1
		F	16	1	3	4	1	1	5	–	–	–	1	–	–
110	Pleurisy	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	9	7	6	4	4	5	6	1	4	3	3	4
		F	29	2	6	5	7	2	1	1	–	–	2	2	1
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	3	1	2	1	1	2	–	1	2	3	4	4
		F	31	2	2	3	2	2	–	2	3	2	3	4	6
111a	Pulmonary embolism and thrombosis	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	–	1	1	1	2	–	–	–	2	2	3
		F	17	2	1	3	1	1	–	1	1	–	–	4	3
111b	Others	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	1	–	–	–	–	1	2	1	2	1
		F	14	–	1	–	1	1	–	1	2	2	3	–	3
112	Asthma	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	4	6	3	4	1	2	2	2	3	2	–	1
		F	23	3	2	2	1	–	3	2	1	5	–	3	1

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May	June.	July.	August.	September.	October.	November.	December.
113	Pulmonary emphysema	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (tuberculosis excepted)	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	4	6	4	4	2	3	5	6	3	3	4	5
		F	13	5	–	2	2	1	1	–	1	–	–	–	1
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	1	–	–	–	1	1	1	1	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Others, including gangrene of the lung	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	1	5	4	4	2	2	4	5	2	2	3	4
		F	13	5	–	2	2	1	1	–	1	–	–	–	1
IX.	Diseases of the Digestive System	T	2,450	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,375	133	111	113	107	119	114	124	101	112	116	101	124
		F	1,075	89	86	101	114	84	79	81	92	89	79	81	100
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	5	3	1	3	11	4	2	1	2	2	–	1
		F	51	4	9	6	3	4	4	5	6	1	3	1	5
115a	Pharynx and tonsils	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	4	3	1	3	7	3	2	1	1	2	–	–
		F	44	4	8	5	3	3	3	5	5	1	3	–	4
115b	Diseases of buccal cavity and annexa	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	4	1	–	–	1	–	–	1
		F	7	–	1	1	–	1	1	–	1	–	–	1	1
116	Diseases of the esophagus	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	–	–	1	2	–	–	–	1	1	2
		F	6	1	–	1	1	–	–	–	–	–	–	1	2
117	Ulcer of the stomach and duodenum	T	336	–	–	–	–	–	–	–	–	–	–	–	–
		M	278	32	17	25	23	23	18	30	21	21	21	20	27
		F	58	3	5	3	3	3	9	4	4	1	7	7	9
117a	Stomach	T	203	–	–	–	–	–	–	–	–	–	–	–	–
		M	174	19	10	19	14	14	7	19	16	13	14	13	16
		F	29	2	2	2	1	2	4	2	1	–	2	6	5
117b	Duodenum	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	104	13	7	6	9	9	11	11	5	8	7	7	11
		F	29	1	3	1	2	1	5	2	3	1	5	1	4
118	Other diseases of the stomach (cancer excepted)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	–	–	1	1	–	3	1	–	1	–	–
		F	11	–	–	1	–	–	1	1	2	2	3	1	–
119	Diarrhea and enteritis (under 2 years of age)	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	4	3	5	4	4	3	9	1	3	7	4	4
		F	39	2	3	7	7	1	1	4	5	4	5	–	–
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	4	6	–	1	2	2	1	3	9	7	4	–
		F	66	5	4	8	3	4	5	3	7	5	4	9	9
120a	Diarrhea, enteritis	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	3	–	1	–	–	1	–	4	2	4	–
		F	36	5	–	5	1	3	–	–	5	5	2	5	5
120b	Ulceration of intestines	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	3	–	–	2	2	–	3	5	5	–	–
		F	30	–	4	3	2	1	5	3	2	–	2	4	4
121	Appendicitis	T	423	–	–	–	–	–	–	–	–	–	–	–	–
		M	237	28	20	22	15	15	21	23	21	16	17	20	19
		F	186	14	15	15	21	22	11	11	15	23	12	15	12
122	Hernia, intestinal obstruction	T	384	–	–	–	–	–	–	–	–	–	–	–	–
		M	211	13	17	12	21	17	22	21	18	21	13	15	21
		F	173	15	11	14	22	11	16	18	19	11	13	13	10
122a	Hernia	T	220	–	–	–	–	–	–	–	–	–	–	–	–
		M	137	10	11	9	16	14	13	9	10	14	9	10	12
		F	83	7	7	5	13	6	7	8	7	5	9	5	4
122b	Intestinal obstruction	T	164	–	–	–	–	–	–	–	–	–	–	–	–
		M	74	3	6	3	5	3	9	12	8	7	4	5	9
		F	90	8	4	9	9	5	9	10	12	6	4	8	6
123	Other diseases of the intestines	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	2	4	3	5	4	2	6	5	3	5	2	3
		F	38	3	3	5	3	4	4	4	2	2	2	2	4
124	Cirrhosis of the liver	T	483	–	–	–	–	–	–	–	–	–	–	–	–
		M	304	32	31	31	25	26	24	14	12	25	30	25	29
		F	179	10	11	22	25	13	12	7	10	17	11	15	26
124a	Specified as alcoholic	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	5	3	5	7	3	4	3	2	2	2	4	4
		F	12	–	–	1	3	–	1	–	2	1	–	2	2
124b	Not specified as alcoholic	T	427	–	–	–	–	–	–	–	–	–	–	–	–
		M	260	27	28	26	18	23	20	11	10	23	28	21	25
		F	167	10	11	21	22	13	11	7	8	16	11	13	24

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
125	Other diseases of the liver (including yellow atrophy of liver)	T	58	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	1	1	-	3	4	1	3	5	1	1	1
		F	36	4	3	1	4	5	1	2	1	4	5	3	3
125a	Yellow atrophy of liver	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	1	2	1	-	-	-	1	1
		F	13	-	-	-	3	2	-	1	1	1	2	1	2
125b	Others	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	1	1	-	2	2	-	3	5	1	-	-
		F	23	4	3	1	1	3	1	1	-	3	3	2	1
126	Biliary calculi	T	194	-	-	-	-	-	-	-	-	-	-	-	-
		M	59	4	4	3	5	6	5	9	6	-	4	5	8
		F	135	13	11	11	17	8	10	15	11	8	11	10	10
127	Other diseases of the gall bladder and biliary passages	T	94	-	-	-	-	-	-	-	-	-	-	-	-
		M	36	3	-	5	1	4	3	1	4	5	4	3	3
		F	58	7	5	4	4	8	4	5	5	6	2	3	5
128	Diseases of the pancreas	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	-	2	3	2	2	2	1	4	1	3	-	5
		F	23	7	4	1	1	-	1	-	4	2	-	1	2
129	Peritonitis, cause not specified	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	2	2	1	-	2	3	1	1	-	1	1
		F	16	1	2	2	-	1	-	2	1	3	1	-	3
X.	Diseases of the Genito-urinary System	T	3,555	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,879	167	145	187	180	174	153	159	123	127	153	139	172
		F	1,676	142	127	159	134	162	151	114	99	131	126	160	171
130	Acute nephritis (including unspecified under 10 years of age)	T	61	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	1	2	3	5	2	1	3	1	-	6	1	4
		F	32	-	8	2	2	2	4	3	2	2	5	2	-
131	Chronic nephritis	T	2,807	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,382	123	115	144	130	122	117	111	84	96	110	100	130
		F	1,425	122	103	144	108	137	123	94	84	112	108	137	153
132	Nephritis, unspecified (10 years and over)	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	3	-	1	1	3	-	2	2	-	2	-	1
		F	33	3	1	5	2	1	4	2	4	1	5	2	3
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	141	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	7	2	5	6	6	5	5	5	6	3	7	5
		F	79	9	3	4	9	10	8	7	3	6	4	10	6
133a	Pyelitis	T	107	-	-	-	-	-	-	-	-	-	-	-	-
		M	46	5	2	1	5	3	4	5	3	5	1	7	5
		F	61	8	2	2	7	8	7	3	3	4	4	9	4
133b	Others	T	34	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	-	4	1	3	1	-	2	1	2	-	-
		F	18	1	1	2	2	2	1	4	-	2	-	1	2
134	Calculi of the urinary passages	T	60	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	4	4	-	3	2	3	6	2	4	3	2	2
		F	25	-	5	-	3	4	3	-	2	4	-	2	2
134a	Of the kidneys and ureters	T	47	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	3	3	-	2	1	2	3	2	4	3	2	1
		F	21	-	4	-	2	3	3	-	1	4	-	2	2
134b	Of the bladder	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	-	1	-	1	2	-	-	-	-	1
		F	3	-	1	-	1	-	-	-	1	-	-	-	-
134c	Other and unspecified	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
135	Diseases of the bladder (tumors excepted)	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	1	2	6	3	4	2	1	2	2	-	1
		F	11	-	1	1	3	1	-	1	2	1	-	-	1
135a	Cystitis	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	1	1	4	1	2	1	1	1	1	-	1
		F	10	-	1	1	3	1	-	1	2	-	-	-	1
135b	Others	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	1	2	2	2	1	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
136	Diseases of the urethra, urinary abscess, etc.	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	2	2	2	2	2	-	-	-	-	1	-
		F	2	-	-	-	-	-	1	1	-	-	-	-	-
136a	Stricture of the urethra	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	2	1	2	1	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
136b	Others	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	1	1	-	-	-	-	-
137	Diseases of the prostate	T	317	-	-	-	-	-	-	-	-	-	-	-	-
		M	317	27	19	30	27	34	21	30	28	19	27	27	28
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Diseases of the male genital organs, not specified as venereal	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
139	Diseases of the female genital organs, not specified as venereal	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	69	8	6	3	7	7	8	6	2	5	4	7	6
139a	Cysts of the ovary	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	3	2	1	2	1	1	-	-	2	1	3	2
139b	Other diseases of the ovaries, tubes and parametrium	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	2	2	-	2	1	-	-	-	1	1	1	-
139c	Diseases of the uterus	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	39	3	2	2	2	5	7	5	2	2	2	3	4
139d	Nonpuerperal diseases of the breast (cancer excepted)	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
139e	Others	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	1	-	-	-	-	-
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	210	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	210	15	13	30	22	16	17	16	21	14	15	16	15
140	Abortion with septic conditions	T	27	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	5	2	5	2	3	2	4	1	-	1	-	2
141	Abortion without mention of septic conditions (to include hemorrhages)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	2	2	1	-	2	-	-	-	-	1	-
142	Ectopic gestation	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	3	-	1	1	-	-
142a	With septic conditions specified	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
142b	Without mention of septic conditions	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	3	-	1	1	-	-
143	Other accidents of pregnancy (not to include hemorrhages)	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
144	Puerperal hemorrhage	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	4	1	3	3	3	2	1	5	1	3	2	4
144a	Placenta praevia	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	2	-	1	2	1	1	1	2	-	1	-	3
144b	Other puerperal hemorrhages	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	2	1	2	1	2	1	-	3	1	2	2	1
145	Puerperal septicemia (not specified as due to abortion)	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	38	1	-	6	5	5	1	3	6	4	2	4	1
145a	Puerperal septicemia and pyemia	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	38	1	-	6	5	5	1	3	6	4	2	4	1
145b	Puerperal tetanus	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
146	Puerperal albuminuria and eclampsia	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	28	1	2	2	3	-	5	2	5	3	2	1	2
147	Other toxemias of pregnancy	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	10	-	3	3	1	1	-	-	2	-	-	-	-
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	-	2	3	5	1	4	1	-	2	-	2	2
148a	Phlegmasia alba dolens	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
148b	Embolism and thrombosis	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	-	2	3	5	1	4	1	-	2	-	2	2
149	Other accidents of childbirth	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	38	3	1	5	2	3	1	2	2	3	6	6	4

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
149a	Cesarean operation	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	1	-	2	1	1	-	1	1	3	3	1	1
149b	Others . . .	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	2	1	3	1	2	1	1	1	-	3	5	3
150	Other and unspecified conditions of the puerperal state	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE . .	T	71	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	1	6	7	1	6	6	-	2	3	6	2	1
		F	30	2	5	3	1	2	3	1	6	2	-	2	3
151	Furuncle, carbuncle . .	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	1	3	-	1	1	-	1	2	2	-	1
		F	6	-	1	-	-	1	1	1	2	-	-	-	-
152	Phlegmon, acute abscess .	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	2	2	-	1	4	-	-	-	2	1	-
		F	10	2	3	-	1	-	-	-	1	1	-	1	1
153	Other diseases of the skin, and annexa, and of the cellular tissue . . .	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	3	2	1	4	1	-	1	1	2	1	-
		F	14	-	1	3	-	1	2	-	3	1	-	1	2
XIII.	DISEASES OF THE BONES AND ORGANS OF LOCOMOTION .	T	61	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	2	7	4	2	2	4	2	6	4	1	4	3
		F	20	5	-	1	2	1	1	1	1	4	1	1	2
154	Osteomyelitis . . .	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	2	5	1	2	1	3	1	4	3	1	4	2
		F	9	-	-	1	2	-	1	-	1	2	-	1	1
155	Other diseases of the bones (tuberculosis excepted) .	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	1	2	-	1	1	-	2	1	-	-	1
		F	3	2	-	-	-	-	-	-	-	1	-	-	-
156	Diseases of the joints and other organs of locomotion	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	1	-	-	-	1	-	-	-	-	-
		F	8	3	-	-	-	1	-	1	-	1	1	-	1
156a	Diseases of the joints (tuberculosis and rheumatism excepted) . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	1	-	1	-	-	-
156b	Other organs of locomotion	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	1	-	-	-	-	-
		F	5	2	-	-	-	1	-	-	-	-	1	-	1
XIV.	CONGENITAL MALFORMATIONS	T	385	-	-	-	-	-	-	-	-	-	-	-	-
		M	198	11	15	11	15	22	16	16	21	16	12	18	25
		F	187	7	24	16	11	15	14	16	19	18	7	18	22
157	Congenital malformations (stillbirths not included)	T	385	-	-	-	-	-	-	-	-	-	-	-	-
		M	198	11	15	11	15	22	16	16	21	16	12	18	25
		F	187	7	24	16	11	15	14	16	19	18	7	18	22
157a	Congenital hydrocephalus	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	1	-	1	2	3	1	1	1	-	2	-
		F	12	2	3	-	2	1	1	-	-	2	-	1	-
157b	Spina bifida and meningocele	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	-	-	1	2	4	5	2	3	1	2	-	5
		F	44	1	5	1	3	3	1	7	7	3	3	5	5
157c	Congenital malformation of the heart . . .	T	158	-	-	-	-	-	-	-	-	-	-	-	-
		M	85	4	7	5	9	5	3	8	10	10	6	6	12
		F	73	3	10	9	2	7	6	5	8	6	4	7	6
157d	Others	T	133	-	-	-	-	-	-	-	-	-	-	-	-
		M	75	6	7	5	3	11	5	5	7	4	4	10	8
		F	58	1	6	6	4	4	6	4	4	7	-	5	11
XV.	DISEASES OF EARLY INFANCY	T	1,250	-	-	-	-	-	-	-	-	-	-	-	-
		M	772	68	64	65	64	71	66	69	68	55	84	48	50
		F	478	36	42	36	49	43	46	38	39	38	39	31	41
158	Congenital debility . .	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	4	2	1	1	1	-	-	2	1	-	-	-
		F	8	-	2	-	-	-	-	1	1	-	1	1	2
159	Premature birth . . .	T	782	-	-	-	-	-	-	-	-	-	-	-	-
		M	479	41	42	35	45	53	44	36	43	32	50	26	32
		F	303	25	25	25	31	26	28	23	25	27	24	20	24
160	Injury at birth . . .	T	244	-	-	-	-	-	-	-	-	-	-	-	-
		M	153	16	10	14	9	7	13	20	10	12	18	14	10
		F	91	4	9	8	7	10	6	6	10	6	10	7	8
160a	Cesarean operation .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	Without Cesarean operation	T	243	-	-	-	-	-	-	-	-	-	-	-	-
		M	152	16	10	14	9	7	12	20	10	12	18	14	10
		F	91	4	9	8	7	10	6	6	10	6	10	7	8
161	Other diseases peculiar to early infancy . . .	T	204	-	-	-	-	-	-	-	-	-	-	-	-
		M	128	7	10	15	9	10	9	13	13	10	16	8	8
		F	76	7	6	3	11	7	12	8	3	5	4	3	7

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161a	Atelectasis	T	121	-	-	-	-	-	-	-	-	-	-	-	-
		M	75	5	4	9	8	8	7	7	8	4	9	2	4
		F	46	5	3	2	7	4	8	3	2	1	4	1	6
161b	Icterus of the new-born	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	1	1	-	-	-	-	1
		F	5	1	-	-	-	2	1	-	-	-	-	1	-
161c	Sclerema	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
161d	Others	T	74	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	2	6	5	1	2	1	5	5	6	7	6	3
		F	25	1	3	1	4	1	3	5	1	4	-	1	1
XVI.	Senility	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	-	1	-	-	2	1	1	-	1	-
		F	24	2	5	3	1	2	-	3	1	1	-	5	1
162	Senility	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	-	1	-	-	2	1	1	-	1	-
		F	24	2	5	3	1	2	-	3	1	1	-	5	1
XVII.	Violent and Accidental Deaths	T	3,381	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,163	200	148	170	151	191	179	190	167	186	198	192	191
		F	1,218	120	96	111	111	78	97	112	106	108	92	83	104
163–171	Suicide (total)	T	570	-	-	-	-	-	-	-	-	-	-	-	-
		M	429	35	32	31	34	52	32	37	39	35	43	41	18
		F	141	12	12	9	20	17	9	17	7	11	8	8	11
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	3	3	-	3	3	2	3	6	1	3	1	-
		F	26	1	2	4	4	3	1	1	1	2	1	1	5
163a	Arsenical group	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163b	Barbituric acid and all derivatives	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	1	-	-	-	-
		F	10	-	1	3	-	1	-	1	-	2	-	1	1
163c	Cresol compounds group	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	-	2	-	-	-	-	-	-	-	1
163d	Mercury compounds	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	-	1	-	-	-
		F	6	-	-	1	2	-	-	-	1	-	-	-	2
163e	Nux vomica and strychnine	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
163f	Lye group	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163g	Tobacco and derivatives	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163h	Narcotic group	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
163m	Hydrocyanic acid and all cyanides except gases	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	1	2	1	-	-	-	1	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
163o	Carbolic acid and phenol	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	2	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163x	All other poisons or kinds not stated	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	-	-	-	-	-	4	-	1	1	-
		F	4	-	1	-	-	2	1	-	-	-	-	-	-
164	Suicide by poisonous gas	T	168	-	-	-	-	-	-	-	-	-	-	-	-
		M	114	8	7	8	9	12	5	11	8	11	14	14	7
		F	54	6	4	3	6	10	5	5	2	4	4	3	2
164a	Illuminating gas	T	103	-	-	-	-	-	-	-	-	-	-	-	-
		M	58	6	5	5	4	7	4	6	3	6	4	6	2
		F	45	6	3	3	6	8	3	5	1	4	4	1	1
164b	Automobile exhaust gas	T	62	-	-	-	-	-	-	-	-	-	-	-	-
		M	55	2	2	3	5	5	1	5	5	5	10	8	4
		F	7	-	1	-	-	1	1	-	1	-	-	2	1
164c	Coal and other fuel gases	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
164x	Other gases	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
165	Suicide by hanging or strangulation	T	137	-	-	-	-	-	-	-	-	-	-	-	-
		M	113	9	10	11	9	20	8	8	7	7	8	10	6
		F	24	3	3	-	4	1	2	4	1	3	1	1	1

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
166	Suicide by drowning	T	42	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	3	1	3	3	2	3	4	2	1	4	-	1
		F	15	1	1	1	4	1	-	1	2	1	1	1	1
167	Suicide by firearms	T	103	-	-	-	-	-	-	-	-	-	-	-	-
		M	99	6	5	6	7	12	8	9	13	10	9	11	3
		F	4	-	-	-	-	1	1	-	1	-	-	1	-
168	Suicide by cutting or piercing instruments	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	2	3	1	2	3	3	2	-	2	1	2	-
		F	5	1	-	-	-	-	-	2	-	-	1	-	1
169	Suicide by jumping from high places	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	4	2	2	1	-	2	-	2	2	1	3	1
		F	8	-	1	1	1	-	-	3	-	1	-	-	1
170	Suicide by crushing	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	-	1	-	1	-	1	-	-
		F	3	-	-	-	1	-	-	1	-	-	-	1	-
171	Suicide by other means	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	1	2	-	-
		F	2	-	1	-	-	1	-	-	-	-	-	-	-
172–175	Homicide (total)	T	61	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	3	5	3	4	2	6	2	3	4	-	3	2
		F	24	3	2	1	3	2	3	-	3	1	3	2	1
172	Infanticide (murder of infants under one year of age)	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	2	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
172*a*	Immediately after birth	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	2	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
172*b*	Others, under one year	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
173	Homicide by firearms	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	1	2	-	-	2	-	-	3	-	-	-
		F	5	-	-	-	2	1	1	-	-	-	1	-	-
174	Homicide by cutting or piercing instruments	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-
		F	5	1	-	-	1	1	-	-	1	-	-	1	-
175	Homicide by other means	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	2	3	1	2	1	3	2	3	1	-	3	2
		F	13	1	2	1	-	-	2	-	2	1	2	1	1
176–198, 201–214	Accidents (total)	T	2,750	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,697	162	111	136	113	137	141	151	125	147	155	148	171
		F	1,053	105	82	101	88	59	85	95	96	96	81	73	92
176	Attack by venomous animals	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
177	Poisoning by food	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	1
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	T	72	-	-	-	-	-	-	-	-	-	-	-	-
		M	47	6	3	4	1	4	-	-	5	9	3	7	5
		F	25	7	1	3	2	2	-	-	-	4	2	3	1
178*a*	Illuminating gas	T	44	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	4	2	2	-	3	-	-	2	5	1	2	3
		F	20	6	1	2	1	2	-	-	-	3	1	3	1
178*b*	Automobile exhaust gas	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	-	1	1	-	-	-	2	1	2	3	2
		F	4	1	-	1	-	-	-	-	-	1	1	-	-
178*c*	Coal and other fuel gases	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	1	-	1	-	-	-	1	-	2	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
178*d*	Other gases	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179	Other acute accidental poisonings (gas excepted)	T	40	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	1	3	2	1	1	1	4	6	2	1	1
		F	15	-	2	1	1	-	2	2	1	-	5	-	1
179*a*	Arsenical group	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	1	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
179*b*	Barbituric acid and all derivatives	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	1	-	-	1
		F	6	-	1	-	-	-	-	1	1	-	2	-	1
179*c*	Cresol compounds group	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
179d	Mercury compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
179e	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179f	Lye group	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
179g	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179h	Narcotic group	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179m	Methanol, denatured, wood and other alcohols (not ethyl)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	1	1	–	–	–	1	3	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
179o	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179x	All other poisons or kinds not stated	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	2	1	–	1	–	2	2	–	1	–
		F	5	–	1	1	–	–	2	–	–	–	1	–	–
180	Conflagration	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	4	4	3	–	–	–	1	1	–	3	7
		F	20	4	2	2	3	–	–	1	1	–	2	1	4
181	Accidental burns (conflagration excepted)	T	123	–	–	–	–	–	–	–	–	–	–	–	–
		M	76	8	3	5	7	10	8	5	4	8	5	5	8
		F	47	6	5	5	1	3	4	2	4	5	2	4	6
182	Accidental mechanical suffocation	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	2	3	3	4	1	3	–	2	2	3	5
		F	19	3	1	1	1	–	1	1	–	2	2	5	2
183	Accidental drowning	T	173	–	–	–	–	–	–	–	–	–	–	–	–
		M	154	10	3	12	9	15	21	30	18	10	5	10	11
		F	19	–	1	1	–	2	5	5	4	1	–	–	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	1	2	1	1	2	2	–	–	2	3	4
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	2	–	–	–	1	2	–	–	1	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
186	Accidental traumatism by fall, crushing	T	1,207	–	–	–	–	–	–	–	–	–	–	–	–
		M	528	54	42	50	37	45	49	34	33	49	47	35	53
		F	679	67	56	69	59	40	54	61	55	65	53	43	57
186a	Fall	T	1,206	–	–	–	–	–	–	–	–	–	–	–	–
		M	527	54	42	49	37	45	49	34	33	49	47	35	53
		F	679	67	56	69	59	40	54	61	55	65	53	43	57
186b	Crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	1	2	–	1	–	1	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	2	1	1	–	–	–	–	–	1	1	4
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	5	–	1	–	–	–
		F	7	–	–	–	–	–	–	5	2	–	–	–	–
192	Lightning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	–	–	–	1	1	2	1	2	1	1	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	160	–	–	–	–	–	–	–	–	–	–	–	–
		M	128	16	11	15	7	8	14	15	9	7	9	7	10
		F	32	2	–	2	4	4	3	5	6	4	–	–	2

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.
194a	Foreign body	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	4	3	3	–	1	1	1	–	1	4	1	2
		F	12	1	–	–	3	1	1	1	3	1	–	–	1
194b	Others	T	127	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	12	8	12	7	7	13	14	9	6	5	6	8
		F	20	1	–	2	1	3	2	4	3	3	–	–	1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	–	1	2	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202g	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	–	–	2	1	2
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
203f	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203g	Traumatism by crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–	2	–	1
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	2	2	–	2	1	3	–	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205e	Traumatism by cutting or piercing instruments	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	1	1	–	1	1	1	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205g	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205m	Other accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	–	1	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
206g	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206m	Other accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
207	Other railroad accidents	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	5	3	3	2	9	1	4	3	4	3	6	4
		F	4	–	1	2	–	–	–	–	1	–	–	–	–
207a	Absorption of poisonous gas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
207e	Traumatism by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	1	–	2	2	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
207f	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207g	Traumatism by crushing	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	–	3	–	1	–	1	1	2	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
				Months.											
207m	Other accidents	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	2	3	2	1	5	1	1	1	2	2	3	4
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
208	Street car and automobile collisions	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
208b	Burns (conflagration excepted)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
209	Other street car accidents	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	2	2	-	-	-	-	-	-	-	-	1
		F	5	-	4	-	-	-	-	-	1	-	-	-	-
209e	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
209g	Traumatism by crushing	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	2	1	-	-	-	-	-	-	-	-	-
		F	4	-	4	-	-	-	-	-	-	-	-	-	-
209m	Other accidents	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
210	Automobile accidents	T	625	-	-	-	-	-	-	-	-	-	-	-	-
		M	462	48	28	26	27	33	24	38	24	38	60	62	54
		F	163	14	6	14	17	8	12	10	18	15	13	17	19
210b	Burns (conflagration excepted)	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	-	-	-	1	-	-	-	-	-	-	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
210d	Drowning	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210e	Traumatism by cutting or piercing instruments	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210f	Traumatism by fall	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	1	1	-	1	1	1	1	1	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210g	Traumatism by crushing	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	3	4	3	5	2	4	1	1	2	6	7	1
		F	12	1	-	3	1	1	1	1	2	1	-	1	-
210m	Other accidents	T	554	-	-	-	-	-	-	-	-	-	-	-	-
		M	404	43	22	22	20	30	19	36	22	35	52	54	49
		F	150	13	6	11	16	7	11	9	16	14	13	16	18
211	Motorcycle accidents	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	1	3	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
211m	Other accidents	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	1	1	3	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
212	Other land transportation accidents	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	2	1	3	1	-	3	-	2	-	-
		F	6	-	2	-	-	-	-	1	1	-	2	-	-
212d	Drowning	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
212e	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
212f	Traumatism by fall	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	-	1	-	2	-	-
		F	4	-	-	-	-	-	-	1	1	-	2	-	-
212g	Traumatism by crushing	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	2	-	2	-	-	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
212m	Other accidents	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
213	Water transportation accidents	T	41	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	1	-	1	1	3	7	5	6	8	5	-	-
		F	4	-	-	-	-	-	1	2	1	-	-	-	-
213d	Drowning	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	1	-	1	1	3	7	5	5	6	5	-	-
		F	4	-	-	-	-	-	1	2	1	-	-	-	-
213f	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
213g	Traumatism by crushing	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
213*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	5	–	3	–	2	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
214*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*f*	Traumatism by fall .	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	3	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
214*m*	Other accidents . .	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	4	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII.	Ill-defined Causes of Death	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	1	1	1	3	–	4	2	–	3	–	2
		F	17	–	1	1	1	1	2	3	1	1	3	1	2
199	Sudden Death . . .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined . . .	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	1	1	1	3	–	4	2	–	3	–	2
		F	17	–	1	1	1	1	2	3	1	1	3	1	2
200*a*	Ill-defined . . .	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	1	3	–	3	2	–	2	–	2
		F	14	–	–	1	–	1	2	3	1	1	3	1	1
200*b*	Not specified or unknown	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	1	–	–	–	1	–	–	1	–	–
		F	3	–	1	–	1	–	–	–	–	–	–	–	1

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Age of Decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
	All Causes.	T	50,292	2,338	217	136	86	82	309	290	425	581
		M	26,037	1,370	120	78	46	55	164	185	240	305
		F	24,255	968	97	58	40	27	145	105	185	276
I.	Infectious and Parasitic Diseases	T	2,267	-	-	-	-	-	-	-	-	-
		M	1,407	52	17	13	5	7	19	16	33	41
		F	860	42	15	9	7	2	12	11	39	86
1	Typhoid fever	T	11	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	1	1	-
		F	4	-	-	-	-	-	-	1	-	1
2	Paratyphoid fever	T	2	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
3	Typhus fever	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
4	Relapsing fever	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
5	Undulant fever	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
6	Smallpox	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
7	Measles	T	16	-	-	-	-	-	-	-	-	-
		M	5	1	1	-	-	1	2	-	-	-
		F	11	4	2	1	-	-	2	1	-	-
8	Scarlet fever	T	15	-	-	-	-	-	-	-	-	-
		M	9	-	2	-	-	1	1	1	-	-
		F	6	-	-	-	1	-	1	1	-	1
9	Whooping cough	T	45	-	-	-	-	-	-	-	-	-
		M	24	13	4	3	1	-	3	-	-	-
		F	21	16	3	1	1	-	-	-	-	-
10	Diphtheria	T	15	-	-	-	-	-	-	-	-	-
		M	8	-	1	1	-	1	2	2	-	-
		F	7	-	-	-	2	-	2	-	-	1
11	Influenza	T	220	-	-	-	-	-	-	-	-	-
		M	113	16	2	6	1	-	4	-	3	1
		F	117	7	4	1	2	2	1	2	2	5
11a	With respiratory complications specified	T	179	-	-	-	-	-	-	-	-	-
		M	82	8	-	-	-	-	2	-	2	1
		F	97	7	2	-	-	-	1	2	1	5
11b	Without respiratory complications specified	T	51	-	-	-	-	-	-	-	-	-
		M	31	8	2	6	1	-	2	-	1	-
		F	20	-	2	1	2	2	-	-	1	-
12	Cholera	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
13	Dysentery	T	11	-	-	-	-	-	-	-	-	-
		M	6	2	-	-	-	1	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	1
13a	Amebic	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
13b	Bacillary	T	9	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	-	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
13c	Unspecified or due to other causes	T	2	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1
14	Plague	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	T	20	-	-	-	-	-	-	-	-	-
		M	9	2	-	-	-	-	-	-	-	-
		F	11	1	-	-	-	-	-	-	-	-
16	Acute poliomyelitis	T	4	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-	1
17	Lethargic or epidemic encephalitis	T	7	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	1	-	-	-
		F	2	-	-	1	-	-	-	-	1	-
17a	Equine encephalomyelitis	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
17b	Lethargic	T	7	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	1	-	-	-
		F	2	-	-	1	-	-	-	-	1	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94	95 to 99.	100 and over.	Unknown.
	696	828	1,098	1,696	2,385	3,237	3,965	5,149	6,265	6,633	6,022	4,419	2,379	831	202	23	-
	368	431	585	1,006	1,387	1,918	2,271	2,862	3,332	3,320	2,840	1,863	945	283	59	4	-
	328	397	513	690	998	1,319	1,694	2,287	2,933	3,313	3,182	2,556	1,434	548	143	19	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	81	88	98	145	159	161	129	114	105	62	30	17	12	2	1	-	-
	90	73	47	63	49	45	55	62	44	36	38	18	12	5	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	4	2	7	5	7	9	13	6	7	6	8	1	1	-	-
	2	4	1	8	3	4	4	13	4	7	18	9	9	5	-	-	-
11a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	4	2	4	4	6	8	13	5	6	5	7	1	1	-	-
	2	4	1	8	2	4	3	9	3	6	18	9	7	3	-	-	-
11b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	3	1	1	1	-	1	1	1	1	-	-	-	-
	-	-	-	-	1	-	1	4	1	1	-	-	2	2	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
13a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
13c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	2	-	1	-	2	-	-	1	-	-	-
	-	-	-	-	1	-	1	2	1	4	1	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
18	Epidemic cerebrospinal meningitis	T	17	–	–	–	–	–	–	–	–	–
		M	13	5	1	2	–	–	–	–	–	1
		F	4	–	2	–	–	–	–	–	–	–
19	Glanders	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
20	Anthrax	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	13	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	–	–	1	2	1	–
		F	3	–	–	–	–	–	1	–	–	–
23–32	Tuberculosis (total)	T	1,602	–	–	–	–	–	–	–	–	–
		M	1,033	7	5	–	2	3	4	8	27	37
		F	569	2	4	4	1	–	3	5	35	73
23	Tuberculosis of the respiratory system	T	1,505	–	–	–	–	–	–	–	–	–
		M	978	5	4	–	–	2	1	6	23	37
		F	527	2	3	2	–	–	2	3	33	71
24	Tuberculosis of the meninges and central nervous system	T	29	–	–	–	–	–	–	–	–	–
		M	18	2	1	–	2	1	3	2	1	–
		F	11	–	1	2	1	–	–	2	–	1
25	Tuberculosis of the intestines and peritoneum	T	15	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	1
26	Tuberculosis of the vertebral column	T	18	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	1	–
		F	10	–	–	–	–	–	–	–	1	–
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	1	–	–	–
27a	Bones	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	–	–
27b	Joints	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retro-peritoneal glands excepted)	T	6	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
30	Tuberculosis of the genitourinary system	T	16	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	1	–
31	Tuberculosis of other organs	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
32	Disseminated tuberculosis	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
32a	Acute	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
32b	Chronic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	204	–	–	–	–	–	–	–	–	–
		M	144	3	1	–	–	–	–	–	1	–
		F	60	4	–	–	–	–	–	–	–	2
34a	Congenital	T	11	–	–	–	–	–	–	–	–	–
		M	6	3	1	–	–	–	–	–	1	–
		F	5	4	–	–	–	–	–	–	–	–
34b	Acquired	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
34c	Unspecified	T	187	–	–	–	–	–	–	–	–	–
		M	132	–	–	–	–	–	–	–	–	–
		F	55	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	78	76	89	121	130	121	100	79	73	42	17	10	4	-	-	-	-
	82	63	41	49	37	30	34	36	31	18	13	7	1	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	73	71	82	115	128	120	98	76	68	41	16	9	3	-	-	-	-
	80	60	40	44	37	27	30	31	26	18	11	6	1	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	-	1	-	2	-	2	2	-	-	-	1	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	1	-	1	-	-	1	3	2	-	-	1	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
27a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	2	2	1	1	1	1	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
32a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
32b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	5	3	12	18	26	18	23	16	14	3	1	-	-	-	-	-
	2	2	2	1	4	9	13	9	5	4	2	1	-	-	-	-	-
34a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	2	12	18	25	16	22	16	13	3	1	-	-	-	-	-
	2	1	2	1	4	9	13	9	5	4	2	1	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
35	Gonococcus infection and other venereal diseases	T	10	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-
36	Purulent infection, septicemia, non-puerperal	T	20	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	1	-	-	2	-	1
		F	13	4	-	-	-	-	1	1	-	-
37	Yellow fever	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
38	Malaria	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
39	Other diseases due to protozoal parasites	T	4	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-
40	Ankylostomiasis	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
41	Hydatid cysts	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1
43	Mycoses	T	12	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1
		F	6	1	-	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	T	5	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	4	2	-	1	-	-	-	-	-	-
44*a*	Chicken-pox	T	3	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	3	2	-	1	-	-	-	-	-	-
44*b*	German measles	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
44*c*	Others under this title	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
II.	Cancers and Other Tumors	T	7,130	-	-	-	-	-	-	-	-	-
		M	3,202	2	2	2	3	3	10	5	8	19
		F	3,928	-	2	1	3	-	8	6	14	16
45–53	Cancer and other Malignant tumors (total)	T	6,914	-	-	-	-	-	-	-	-	-
		M	3,142	1	1	2	3	2	8	4	7	16
		F	3,772	-	1	1	1	-	7	5	7	12
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	226	-	-	-	-	-	-	-	-	-
		M	191	-	-	-	-	-	-	-	1	-
		F	35	-	-	-	-	-	1	-	-	1
45*a*	Lip	T	25	-	-	-	-	-	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
45*b*	Tongue	T	62	-	-	-	-	-	-	-	-	-
		M	54	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-
45*c*	Mouth	T	28	-	-	-	-	-	-	-	-	-
		M	25	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
45*d*	Jaw	T	23	-	-	-	-	-	-	-	-	-
		M	18	-	-	-	-	-	-	-	1	-
		F	5	-	-	-	-	-	-	-	-	-
45*e*	Other and unspecified parts of buccal cavity	T	35	-	-	-	-	-	-	-	-	-
		M	31	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	1
45*f*	Pharynx	T	53	-	-	-	-	-	-	-	-	-
		M	41	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	1	-	-	-
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,455	-	-	-	-	-	-	-	-	-
		M	1,769	-	-	-	1	-	-	-	1	4
		F	1,686	-	-	-	-	-	1	-	1	3
46*a*	Esophagus	T	165	-	-	-	-	-	-	-	-	-
		M	121	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-
46*b*	Stomach and duodenum	T	1,143	-	-	-	-	-	-	-	-	-
		M	662	-	-	-	-	-	-	-	1	1
		F	481	-	-	-	-	-	-	-	-	-
46*c*	Intestine (except rectum and anus)	T	1,018	-	-	-	-	-	-	-	-	-
		M	412	-	-	-	1	-	-	-	-	1
		F	606	-	-	-	-	-	-	-	-	2

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	–	1	–	–	2	–	–	1	–	–	–	–
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
44a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	24	32	102	159	268	347	489	537	506	384	193	72	15	2	–	–
	29	46	114	174	287	364	416	525	568	532	413	250	116	35	8	1	–
45–53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	22	30	95	151	262	337	486	533	503	383	191	72	15	2	–	–
	29	38	95	153	257	344	403	519	560	527	410	246	114	34	8	1	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	4	7	13	15	34	35	35	23	18	4	1	–	–	–
	–	–	1	–	1	3	4	5	7	–	6	5	1	–	–	–	–
45a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	3	4	5	4	3	2	–	–	–	–
	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
45b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	3	6	12	12	9	6	5	–	–	–	–	–
	–	–	1	–	–	1	1	1	2	–	1	1	–	–	–	–	–
45c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	3	3	7	3	3	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
45d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	3	4	2	2	3	–	1	–	–	–
	–	–	–	–	1	–	1	–	1	–	1	1	–	–	–	–	–
45e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	4	2	1	4	4	7	4	3	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
45f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	2	5	4	9	4	9	4	2	1	–	–	–	–
	–	–	–	–	–	1	2	3	2	–	2	1	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	8	12	53	77	140	206	272	339	308	199	102	35	6	1	–	–
	6	10	26	43	67	107	168	254	258	291	227	134	68	17	4	1	–
46a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	3	5	7	13	25	28	20	11	6	3	–	–	–	–
	–	–	2	–	2	3	2	12	7	7	5	2	1	1	–	–	–
46b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	2	13	36	60	76	90	128	123	76	37	13	3	–	–	–
	2	3	4	14	8	31	35	69	69	88	79	44	26	8	1	–	–
46c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	2	14	13	29	40	64	78	74	51	29	10	–	–	–	–
	3	1	10	18	27	36	61	85	99	110	75	50	23	4	2	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
46d	Rectum and anus	T	487	-	-	-	-	-	-	-	-	-
		M	278	-	-	-	-	-	-	-	-	2
		F	209	-	-	-	-	-	-	-	-	-
46e	Liver and biliary passages	T	360	-	-	-	-	-	-	-	-	-
		M	152	-	-	-	-	-	-	-	-	-
		F	208	-	-	-	-	-	1	-	-	-
46f	Pancreas	T	235	-	-	-	-	-	-	-	-	-
		M	124	-	-	-	-	-	-	-	-	-
		F	111	-	-	-	-	-	-	-	-	-
46g	Mesentery and peritoneum	T	47	-	-	-	-	-	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	1	1
46h	Others	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
47	Cancer and other malignant tumors of the respiratory system	T	372	-	-	-	-	-	-	-	-	-
		M	277	-	-	-	-	-	-	-	-	2
		F	95	-	-	-	-	-	-	-	-	-
47a	Larynx	T	69	-	-	-	-	-	-	-	-	-
		M	60	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-
47b	Lungs and pleura	T	255	-	-	-	-	-	-	-	-	-
		M	177	-	-	-	-	-	-	-	-	2
		F	78	-	-	-	-	-	-	-	-	-
47c	Others	T	48	-	-	-	-	-	-	-	-	-
		M	40	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-
48	Cancer and other malignant tumors of the uterus	T	579	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	579	-	-	-	-	-	-	-	-	2
49	Cancer and other malignant tumors of other female genital organs	T	195	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	195	-	-	-	-	-	-	-	-	-
49a	Ovary and Fallopian tube	T	166	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	166	-	-	-	-	-	-	-	-	-
49b	Vagina and vulva	T	28	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-
49c	Others	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
50	Cancer and other malignant tumors of the breast	T	789	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-
		F	782	-	-	-	-	-	-	-	-	1
51	Cancer and other malignant tumors of the male genitourinary organs	T	594	-	-	-	-	-	-	-	-	-
		M	594	1	-	1	-	-	1	1	-	1
		F	-	-	-	-	-	-	-	-	-	-
51a	Kidneys and suprarenals (male)	T	69	-	-	-	-	-	-	-	-	-
		M	69	1	-	1	-	-	1	1	-	1
		F	-	-	-	-	-	-	-	-	-	-
51b	Bladder (male)	T	145	-	-	-	-	-	-	-	-	-
		M	145	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
51c	Prostate	T	352	-	-	-	-	-	-	-	-	-
		M	352	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
51d	Testes	T	11	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
51e	Scrotum	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
51f	Others	T	14	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
52	Cancer and other malignant tumors of the skin	T	97	-	-	-	-	-	-	-	-	-
		M	56	-	-	-	-	-	-	-	-	1
		F	41	-	-	-	-	-	-	-	-	-
53	Cancer and other malignant tumors of other or unspecified organs	T	607	-	-	-	-	-	-	-	-	-
		M	248	-	1	1	2	2	7	3	5	8
		F	359	-	1	1	1	-	5	5	6	5
53a	Kidneys and suprarenals (female)	T	37	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	3	1	-	-
53b	Bladder (female)	T	80	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	80	-	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	3	11	12	20	35	52	50	32	34	15	5	2	1	-	-
	1	3	8	3	11	14	33	34	21	33	21	14	9	3	1	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	5	1	13	20	19	34	31	15	8	3	1	-	-	-
	-	3	1	5	14	14	21	30	38	27	28	17	8	1	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	7	8	10	18	19	16	27	10	7	1	-	-	-	-
	-	-	-	3	5	7	11	19	18	24	18	4	1	-	-	1	-
46g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	-	2	1	4	3	5	1	2	-	-	-	-	-	-
	-	-	1	-	-	2	5	5	6	2	1	3	-	-	-	-	-
46h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	4	11	29	56	44	46	36	24	13	4	3	-	-	-	-
	-	1	4	2	7	16	11	14	20	8	9	2	1	-	-	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	6	15	12	9	4	7	2	3	1	-	-	-	-
	-	-	-	-	-	1	-	3	3	1	-	-	1	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	4	7	18	31	27	29	29	12	10	1	2	-	-	-	-
	-	1	3	2	7	14	10	9	15	7	8	2	-	-	-	-	-
47c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	3	5	10	5	8	3	5	1	-	-	-	-	-	-
	-	-	1	-	-	1	1	2	2	-	1	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	13	27	39	55	71	73	64	71	75	43	27	7	3	1	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	4	5	13	15	19	24	30	29	22	15	12	3	-	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	5	13	13	17	22	27	25	18	10	7	2	-	-	-	-
49b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	2	1	2	3	4	4	5	5	1	-	-	-	-
49c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-
	2	7	22	43	81	93	83	107	122	86	64	41	22	6	2	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	3	3	9	18	26	41	84	89	113	117	53	24	5	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	3	7	6	10	17	8	3	5	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	2	5	7	16	22	23	24	23	14	6	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	5	10	13	42	55	84	86	34	17	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	2	2	1	2	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	2	3	2	1	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	2	2	3	2	6	5	9	12	5	5	1	-	-	-
	-	-	1	-	2	1	1	6	7	2	3	9	4	4	1	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	6	9	16	16	24	28	43	28	14	18	9	1	2	-	-	-
	9	3	9	13	29	34	39	39	46	43	43	16	8	4	-	-	-
53a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	5	5	6	7	5	3	1	-	-	-	-	-
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	4	3	9	9	7	17	15	9	5	1	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
53c	Brain	T	93	–	–	–	–	–	–	–	–	–
		M	50	–	1	–	–	–	3	2	–	1
		F	43	–	–	–	1	–	1	2	4	1
53d	Bones (except jaw)	T	77	–	–	–	–	–	–	–	–	–
		M	38	–	–	–	–	–	–	–	2	3
		F	39	–	–	–	–	–	–	1	1	–
53e	Others	T	320	–	–	–	–	–	–	–	–	–
		M	160	–	–	1	2	2	4	1	3	4
		F	160	–	1	1	–	–	1	1	1	2
54	Nonmalignant tumors	T	154	–	–	–	–	–	–	–	–	–
		M	36	1	1	–	–	1	1	1	1	3
		F	118	–	1	–	1	–	–	1	3	4
54a	Of the ovary	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
54b	Of the uterus	T	70	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	70	–	–	–	–	–	–	–	–	1
54c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	58	–	–	–	–	–	–	–	–	–
		M	27	1	1	–	–	1	–	1	1	3
		F	31	–	1	–	–	–	–	1	2	1
54e	Of other organs	T	22	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	1	–	–	–
		F	13	–	–	–	1	–	–	–	1	2
55	Tumors of which the nature is not specified	T	62	–	–	–	–	–	–	–	–	–
		M	24	–	–	–	–	–	1	–	–	–
		F	38	–	–	–	1	–	1	–	4	–
55a	Of the ovary	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
55b	Of the uterus	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	39	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	1	–	–	–
		F	21	–	–	–	–	–	1	–	3	–
55e	Of other organs	T	21	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	1	–	–	–	1	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,664	–	–	–	–	–	–	–	–	–
		M	566	12	2	1	–	1	3	4	6	2
		F	1,098	8	–	2	–	1	6	4	5	3
56	Acute rheumatic fever	T	26	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	1	3	4	1
		F	14	–	–	1	–	1	2	2	–	–
57	Chronic rheumatism, osteoarthritis	T	42	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	1	–	–	–
		F	29	–	–	–	–	–	–	–	–	–
58	Gout	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,506	–	–	–	–	–	–	–	–	–
		M	508	1	–	–	–	1	1	1	1	1
		F	998	–	–	1	–	–	3	2	5	3
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
62	Pellagra	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
63	Rickets	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	1	1	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
64	Osteomalacia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
65	Diseases of the pituitary body	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	4	4	7	8	9	4	2	1	-	-	-	-	-	-	-
	2	3	1	3	7	6	4	6	2	-	-	-	-	-	-	-	-
53d	-		-		-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	2	1	2	3	6	10	3	2	1	1	-	-	-	-	-
	2	-	3	1	2	4	1	3	8	5	4	1	-	1	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	3	11	7	13	13	29	23	11	17	8	1	2	-	-	-
	5	-	5	7	16	16	20	15	22	16	21	5	3	2	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	2	4	6	3	5	2	1	1	1	-	-	-	-	-	-
	-	7	16	16	26	17	9	3	6	2	2	3	1	-	-	-	-
54a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	5	13	12	18	13	3	1	3	-	-	-	1	-	-	-	-
54c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	4	5	1	4	1	-	1	-	-	-	-	-	-	-
	-	-	2	3	6	3	5	1	1	2	1	2	-	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	2	1	1	1	-	1	-	-	-	-	-	-
	-	1	1	1	1	1	1	-	1	-	1	1	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	3	2	3	5	1	3	2	-	2	-	-	-	-	-
	-	1	3	5	4	3	4	3	2	3	1	1	1	1	-	-	-
55a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
55c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	2	3	4	1	2	1	-	-	-	-	-	-	-
	-	-	2	3	2	3	3	2	1	1	-	-	-	-	-	-	-
55e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-
	-	1	1	1	1	-	1	1	1	2	1	1	1	1	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	8	6	11	19	38	58	68	85	103	78	39	11	5	-	-	-
	5	9	7	24	33	73	92	170	206	193	148	69	28	11	1	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	3	1	2	1	3	-	-	-	-	-
	-	-	-	1	-	1	3	5	3	3	5	3	4	1	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	6	6	10	18	36	52	62	82	100	75	35	11	4	-	-	-
	-	5	6	17	28	64	83	156	198	188	139	65	24	10	1	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
66	Diseases of the thyroid and parathyroid glands	T	46	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	1	–	–	–
66a	Simple goiter	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
66b	Exophthalmic goiter	T	36	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	29	–	–	–	–	–	1	–	–	–
66c	Myxedema and cretinism	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
66d	Tetany	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
66e	Others	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
67	Diseases of the thymus gland	T	19	–	–	–	–	–	–	–	–	–
		M	13	11	1	–	–	–	–	–	1	–
		F	6	6	–	–	–	–	–	–	–	–
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	7	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
69	Other general diseases	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-making Organs	T	413	–	–	–	–	–	–	–	–	–
		M	210	5	6	2	–	2	2	6	8	10
		F	203	3	4	2	2	–	6	3	5	8
70	Hemorrhagic conditions	T	10	–	–	–	–	–	–	–	–	–
		M	6	1	2	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	1
70a	Primary purpuras	T	8	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
70b	Hemophilia	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
71	Anemias	T	112	–	–	–	–	–	–	–	–	–
		M	38	3	2	–	–	–	–	1	–	1
		F	74	1	2	–	1	–	–	–	1	–
71a	Pernicious anemia	T	94	–	–	–	–	–	–	–	–	–
		M	34	2	–	–	–	–	–	1	–	1
		F	60	–	–	–	1	–	–	–	1	–
71b	Others	T	18	–	–	–	–	–	–	–	–	–
		M	4	1	2	–	–	–	–	–	–	–
		F	14	1	2	–	–	–	–	–	–	–
72	Leukemias and pseudoleukemias	T	271	–	–	–	–	–	–	–	–	–
		M	155	1	1	2	–	2	2	5	8	8
		F	116	1	2	2	1	–	6	3	3	7
72a	True leukemias	T	168	–	–	–	–	–	–	–	–	–
		M	82	1	–	2	–	2	2	4	7	1
		F	86	1	2	2	1	–	5	3	3	5
72b	Pseudoleukemias (Hodgkin's disease)	T	103	–	–	–	–	–	–	–	–	–
		M	73	–	1	–	–	–	–	1	1	7
		F	30	–	–	–	–	–	1	–	–	2
73	Diseases of the spleen	T	10	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	–	–	–	–	1
		F	3	1	–	–	–	–	–	–	–	–
74	Other diseases of the blood and bloodmaking organs	T	10	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	1	–
V.	Chronic Poisonings and Intoxications	T	207	–	–	–	–	–	–	–	–	–
		M	177	–	–	–	–	2	–	–	–	–
		F	30	–	–	–	–	–	–	–	–	–
75	Alcoholism (acute or chronic)	T	198	–	–	–	–	–	–	–	–	–
		M	170	–	–	–	–	1[1]	–	–	–	–
		F	28	–	–	–	–	–	–	–	–	–
76	Chronic poisoning by other organic substances	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
76a	Occupational	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
76b	Others	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–

[1] Accidentally ingested alcohol.

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	1	4	1	-	-	-	-	-	-	-	-	-
	2	2	-	6	-	7	4	4	5	2	4	1	-	-	-	-	-
66a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	4	1	-	-	-	-	-	-	-	-	-
	1	2	-	6	-	6	2	1	5	2	2	1	-	-	-	-	-
66c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
66d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	1	-	-	3	-	-	2	-	-	-	-	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	4	5	8	16	21	19	22	20	19	15	7	3	2	-	-	-
	7	3	11	8	11	19	18	16	24	22	20	5	5	1	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
70a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
70b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	1	6	3	5	7	4	2	1	-	-	-
	1	-	-	3	3	5	6	9	9	12	13	4	3	1	-	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	6	3	5	7	4	2	1	-	-	-
	-	-	-	2	2	5	5	7	9	9	11	4	3	1	-	-	-
71b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	1	-	1	2	-	3	2	-	-	-	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	4	4	7	13	19	18	15	14	14	7	3	1	1	-	-	-
	5	3	10	5	6	12	11	7	15	8	6	1	2	-	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	2	1	6	10	6	8	7	8	6	2	1	1	-	-	-
	5	2	7	1	6	10	8	5	10	5	3	-	2	-	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	2	6	7	9	12	7	7	6	1	1	-	-	-	-	-
	-	1	3	4	-	2	3	2	5	3	3	1	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	9	19	23	27	26	22	11	21	7	5	1	-	-	-	-	-
	1	2	1	5	7	3	4	3	2	1	1	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	8	19	23	27	25	20	11	20	7	5	1	-	-	-	-	-
	-	2	1	5	7	2	4	3	2	1	1	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
77	Chronic poisoning by mineral substances	T	7	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
77a	Lead	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77b	Occupational (except lead)	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77c	Others	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	5,074	–	–	–	–	–	–	–	–	–
		M	2,308	24	12	3	5	4	10	14	19	14
		F	2,766	16	6	3	2	3	12	6	15	10
78	Encephalitis (nonepidemic)	T	37	–	–	–	–	–	–	–	–	–
		M	19	1	1	2	–	–	2	2	1	2
		F	18	–	–	–	1	–	1	1	2	–
78a	Abscess of the brain	T	11	–	–	–	–	–	–	–	–	–
		M	9	1	–	1	–	–	1	–	–	1
		F	2	–	–	–	–	–	–	–	1	–
78b	Others	T	26	–	–	–	–	–	–	–	–	–
		M	10	–	1	1	–	–	1	2	1	1
		F	16	–	–	–	1	–	1	1	1	–
79	Meningitis	T	53	–	–	–	–	–	–	–	–	–
		M	33	12	1	–	2	1	2	1	2	–
		F	20	7	1	2	–	1	2	1	–	–
79a	Simple meningitis	T	46	–	–	–	–	–	–	–	–	–
		M	29	11	1	–	2	–	2	1	1	–
		F	17	7	1	1	–	1	1	1	–	–
79b	Nonepidemic cerebrospinal meningitis	T	7	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	1	–	–	1	–
		F	3	–	–	1	–	–	1	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	18	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
81	Other diseases of the spinal cord	T	61	–	–	–	–	–	–	–	–	–
		M	35	–	1	–	–	–	–	4	5	–
		F	26	–	–	–	–	–	–	1	1	1
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,504	–	–	–	–	–	–	–	–	–
		M	1,960	3	3	–	–	2	3	–	3	6
		F	2,544	–	1	–	–	–	3	–	8	1
82a	Cerebral hemorrhage	T	3,937	–	–	–	–	–	–	–	–	–
		M	1,690	2	1	–	–	1	3	–	–	4
		F	2,247	–	1	–	–	–	–	–	7	–
82b	Cerebral embolism and thrombosis	T	528	–	–	–	–	–	–	–	–	–
		M	252	–	2	–	–	1	–	–	3	2
		F	276	–	–	–	–	–	3	–	1	–
82c	Softening of the brain	T	21	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
82d	Hemiplegia and other paralysis, cause unspecified	T	18	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	1
83	General paralysis of the insane	T	105	–	–	–	–	–	–	–	–	–
		M	81	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–
84	Dementia praecox and other psychoses	T	14	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	1
84a	Dementia praecox	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1
84b	Other psychoses	T	10	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
85	Epilepsy	T	70	–	–	–	–	–	–	–	–	–
		M	46	–	–	–	1	1	2	2	4	3
		F	24	–	1	–	–	–	2	2	–	5
86	Convulsions (under 5 years of age)	T	6	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–
		F	5	4	–	–	–	1	–	–	–	–
87	Other diseases of the nervous system	T	130	–	–	–	–	–	–	–	–	–
		M	64	1	3	–	–	–	–	2	2	1
		F	66	1	2	1	–	–	–	–	1	2
87a	Neuralgia and neuritis	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
77a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	24	24	39	61	93	157	193	264	377	343	302	195	101	28	2	-	-
	15	19	26	47	100	135	204	274	402	432	447	344	165	65	16	2	-
78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	1	-	1	3	2	-	2	2	-	1	-	1	-	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	3	2	-	2	2	-	1	-	1	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	2	1	2	-	1	1	1	2	-	-	-	-	-	-
	2	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	2	1	2	-	-	1	1	2	-	-	-	-	-	-
	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	3	1	4	6	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	2	1	2	3	5	2	3	3	1	-	-	-	-	-
	-	-	-	-	1	1	2	5	5	4	3	2	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	10	20	33	66	126	164	240	354	320	283	186	101	28	2	-	-
	5	13	19	33	85	128	185	249	387	413	435	336	160	65	16	2	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	10	19	26	58	112	140	214	300	279	247	160	85	23	2	-	-
	4	10	18	32	79	120	166	212	343	365	380	296	142	57	13	2	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	1	7	7	11	23	26	48	40	33	26	16	3	-	-	-
	1	2	1	1	5	8	19	36	42	44	53	37	14	6	3	-	-
82c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	4	1	2	-	-	1	-	-	-
	-	-	-	-	-	-	-	1	2	2	-	3	2	1	-	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	2	1	-	2	-	1	-	-	1	-	-	-
	-	1	-	-	1	-	-	-	-	2	2	-	2	1	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	5	12	10	13	18	8	5	4	1	-	-	-	-	-	-
	-	-	2	6	4	1	2	2	3	3	-	-	1	-	-	-	-
84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	1	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-
84a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	6	3	3	4	3	1	1	1	-	2	2	-	-	-	-	-
	3	4	1	1	1	-	1	2	-	1	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	5	3	5	2	3	2	6	13	8	5	-	-	-	-	-
	2	1	2	1	6	1	7	11	6	6	8	4	4	-	-	-	-
87a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
87b	Other diseases of the nervous system	T	125	–	–	–	–	–	–	–	–	–
		M	63	1	3	–	–	–	–	2	2	1
		F	62	1	2	1	–	–	–	–	1	2
88	Diseases of the organs of vision	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	1	–	–	1	–
89	Diseases of the ear and of the mastoid process	T	71	–	–	–	–	–	–	–	–	–
		M	44	7	2	1	2	–	1	3	2	2
		F	27	4	1	–	1	–	4	1	2	–
89a	Diseases of the ear	T	49	–	–	–	–	–	–	–	–	–
		M	28	6	1	1	–	–	1	2	2	2
		F	21	4	1	–	1	–	3	–	–	–
89b	Diseases of the mastoid process	T	22	–	–	–	–	–	–	–	–	–
		M	16	1	1	–	2	–	–	1	–	–
		F	6	–	–	–	–	–	1	1	2	–
VII.	Diseases of the Circulatory System	T	18,589	–	–	–	–	–	–	–	–	–
		M	9,776	5	1	2	3	1	16	17	28	35
		F	8,813	2	1	2	1	1	12	18	25	23
90	Pericarditis	T	26	–	–	–	–	–	–	–	–	–
		M	12	–	1	–	1	–	–	–	–	1
		F	14	–	–	1	–	–	2	1	–	–
91	Acute endocarditis	T	116	–	–	–	–	–	–	–	–	–
		M	60	1	–	–	–	–	1	3	3	7
		F	56	1	–	–	1	1	1	1	8	4
91a	Specified as acute	T	95	–	–	–	–	–	–	–	–	–
		M	49	1	–	–	–	–	1	3	3	4
		F	46	1	–	–	1	1	1	–	7	4
91b	Unspecified (under 45 years of age)	T	21	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	3
		F	10	–	–	–	–	–	–	1	1	–
92	Chronic endocarditis, valvular diseases	T	1,576	–	–	–	–	–	–	–	–	–
		M	707	–	–	–	1	–	4	6	15	9
		F	869	–	–	–	–	–	2	3	8	10
92a	Endocarditis specified as chronic and valvular disease	T	1,472	–	–	–	–	–	–	–	–	–
		M	661	–	–	–	1	–	4	6	15	9
		F	811	–	–	–	–	–	2	3	8	10
92b	Endocarditis unspecified (45 years and over)	T	104	–	–	–	–	–	–	–	–	–
		M	46	–	–	–	–	–	–	–	–	–
		F	58	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	5,999	–	–	–	–	–	–	–	–	–
		M	2,769	1	–	1	–	1	–	1	1	2
		F	3,230	–	–	–	–	–	–	1	–	1
93a	Acute myocarditis	T	158	–	–	–	–	–	–	–	–	–
		M	70	–	–	–	–	–	–	–	–	–
		F	88	–	–	–	–	–	–	–	–	–
93b	Myocarditis unspecified (under 45 years of age)	T	11	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	–	1	–	–
		F	4	–	–	–	–	–	–	–	–	–
93c	Chronic myocarditis and myocardial degeneration	T	4,149	–	–	–	–	–	–	–	–	–
		M	1,943	–	–	–	–	–	–	–	1	1
		F	2,206	–	–	–	–	–	–	1	–	1
93d	Other diseases of myocardium	T	1,681	–	–	–	–	–	–	–	–	–
		M	749	–	–	1	–	1	–	–	–	1
		F	932	–	–	–	–	–	–	–	–	–
94	Diseases of the coronary arteries and angina pectoris	T	4,372	–	–	–	–	–	–	–	–	–
		M	2,951	–	–	–	–	–	–	–	–	3
		F	1,421	–	–	–	–	–	–	–	–	–
94a	Angina pectoris	T	251	–	–	–	–	–	–	–	–	–
		M	173	–	–	–	–	–	–	–	–	–
		F	78	–	–	–	–	–	–	–	–	–
94b	Diseases of the coronary arteries	T	4,121	–	–	–	–	–	–	–	–	–
		M	2,778	–	–	–	–	–	–	–	–	3
		F	1,343	–	–	–	–	–	–	–	–	–
95	Other diseases of the heart	T	5,515	–	–	–	–	–	–	–	–	–
		M	2,815	3	–	1	1	–	11	7	9	13
		F	2,700	1	1	1	–	–	7	12	9	5
95a	Functional diseases of the heart	T	16	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
95b	Other and unspecified	T	5,499	–	–	–	–	–	–	–	–	–
		M	2,807	3	–	1	1	–	11	7	9	13
		F	2,692	1	1	1	–	–	7	12	9	5
96	Aneurysm (except of the heart)	T	49	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	793	–	–	–	–	–	–	–	–	–
		M	354	–	–	–	–	–	–	–	–	–
		F	439	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
87b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	4	3	5	2	3	2	6	13	8	5	–	–	–	–	–
	1	1	2	1	6	–	7	11	6	6	8	4	2	–	–	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	4	3	5	1	2	2	1	1	–	–	–	–	–	–
	1	–	1	2	1	3	3	1	1	–	–	1	–	–	–	–	–
89a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	2	–	3	2	–	–	2	1	1	–	–	–	–	–	–
	1	–	1	2	1	1	3	1	1	–	–	1	–	–	–	–	–
89b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	4	–	3	1	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	44	66	123	265	449	673	857	1,217	1,442	1,494	1,368	969	509	146	42	4	–
	48	57	93	154	239	355	508	799	1,119	1,461	1,452	1,293	757	301	84	8	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	1	–	–	1	3	1	–	1	–	–	–	–	–
	2	1	1	–	–	–	1	–	1	2	–	2	–	–	–	–	–
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	4	4	12	4	5	3	3	2	2	1	–	–	–	–	–	–
	3	5	9	5	4	4	2	3	1	–	1	–	–	1	–	–	–
91a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	1	2	9	4	5	3	3	2	2	1	–	–	–	–	–	–
	3	3	5	3	4	4	2	3	1	–	2	–	–	1	–	–	–
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	16	19	24	40	44	68	86	73	100	87	57	37	9	2	–	–
	16	19	31	41	44	50	51	59	96	124	120	111	57	19	7	1	–
92a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	16	19	24	35	40	66	76	63	96	82	53	36	8	2	–	–
	16	19	31	41	41	46	47	53	87	111	114	102	55	17	7	1	–
92b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	5	4	2	10	10	4	5	4	1	1	–	–	–
	–	–	–	–	3	4	4	6	9	13	6	9	2	2	–	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	4	20	30	85	105	177	294	389	427	489	413	237	60	23	1	–
	8	8	15	28	58	91	145	281	367	574	568	557	337	145	42	4	–
93a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	3	8	2	10	9	5	11	10	4	4	–	–	–	–
	–	2	1	3	4	8	4	18	15	10	12	4	6	1	–	–	–
93b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	11	19	54	71	109	203	275	308	351	304	167	43	18	1	–
	3	2	10	18	40	54	104	178	261	389	391	382	236	103	29	4	–
93d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	5	5	23	32	58	82	109	108	128	105	66	17	5	–	–
	4	4	3	5	14	29	37	85	91	175	165	171	95	41	13	–	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	16	48	110	199	295	352	475	476	454	283	160	56	16	4	1	–
	–	2	12	24	37	74	122	179	246	250	211	172	69	19	4	–	–
94a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	5	3	5	14	17	31	36	27	25	7	1	2	–	–	–
	–	–	–	2	1	4	6	8	20	12	14	7	3	1	–	–	–
94b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	16	43	107	194	281	335	444	440	427	258	153	55	14	4	1	–
	–	2	12	22	36	70	116	171	226	238	197	165	66	18	4	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	26	29	81	111	203	238	327	445	448	435	243	127	30	10	1	–
	19	21	23	53	88	130	175	246	372	460	462	329	197	68	19	2	–
95a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	1	1	1	1	2	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	1	1	–	3	1	–	–	–	–
95b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	26	29	79	111	203	237	326	444	447	433	243	127	30	10	1	–
	19	21	23	53	88	129	175	245	371	459	462	326	196	68	19	2	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	6	6	4	6	4	2	3	–	–	–	–	–
	–	–	1	–	3	–	1	3	4	1	–	1	1	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	5	8	17	39	51	64	86	48	30	3	1	–
	–	–	–	–	1	3	5	18	26	41	82	110	95	47	11	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
98	Gangrene	T	23	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	–
99	Other diseases of the arteries	T	67	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–	1
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	38	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–	1
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	11	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	1
103	Other diseases of the circulatory system	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	3,519	–	–	–	–	–	–	–	–	–
		M	1,897	215	41	19	8	9	24	20	20	22
		F	1,622	170	45	17	6	5	19	11	20	20
104	Diseases of the nasal fossae and annexae	T	25	–	–	–	–	–	–	–	–	–
		M	20	5	3	–	–	–	1	3	1	2
		F	5	2	–	–	–	–	–	1	–	–
105	Diseases of the larynx	T	18	–	–	–	–	–	–	–	–	–
		M	10	2	2	–	–	1	2	–	–	–
		F	8	1	1	1	–	–	1	–	–	–
106	Bronchitis	T	92	–	–	–	–	–	–	–	–	–
		M	45	6	2	1	1	1	–	1	2	1
		F	47	7	2	1	–	–	–	–	–	–
106*a*	Acute	T	44	–	–	–	–	–	–	–	–	–
		M	17	5	1	–	1	1	–	1	–	–
		F	27	5	2	1	–	–	–	–	–	–
106*b*	Chronic	T	24	–	–	–	–	–	–	–	–	–
		M	15	1	1	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
106*c*	Unspecified (under 5 years of age)	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–
106*d*	Unspecified (5 years and over)	T	21	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	2	1
		F	9	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	1,882	–	–	–	–	–	–	–	–	–
		M	963	164	24	10	5	3	10	7	6	3
		F	919	130	33	7	5	4	8	3	10	7
107*a*	Bronchopneumonia	T	1,875	–	–	–	–	–	–	–	–	–
		M	960	163	24	10	5	3	10	7	6	3
		F	915	130	32	7	5	4	8	3	10	7
107*b*	Capillary bronchitis	T	7	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	–
		F	4	–	1	–	–	–	–	–	–	–
108	Lobar pneumonia	T	1,211	–	–	–	–	–	–	–	–	–
		M	680	28	6	4	2	2	5	3	10	11
		F	531	20	7	7	1	1	10	6	9	11
109	Pneumonia, unspecified	T	33	–	–	–	–	–	–	–	–	–
		M	17	4	1	–	–	–	–	–	–	–
		F	16	6	–	–	–	–	–	–	–	–
110	Pleurisy	T	85	–	–	–	–	–	–	–	–	–
		M	56	3	2	2	–	1	2	4	1	4
		F	29	2	2	1	–	–	–	–	1	–
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	55	–	–	–	–	–	–	–	–	–
		M	24	–	–	–	–	–	2	–	–	–
		F	31	–	–	–	–	–	–	–	–	1
111*a*	Pulmonary embolism and thrombosis	T	31	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	1
111*b*	Others	T	24	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	2	–	–	–
		F	14	–	–	–	–	–	–	–	–	–
112	Asthma	T	53	–	–	–	–	–	–	–	–	–
		M	30	–	–	2	–	–	1	1	–	1
		F	23	–	–	–	–	–	–	–	–	–
113	Pulmonary emphysema	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (tuberculosis excepted)	T	62	–	–	–	–	–	–	–	–	–
		M	49	3	1	–	–	1	1	1	–	–
		F	13	2	–	–	–	–	–	1	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	2	3	3	-	2	1	-	-	-
	-	-	-	-	-	1	-	-	-	1	2	5	-	-	-	1	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	3	3	3	4	8	4	3	4	5	2	-	-	-	-
	-	1	-	1	-	-	2	3	1	8	3	5	-	2	1	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	4	2	1	2	2	1	-	-	-	-	-	-	-
	-	-	1	2	4	1	4	5	4	-	1	1	1	-	-	-	-
101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	29	32	54	83	102	130	149	148	160	213	173	123	87	31	5	-	-
	20	24	41	47	57	77	87	108	148	168	183	176	96	52	21	4	-
104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-
	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	8	1	2	1	1	2	6	4	3	1	-	-	-
	-	-	-	-	1	2	1	1	3	5	4	6	6	4	4	-	-
106*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	-	-	-	1	2	-	3	-	-	-	-
	-	-	-	-	-	1	-	1	1	2	2	4	1	3	4	-	-
106*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	4	-	-	1	1	-	3	3	-	1	-	-	-
	-	-	-	-	1	1	1	-	-	1	2	1	1	1	-	-	-
106*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	3	1	2	-	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	-	1	4	-	-	-	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	14	19	17	28	46	45	59	78	122	116	82	64	26	4	-	-
	7	10	12	16	19	26	27	49	78	103	113	119	71	45	14	3	-
107*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	13	19	17	28	46	45	59	78	122	116	82	63	26	4	-	-
	7	10	12	16	19	26	27	49	78	103	113	119	70	44	14	2	-
107*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	12	27	51	55	63	76	72	69	78	44	32	16	3	1	-	-
	11	8	25	22	28	37	47	49	56	52	62	43	16	-	3	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	3	1	-	2	2	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	1	3	1	1	1	1	-	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	2	4	5	7	3	3	3	5	1	-	1	-	-	-	-
	-	1	3	1	2	4	5	2	1	1	-	2	1	-	-	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	-	-	4	1	2	2	3	-	3	3	1	-	-	-
	-	1	1	3	3	1	2	2	5	4	1	2	2	3	-	-	-
111*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	4	-	2	1	2	-	2	-	1	-	-	-
	-	1	-	3	3	1	-	1	3	1	1	1	-	1	-	-	-
111*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	1	1	-	1	3	-	-	-	-
	-	-	1	-	-	-	2	1	2	3	-	1	2	2	-	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	3	1	2	4	4	3	2	2	1	-	-	-	-	-
	2	1	-	3	3	3	1	2	2	2	-	3	-	-	-	1	-
113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	-	4	5	3	15	4	3	1	3	-	-	-	-	-	-
	-	3	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	11	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114b	Others, including gangrene of the lung	T	51	–	–	–	–	–	–	–	–	–
		M	38	3	1	–	–	–	1	1	–	–
		F	13	2	–	–	–	–	–	1	–	1
IX.	Diseases of the Digestive System	T	2,450	–	–	–	–	–	–	–	–	–
		M	1,375	57	16	7	5	11	18	21	19	35
		F	1,075	43	6	8	5	7	25	20	24	25
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	86	–	–	–	–	–	–	–	–	–
		M	35	–	1	1	1	3	4	–	–	4
		F	51	1	1	2	1	1	3	1	3	2
115a	Pharynx and tonsils	T	71	–	–	–	–	–	–	–	–	–
		M	27	–	1	1	1	3	4	–	–	2
		F	44	1	1	2	1	1	3	1	2	2
115b	Diseases of the buccal cavity and annexa	T	15	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	2
		F	7	–	–	–	–	–	–	–	1	–
116	Diseases of the esophagus	T	15	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	1	–	–	–	1
		F	6	–	–	–	–	–	–	–	–	–
117	Ulcer of the stomach and duodenum	T	336	–	–	–	–	–	–	–	–	–
		M	278	–	–	–	–	–	–	–	–	3
		F	58	1	–	–	–	–	–	1	–	1
117a	Stomach	T	203	–	–	–	–	–	–	–	–	–
		M	174	–	–	–	–	–	–	–	–	2
		F	29	1	–	–	–	–	–	1	–	–
117b	Duodenum	T	133	–	–	–	–	–	–	–	–	–
		M	104	–	–	–	–	–	–	–	–	1
		F	29	–	–	–	–	–	–	–	–	1
118	Other diseases of the stomach (cancer excepted)	T	21	–	–	–	–	–	–	–	–	–
		M	10	2	–	–	–	–	1	–	–	–
		F	11	–	–	–	–	–	1	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	90	–	–	–	–	–	–	–	–	–
		M	51	46	5	–	–	–	–	–	–	–
		F	39	35	4	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	105	–	–	–	–	–	–	–	–	–
		M	39	–	–	1	–	–	1	–	2	3
		F	66	–	–	4	–	1	4	1	3	5
120a	Diarrhea, enteritis	T	53	–	–	–	–	–	–	–	–	–
		M	17	–	–	1	–	–	1	–	1	–
		F	36	–	–	4	–	1	3	1	1	2
120b	Ulceration of intestines	T	52	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	–	–	1	3
		F	30	–	–	–	–	–	1	–	2	3
121	Appendicitis	T	423	–	–	–	–	–	–	–	–	–
		M	237	–	3	3	2	6	10	14	9	15
		F	186	1	–	1	4	4	15	15	14	13
122	Hernia, intestinal obstruction	T	384	–	–	–	–	–	–	–	–	–
		M	211	5	4	2	1	–	2	2	5	6
		F	173	4	–	–	–	–	–	–	1	–
122a	Hernia	T	220	–	–	–	–	–	–	–	–	–
		M	137	1	–	1	1	–	–	–	2	2
		F	83	1	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	T	164	–	–	–	–	–	–	–	–	–
		M	74	4	4	1	–	–	2	2	3	4
		F	90	3	–	–	–	–	–	–	1	–
123	Other diseases of the intestines	T	82	–	–	–	–	–	–	–	–	–
		M	44	1	–	–	–	1	–	2	–	–
		F	38	–	–	–	–	–	1	–	1	–
124	Cirrhosis of the liver	T	483	–	–	–	–	–	–	–	–	–
		M	304	–	–	–	–	–	–	1	2	1
		F	179	–	–	–	–	–	1	1	–	–
124a	Specified as alcoholic	T	56	–	–	–	–	–	–	–	–	–
		M	44	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
124b	Not specified as alcoholic	T	427	–	–	–	–	–	–	–	–	–
		M	260	–	–	–	–	–	–	1	2	1
		F	167	–	–	–	–	–	1	1	–	–
125	Other diseases of the liver (including yellow atrophy of liver)	T	58	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	–	–	1	1
		F	36	1	1	–	–	–	–	1	1	2
125a	Yellow atrophy of liver	T	19	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	1
		F	13	1	–	–	–	–	–	–	1	2
125b	Others	T	39	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	1	–
		F	23	–	1	–	–	–	–	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
114a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	1	-	5	1	-	-	1	-	-	-	-	-	-
114b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	3	4	3	10	3	3	1	2	-	-	-	-	-	-
	-	3	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	35	44	59	95	114	153	157	158	126	120	73	30	18	4	-	-	-
	18	34	45	55	71	99	98	99	118	106	92	50	18	8	1	-	-
115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	1	3	2	3	5	-	-	-	3	-	-	-	-	-	-
	2	1	4	2	3	5	6	3	3	3	3	1	-	-	-	-	-
115a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	2	1	1	5	-	-	-	2	-	-	-	-	-	-
	1	1	3	2	2	4	6	2	3	3	3	-	-	-	-	-	-
115b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-
	1	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-
116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	2	2	1	-	-	-	-	-	-
	-	1	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12	10	14	29	30	39	39	42	25	20	12	2	1	-	-	-	-
	-	-	2	1	2	6	6	5	9	8	8	6	1	1	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	7	8	22	16	23	29	26	17	12	3	-	1	-	-	-	-
	-	-	1	-	1	2	4	2	8	-	5	2	1	1	-	-	-
117b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	3	6	7	14	16	10	16	8	8	9	2	-	-	-	-	-
	-	-	1	1	1	4	2	3	1	8	3	4	-	-	-	-	-
118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-	-	-
	-	-	1	-	1	3	2	-	-	-	2	-	1	-	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	1	-	4	4	5	5	-	4	3	2	-	-	-	-	-
	2	3	4	1	2	4	4	1	7	5	6	3	2	3	1	-	-
120a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	1	1	2	2	-	1	3	2	-	-	-	-	-
	1	-	2	1	1	1	1	-	3	2	4	2	2	3	1	-	-
120b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	-	-	3	3	3	3	-	3	-	-	-	-	-	-	-
	1	3	2	-	1	3	3	1	4	3	2	1	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	15	17	18	21	19	13	17	14	13	3	6	3	-	-	-	-
	6	4	11	10	11	13	11	11	11	11	15	3	1	1	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	7	9	13	17	26	22	24	27	15	10	7	3	-	-	-
	1	6	5	10	14	17	10	17	22	27	22	8	7	2	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	3	8	11	21	17	20	19	10	8	7	3	-	-	-
	-	2	3	1	6	12	2	14	15	12	12	1	1	1	-	-	-
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	5	6	5	6	5	5	4	8	5	2	-	-	-	-	-
	1	4	2	9	8	5	8	3	7	15	10	7	6	1	-	-	-
123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	1	4	8	6	5	2	5	6	-	1	-	-	-	-
	-	1	1	2	3	3	5	6	5	3	1	4	2	-	-	-	-
124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	8	25	22	44	52	47	35	35	19	5	4	1	-	-	-
	1	7	9	13	10	28	23	24	22	16	15	8	-	1	-	-	-
124a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	10	7	6	7	4	4	3	1	-	-	-	-	-	-
	-	1	1	2	1	2	2	3	-	-	-	-	-	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	6	15	15	38	45	43	31	32	18	5	4	1	-	-	-
	1	6	8	11	9	26	21	21	22	16	15	8	-	1	-	-	-
125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	1	3	3	2	-	2	2	3	-	2	-	-	-	-	-
	3	2	1	4	2	1	3	3	6	2	1	1	1	-	-	-	-
125a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-
	2	-	-	1	1	-	1	-	3	1	-	-	-	-	-	-	-
125b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	1	3	3	1	-	2	1	1	-	1	-	-	-	-	-
	1	2	1	3	1	1	2	3	3	1	1	1	1	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
126	Biliary calculi	T	194	–	–	–	–	–	–	–	–	–
		M	59	–	–	–	–	–	–	–	–	–
		F	135	–	–	–	–	–	–	–	–	1
127	Other diseases of the gall bladder and biliary passages	T	94	–	–	–	–	–	–	–	–	–
		M	36	–	–	–	–	–	–	–	–	–
		F	58	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas	T	48	–	–	–	–	–	–	–	–	–
		M	25	1	1	–	–	–	–	–	–	1
		F	23	–	–	–	–	–	–	–	1	1
129	Peritonitis, cause not specified	T	31	–	–	–	–	–	–	–	–	–
		M	15	2	2	–	1	–	–	2	–	–
		F	16	–	–	1	–	1	–	–	–	–
X.	Diseases of the Genitourinary System	T	3,555	–	–	–	–	–	–	–	–	–
		M	1,879	4	1	–	1	1	4	10	11	13
		F	1,676	5	3	2	1	–	3	4	10	17
130	Acute nephritis (including unspecified under 10 years of age)	T	61	–	–	–	–	–	–	–	–	–
		M	29	2	–	–	–	–	1	2	2	1
		F	32	2	2	–	–	–	–	1	1	2
131	Chronic nephritis	T	2,807	–	–	–	–	–	–	–	–	–
		M	1,382	–	1	–	–	1	3	5	8	11
		F	1,425	–	–	2	–	–	3	3	4	9
132	Nephritis, unspecified (10 years and over)	T	48	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	1	–	1
		F	33	–	–	–	–	–	–	–	–	1
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	141	–	–	–	–	–	–	–	–	–
		M	62	1	–	–	1	–	–	2	1	–
		F	79	3	1	–	1	–	–	–	4	–
133a	Pyelitis	T	107	–	–	–	–	–	–	–	–	–
		M	46	1	–	–	–	–	–	2	–	–
		F	61	3	1	–	1	–	–	–	2	–
133b	Others	T	34	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	1	–	–	–	1	–
		F	18	–	–	–	–	–	–	–	2	–
134	Calculi of the urinary passages	T	60	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–	–
134a	Of the kidneys and ureters	T	47	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	–
134b	Of the bladder	T	10	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
134c	Other and unspecified	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
135	Diseases of the bladder (tumors excepted)	T	36	–	–	–	–	–	–	–	–	–
		M	25	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
135a	Cystitis	T	24	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	–
135b	Others	T	12	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
136	Diseases of the urethra, urinary abscess, etc.	T	14	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
136b	Others	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	317	–	–	–	–	–	–	–	–	–
		M	317	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
138	Diseases of the male genital organs, not specified as venereal	T	2	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	69	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	69	–	–	–	–	–	–	–	1	5
139a	Cysts of the ovary	T	18	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	1	1
139b	Other diseases of the ovaries, tubes and parametrium	T	10	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	3	7	7	4	11	13	5	4	–	2	–	–	–	–
	2	4	4	10	19	8	15	19	19	13	12	8	1	–	–	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	4	1	4	3	5	3	6	6	1	–	–	–	–	–
	–	3	3	1	3	4	8	8	8	10	2	6	2	–	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	6	–	2	5	2	2	3	–	–	1	–	–	–	–	–
	1	–	–	1	1	4	4	1	3	5	1	–	–	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	–	–	3	–	–	–	1	–	–	1	–	–	–	–	–
	–	2	–	–	–	2	1	–	3	2	3	1	–	–	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	18	20	56	87	119	129	193	277	302	293	199	88	34	4	–	–
	22	36	38	52	87	92	140	151	206	242	228	182	117	31	6	1	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	5	3	3	1	1	–	4	2	–	1	–	–	–	–
	3	1	1	–	3	1	1	2	4	3	1	1	3	–	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	13	17	42	64	101	105	148	209	221	205	128	64	19	3	–	–
	10	22	21	40	60	77	118	127	179	219	211	174	110	29	6	1	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	2	–	4	1	1	–	–	–	1	1	–	–	–
	1	3	1	2	3	3	3	3	1	2	4	4	2	–	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	3	3	8	5	6	7	8	3	3	7	1	–	–	–	–
	2	4	6	3	7	6	6	8	9	7	7	3	1	1	–	–	–
133a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	6	5	5	6	7	2	3	5	1	–	–	–	–
	1	4	3	2	4	3	4	7	8	6	7	3	1	1	–	–	–
133b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	2	–	1	1	1	1	–	2	–	–	–	–	–
	1	–	3	1	3	3	2	1	1	1	–	–	–	–	–	–	–
134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	4	6	4	2	3	6	4	2	3	1	–	–	–	–
	–	1	1	2	5	1	5	3	3	1	2	–	–	1	–	–	–
134a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	4	5	4	2	1	3	3	2	1	1	–	–	–	–
	–	1	1	2	5	1	4	3	2	1	1	–	–	–	–	–	–
134b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	3	1	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
134c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	1	4	9	4	4	–	–	–	–	–
	–	–	–	–	–	–	1	–	3	4	3	–	–	–	–	–	–
135a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	7	2	2	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	4	3	–	–	–	–	–	–
135b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	1	2	2	2	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	–	4	3	1	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
136a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	–	3	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	3	9	32	45	57	76	57	20	14	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	5	8	4	9	4	6	8	6	6	–	–	1	–	–	–	–
139a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	1	4	–	2	3	–	1	–	–	–	–	–	–	–
139b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
139c	Diseases of the uterus	T	39	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	39	–	–	–	–	–	–	–	–	3
139d	Nonpuerperal diseases of the breast (cancer excepted)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
139e	Others	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	210	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	210	–	–	–	–	–	–	–	8	35
140	Abortion with septic conditions	T	27	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	27	–	–	–	–	–	–	–	2	3
141	Abortion without mention of septic conditions (to include hemorrhages)	T	8	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	2
142	Ectopic gestation	T	6	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
142a	With septic conditions specified	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
142b	Without mention of septic conditions	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
143	Other accidents of pregnancy (not to include hemorrhages)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
144	Puerperal hemorrhage	T	32	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	32	–	–	–	–	–	–	–	1	6
144a	Placenta praevia	T	14	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	3
144b	Other puerperal hemorrhages	T	18	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	1	3
145	Puerperal septicemia (not specified as due to abortion)	T	38	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	–	–	1	6
145a	Puerperal septicemia and pyemia	T	38	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	–	–	1	6
145b	Puerperal tetanus	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
146	Puerperal albuminuria and eclampsia	T	28	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	1	5
147	Other toxemias of pregnancy	T	10	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	2	2
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	22	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–	4
148a	Phlegmasia alba dolens	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
148b	Embolism and thrombosis	T	22	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–	4
149	Other accidents of childbirth	T	38	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	–	–	1	7
149a	Cesarean operation	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	1	4
149b	Others	T	23	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	23	–	–	–	–	–	–	–	–	3
150	Other and unspecified conditions of the puerperal state	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	71	–	–	–	–	–	–	–	–	–
		M	41	7	2	–	–	–	1	2	–	1
		F	30	2	–	–	–	–	–	1	–	2
151	Furuncle, carbuncle	T	18	–	–	–	–	–	–	–	–	–
		M	12	1	–	–	–	–	–	1	–	–
		F	6	1	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
139c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	4	3	5	3	2	4	6	5	-	-	1	-	-	-	-
139d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	45	65	42	15	-	-	-	-	-	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
142a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
144a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
148a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	12	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
149a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
149b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	2	1	2	6	5	2	2	2	1	-	2	-	-	-
	-	-	1	2	3	3	4	-	3	1	4	3	1	-	-	-	-
151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	4	2	-	1	1	-	-	1	-	-	-
	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
152	Phlegmon, acute abscess	T	23	–	–	–	–	–	–	–	–	–
		M	13	2	1	–	–	–	1	1	–	1
		F	10	–	–	–	–	–	–	1	–	–
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	30	–	–	–	–	–	–	–	–	–
		M	16	4	1	–	–	–	–	–	–	–
		F	14	1	–	–	–	–	–	–	–	2
XIII.	Diseases of the Bones and Organs of Locomotion	T	61	–	–	–	–	–	–	–	–	–
		M	41	1	–	–	–	1	1	7	2	2
		F	20	–	–	–	–	–	1	3	–	2
154	Osteomyelitis	T	38	–	–	–	–	–	–	–	–	–
		M	29	1	–	–	–	1	1	7	–	2
		F	9	–	–	–	–	–	1	2	–	–
155	Other diseases of the bones (tuberculosis excepted)	T	12	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–
156	Diseases of the joints and other organs of locomotion	T	11	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	–
		F	8	–	–	–	–	–	–	1	–	2
156a	Diseases of the joints (tuberculosis and rheumatism excepted)	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
156b	Other organs of locomotion	T	7	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–
		F	5	–	–	–	–	–	–	1	–	2
XIV.	Congenital Malformations	T	385	–	–	–	–	–	–	–	–	–
		M	198	183	4	4	2	–	–	3	2	–
		F	187	174	3	3	2	–	3	1	1	–
157	Congenital malformations (stillbirths not included)	T	385	–	–	–	–	–	–	–	–	–
		M	198	183	4	4	2	–	–	3	2	–
		F	187	174	3	3	2	–	3	1	1	–
157a	Congenital hydrocephalus	T	25	–	–	–	–	–	–	–	–	–
		M	13	12	–	1	–	–	–	–	–	–
		F	12	10	1	–	1	–	–	–	–	–
157b	Spina bifida and meningocele	T	69	–	–	–	–	–	–	–	–	–
		M	25	25	–	–	–	–	–	–	–	–
		F	44	43	1	–	–	–	–	–	–	–
157c	Congenital malformation of the heart	T	158	–	–	–	–	–	–	–	–	–
		M	85	77	3	1	1	–	–	2	1	–
		F	73	66	1	2	1	–	1	1	1	–
157d	Others	T	133	–	–	–	–	–	–	–	–	–
		M	75	69	1	2	1	–	–	1	1	–
		F	58	55	–	1	–	–	2	–	–	–
XV.	Diseases of Early Infancy	T	1,250	–	–	–	–	–	–	–	–	–
		M	772	771	1	–	–	–	–	–	–	–
		F	478	478	–	–	–	–	–	–	–	–
158	Congenital debility	T	20	–	–	–	–	–	–	–	–	–
		M	12	12	–	–	–	–	–	–	–	–
		F	8	8	–	–	–	–	–	–	–	–
159	Premature birth	T	782	–	–	–	–	–	–	–	–	–
		M	479	479	–	–	–	–	–	–	–	–
		F	303	303	–	–	–	–	–	–	–	–
160	Injury at birth	T	244	–	–	–	–	–	–	–	–	–
		M	153	152	1	–	–	–	–	–	–	–
		F	91	91	–	–	–	–	–	–	–	–
160a	Cesarean operation	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
160b	Without Cesarean operation	T	243	–	–	–	–	–	–	–	–	–
		M	152	151	1	–	–	–	–	–	–	–
		F	91	91	–	–	–	–	–	–	–	–
161	Other diseases peculiar to early infancy	T	204	–	–	–	–	–	–	–	–	–
		M	128	128	–	–	–	–	–	–	–	–
		F	76	76	–	–	–	–	–	–	–	–
161a	Atelectasis	T	121	–	–	–	–	–	–	–	–	–
		M	75	75	–	–	–	–	–	–	–	–
		F	46	46	–	–	–	–	–	–	–	–
161b	Icterus of the new-born	T	9	–	–	–	–	–	–	–	–	–
		M	4	4	–	–	–	–	–	–	–	–
		F	5	5	–	–	–	–	–	–	–	–
161c	Sclerema	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
161d	Others	T	74	–	–	–	–	–	–	–	–	–
		M	49	49	–	–	–	–	–	–	–	–
		F	25	25	–	–	–	–	–	–	–	–
XVI.	Senility	T	32	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–
162	Senility	T	32	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-
	-	-	1	1	-	1	3	-	-	-	3	-	-	-	-	-	-
153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	1	-	1	1	2	1	1	-	1	-	1	-	-	-
	-	-	-	-	2	2	-	-	2	1	1	2	1	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	2	3	1	-	3	2	3	4	2	2	1	-	-	-	-	-
	-	-	2	-	1	2	-	2	-	2	4	-	1	-	-	-	-
154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	2	3	1	-	2	1	2	1	-	1	-	-	-	-	-	-
	-	-	1	-	1	1	-	-	-	2	1	-	-	-	-	-	-
155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	1	-	-	1	-	1	-	-	2	-	-	-	-	-	-
156a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
156b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	4	1	1	-	-
	-	-	-	-	-	-	-	-	-	1	2	7	5	6	2	1	-
162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	4	1	1	-	-
	-	-	-	-	-	-	-	-	-	1	2	7	5	6	2	1	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Age of Decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XVII.	Violent and Accidental Deaths	T	3,381	–	–	–	–	–	–	–	–	–
		M	2,163	29	15	25	14	13	55	60	84	110
		F	1,218	21	12	9	11	8	37	16	19	29
163–171	Suicide (total)	T	570	–	–	–	–	–	–	–	–	–
		M	429	–	–	–	–	–	–	2	9	17
		F	141	–	–	–	–	–	–	1	3	3
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	54	–	–	–	–	–	–	–	–	–
		M	28	–	–	–	–	–	–	–	1	–
		F	26	–	–	–	–	–	–	–	–	1
163a	Arsenical group	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163b	Barbituric acid and all derivatives	T	12	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	–
163c	Cresol compounds group	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
163d	Mercury compounds	T	9	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	1
163e	Nux vomica and strychnine	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163f	Lye group	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163g	Tobacco and derivatives	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163h	Narcotic group	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163m	Hydrocyanic acid and all cyanides except gases	T	7	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163o	Carbolic acid and phenol	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163x	All other poisons or kinds not stated	T	11	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–
164	Suicide by poisonous gas	T	168	–	–	–	–	–	–	–	–	–
		M	114	–	–	–	–	–	–	–	2	7
		F	54	–	–	–	–	–	–	–	2	2
164a	Illuminating gas	T	103	–	–	–	–	–	–	–	–	–
		M	58	–	–	–	–	–	–	–	1	3
		F	45	–	–	–	–	–	–	–	2	2
164b	Automobile exhaust gas	T	62	–	–	–	–	–	–	–	–	–
		M	55	–	–	–	–	–	–	–	1	4
		F	7	–	–	–	–	–	–	–	–	–
164c	Coal and other fuel gases	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
164x	Other gases	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
165	Suicide by hanging or strangulation	T	137	–	–	–	–	–	–	–	–	–
		M	113	–	–	–	–	–	–	2	2	5
		F	24	–	–	–	–	–	–	1	1	–
166	Suicide by drowning	T	42	–	–	–	–	–	–	–	–	–
		M	27	–	–	–	–	–	–	–	1	–
		F	15	–	–	–	–	–	–	–	–	–
167	Suicide by firearms	T	103	–	–	–	–	–	–	–	–	–
		M	99	–	–	–	–	–	–	–	2	5
		F	4	–	–	–	–	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	26	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	1	–
		F	5	–	–	–	–	–	–	–	–	–
169	Suicide by jumping from high places	T	28	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
170	Suicide by crushing	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
171	Suicide by other means	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
172–175	Homicide (total)	T	61	–	–	–	–	–	–	–	–	–
		M	37	3	–	1	–	–	–	–	1	–
		F	24	2	–	–	–	–	1	–	1	3

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	99	111	124	154	161	165	202	168	175	143	114	87	40	13	2	–	–
	28	29	44	44	51	51	66	78	92	114	150	157	113	33	4	2	–
163–171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	32	36	46	45	43	50	30	42	19	18	9	1	–	–	–	–
	7	12	19	17	22	18	15	8	10	2	1	3	–	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	3	3	3	3	2	2	4	–	2	–	–	–	–	–	–
	3	3	4	5	3	3	2	1	1	–	–	–	–	–	–	–	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	3	1	–	2	–	–	–	–	–	–	–	–	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	–	1	–	2	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	1	1	1	–	1	–	–	–	–	–	–
	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	16	12	16	9	11	12	8	9	3	1	1	–	–	–	–	–
	1	6	10	4	9	5	5	3	2	2	1	2	–	–	–	–	–
164*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	8	5	8	6	5	7	2	4	3	–	1	–	–	–	–	–
	1	4	10	4	6	4	5	2	1	1	1	2	–	–	–	–	–
164*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	8	7	8	3	6	5	6	4	–	1	–	–	–	–	–	–
	–	2	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–
164*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	5	8	8	18	14	18	8	9	2	7	2	–	–	–	–	–
	1	1	4	1	7	2	3	1	1	–	–	1	–	–	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	2	3	1	4	3	3	1	2	3	–	–	–	–	–	–	–
	1	1	1	2	1	3	3	2	1	–	–	–	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	3	4	15	5	7	9	7	13	10	5	6	1	–	–	–	–
	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	1	1	2	5	3	3	1	1	–	–	–	–	–	–
	–	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	3	2	2	3	1	–	–	–	2	–	–	–	–	–	–
	1	–	–	1	1	1	1	–	3	–	–	–	–	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
172–175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	2	4	4	7	2	3	2	2	–	1	–	–	–	–	–
	2	1	5	3	–	1	3	–	1	–	1	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
172	Infanticide (murder of infants under one year of age)	T	4	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
172a	Immediately after birth	T	4	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
172b	Others, under one year	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	14	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	–
		F	5	1	–	–	–	–	1	–	–	–
174	Homicide by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	1	1
175	Homicide by other means	T	36	–	–	–	–	–	–	–	–	–
		M	23	–	–	1	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	2
176–193, 201–214	Accidents (total)	T	2,750	–	–	–	–	–	–	–	–	–
		M	1,697	26	15	24	14	13	55	58	74	93
		F	1,053	19	12	9	11	8	36	15	15	23
176	Attack by venomous animals	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
177	Poisoning by food	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	72	–	–	–	–	–	–	–	–	–
		M	47	–	2	–	1	–	1	–	–	1
		F	25	–	–	–	–	–	–	–	1	1
178a	Illuminating gas	T	44	–	–	–	–	–	–	–	–	–
		M	24	–	2	–	1	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	1	–
178b	Automobile exhaust gas	T	17	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	1
		F	4	–	–	–	–	–	–	–	–	1
178c	Coal and other fuel gases	T	8	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
178x	Other gases	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179	Other acute accidental poisonings (gas excepted)	T	40	–	–	–	–	–	–	–	–	–
		M	25	–	3	4	–	–	–	–	–	1
		F	15	–	2	–	–	–	1	–	–	–
179a	Arsenical group	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179b	Barbituric acid and all derivatives	T	9	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	6	–	–	–	–	–	–	–	–	–
179c	Cresol compounds group	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179d	Mercury compounds	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–
179e	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179f	Lye group	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179g	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179h	Narcotic group	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179m	Methanol, denatured, wood and other alcohols (not ethyl)	T	10	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
179o	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179x	All other poisons or kinds not stated	T	15	–	–	–	–	–	–	–	–	–
		M	10	–	2	4	–	–	–	–	–	–
		F	5	–	2	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	-	3	5	2	3	2	2	-	1	-	-	-	-	-
	2	1	2	1	-	1	3	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176–198, 201–214	68	75	86	104	112	115	150	135	131	122	96	77	39	13	2	-	-
	19	16	20	24	29	32	48	70	81	112	148	154	113	33	4	2	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	2	5	1	1	7	6	6	4	2	1	-	-	-	-	-
	1	1	1	3	-	1	3	3	2	2	5	-	1	-	-	-	-
178a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	-	1	-	3	4	6	2	1	-	-	-	-	-	-
	-	1	1	3	-	1	3	2	2	2	3	-	1	-	-	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	4	-	-	4	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
178c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	2	-	2	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
178x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	3	4	1	1	3	-	1	-	1	-	-	-	-	-	-
	2	1	1	2	2	2	-	1	1	-	-	-	-	-	-	-	-
179a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
179c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
179g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	1	2	1	-	2	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
179o	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
180	Conflagration	T	44	–	–	–	–	–	–	–	–	–
		M	24	–	2	–	–	–	1	–	–	–
		F	20	–	1	1	1	–	1	–	1	2
181	Accidental burns (conflagration excepted)	T	123	–	–	–	–	–	–	–	–	–
		M	76	1	1	3	2	5	2	2	4	2
		F	47	1	1	2	3	2	4	–	1	3
182	Accidental mechanical suffocation	T	49	–	–	–	–	–	–	–	–	–
		M	30	10	1	–	–	–	–	2	3	–
		F	19	14	–	–	–	1	–	–	–	–
183	Accidental drowning	T	173	–	–	–	–	–	–	–	–	–
		M	154	–	2	9	5	4	14	21	15	12
		F	19	–	3	1	1	1	4	4	1	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	19	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	–	5	3
		F	1	–	–	–	–	–	–	1	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–
186	Accidental traumatism by fall, crushing	T	1,207	–	–	–	–	–	–	–	–	–
		M	528	5	1	3	2	–	2	3	5	7
		F	679	1	2	–	–	1	3	1	–	1
186*a*	Fall	T	1,206	–	–	–	–	–	–	–	–	–
		M	527	5	1	3	2	–	2	3	5	7
		F	679	1	2	–	–	1	3	1	–	1
186*b*	Crushing	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	12	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	14	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
192	Lightning	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	12	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	2	3
		F	1	–	–	–	–	–	–	–	–	–
194	Other accidents	T	160	–	–	–	–	–	–	–	–	–
		M	128	10	2	–	1	–	3	6	5	5
		F	32	3	1	–	–	–	4	2	–	2
194*a*	Foreign body	T	33	–	–	–	–	–	–	–	–	–
		M	21	7	1	–	–	–	–	–	–	1
		F	12	2	–	–	–	–	1	–	–	1
194*b*	Others	T	127	–	–	–	–	–	–	–	–	–
		M	107	3	1	–	1	–	3	6	5	4
		F	20	1	1	–	–	–	3	2	–	1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	5	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
202	Accidents from Agricultural machinery	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
202*g*	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	4	2	-	1	3	1	5	-	-	2	-	-	-	-	-
	-	2	1	1	1	3	2	-	-	1	-	1	1	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	8	5	7	6	2	6	5	2	3	3	1	1	-	-	-
	1	1	1	2	1	2	1	4	5	3	2	3	4	-	-	-	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	4	-	2	2	-	3	1	-	-	-	-	-	-
	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	10	6	13	6	4	15	4	4	2	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	2	-	-	3	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	3	-	-	1	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	12	20	21	31	34	40	59	56	70	56	51	33	10	2	-	-
	1	3	2	4	12	17	23	43	53	95	132	144	102	33	4	2	-
186*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	12	20	21	31	33	40	59	56	70	56	51	33	10	2	-	-
	1	3	2	4	12	17	23	43	53	95	132	144	102	33	4	2	-
186*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	1	1	1	2	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	4	1	1	3	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	-	1	1	1	2	-	-	-	-	-
	-	-	-	1	1	-	-	-	2	-	1	-	2	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	7	10	9	17	13	5	14	6	3	2	1	2	-	-	-
	1	2	-	3	2	1	-	2	2	2	1	2	2	-	-	-	-
194*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	2	-	2	1	1	3	1	1	-	-	-	-	-	-
	-	2	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-
194*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	4	7	8	9	15	12	4	11	5	2	2	1	2	-	-	-
	1	-	-	-	1	1	-	1	1	2	1	2	2	-	-	-	-
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
203	Elevator accidents	T	7	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	2	1
		F	1	-	-	-	-	-	-	-	-	-
203*f*	Traumatism by fall	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
203*g*	Traumatism by crushing	T	4	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	2	1
		F	1	-	-	-	-	-	-	-	-	-
204	Accidents from machinery used for recreation	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
205	Other machinery accidents	T	15	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
205*e*	Traumatism by cutting or piercing instruments	T	8	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
205*f*	Traumatism by fall	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
205*g*	Traumatism by crushing	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
205*m*	Other accidents	T	5	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
206	Railroad and automobile collisions	T	4	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1
206*g*	Traumatism by crushing	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
206*m*	Other accidents	T	3	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1
207	Other railroad accidents	T	51	-	-	-	-	-	-	-	-	-
		M	47	-	-	-	-	-	2	1	3	1
		F	4	-	-	-	-	-	1	1	-	-
207*a*	Absorption of poisonous gas	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-
207*e*	Traumatism by cutting or piercing instruments	T	7	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-
207*f*	Traumatism by fall	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
207*g*	Traumatism by crushing	T	11	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-
207*m*	Other accidents	T	28	-	-	-	-	-	-	-	-	-
		M	27	-	-	-	-	-	2	1	3	-
		F	1	-	-	-	-	-	-	-	-	-
208	Street car and automobile collisions	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
208*b*	Burns (conflagration excepted)	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
209	Other street car accidents	T	12	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	2	-
		F	5	-	-	-	-	-	1	2	2	-
209*e*	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
209*g*	Traumatism by crushing	T	8	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-
		F	4	-	-	-	-	-	-	2	2	-
209*m*	Other accidents	T	3	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	1	-	-	-
210	Automobile accidents	T	625	-	-	-	-	-	-	-	-	-
		M	462	-	1	5	3	4	25	16	17	46
		F	163	-	2	4	6	3	15	4	6	13
210*b*	Burns (conflagration excepted)	T	6	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	4	-	4	2	1	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	4	2	2	2	7	10	2	3	2	-	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
207a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
207f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	2	-	2	2	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	1	-	1	3	5	1	3	1	-	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
208b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25	21	19	28	35	34	41	41	31	28	27	11	4	-	-	-	-
	8	4	12	7	9	6	18	14	14	8	6	4	-	-	-	-	-
210b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
210*d*	Drowning	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
210*e*	Traumatism by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
210*f*	Traumatism by fall	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	3	1	1	–
		F	–	–	–	–	–	–	–	–	–	–
210*g*	Traumatism by crushing	T	51	–	–	–	–	–	–	–	–	–
		M	39	–	–	2	3	–	1	3	2	4
		F	12	–	–	1	2	1	3	–	1	–
210*m*	Other accidents	T	554	–	–	–	–	–	–	–	–	–
		M	404	–	1	3	–	4	21	12	14	40
		F	150	–	2	3	4	2	12	4	5	13
211	Motorcycle accidents	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–
211*m*	Other accidents	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	18	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	1	3	–	–
		F	6	–	–	1	–	–	1	–	1	–
212*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–
212*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–
212*f*	Traumatism by fall	T	9	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	1	–	–
		F	4	–	–	–	–	–	–	–	1	–
212*g*	Traumatism by crushing	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
212*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
213	Water transportation accidents	T	41	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	–	–	3	3	6	5
		F	4	–	–	–	–	–	1	–	2	–
213*d*	Drowning	T	38	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	3	3	6	5
		F	4	–	–	–	–	–	1	–	2	–
213*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
213*g*	Traumatism by crushing	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
213*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	11	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	2
		F	1	–	–	–	–	–	–	–	–	–
214*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
214*f*	Traumatism by fall	T	5	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–
214*m*	Other accidents	T	5	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
XVIII.	Ill-defined Causes of Death	T	34	–	–	–	–	–	–	–	–	–
		M	17	3	–	–	–	–	1	–	–	1
		F	17	4	–	–	–	–	1	1	–	–
199	Sudden death	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined	T	34	–	–	–	–	–	–	–	–	–
		M	17	3	–	–	–	–	1	–	–	1
		F	17	4	–	–	–	–	1	1	–	–
200*a*	Ill-defined	T	27	–	–	–	–	–	–	–	–	–
		M	13	1	–	–	–	–	1	–	–	1
		F	14	2	–	–	–	–	1	1	–	–
200*b*	Not specified or unknown	T	7	–	–	–	–	–	–	–	–	–
		M	4	2	–	–	–	–	–	–	–	–
		F	3	2	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1939.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
210*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	3	1	2	2	3	3	4	-	2	1	-	-	-	-	-	-
	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
210*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20	17	16	24	31	30	37	36	31	26	26	11	4	-	-	-	-
	8	4	11	6	9	6	16	14	13	8	6	4	-	-	-	-	-
211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	1	-	2	-	1	2	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
212*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
212*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	4	2	3	1	1	1	-	-	-	-	1	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	3	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	2	1	2	1	2	1	1	-	-	-	-	-
	-	-	1	-	2	1	2	-	1	2	-	2	-	-	-	-	-
199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	2	1	2	1	2	1	1	-	-	-	-	-
	-	-	1	-	2	1	2	-	1	2	-	2	-	-	-	-	-
200*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	2	1	2	1	2	-	1	-	-	-	-	-
	-	-	1	-	2	1	1	-	1	2	-	2	-	-	-	-	-
200*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 15

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes	T	1 034	80	86	88	91	66	78	93	120	82	76	86	88
		M	587	46	48	48	54	43	42	51	68	44	52	41	50
		F	447	34	38	40	37	23	36	42	52	38	24	45	38
I.	Infections and Parasitic Diseases	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	4	4	3	4	4	6	4	3	3	8	2	4
		F	23	1	1	1	3	1	1	2	1	2	2	2	6
7	Measles	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	1	–	–	–	–	–	–	–	–
		F	5	–	–	1	1	–	–	–	–	1	–	–	2
11*a*	With respiratory complications specified	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	–	–	1
11*b*	Without respiratory complications specified	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	–	–	–	1	–	–	1
23–32	Tuberculosis (total)	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	2	3	1	3	3	5	4	1	3	7	1	4
		F	15	1	1	–	1	–	1	2	1	1	2	2	3
23	Tuberculosis of the respiratory system	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	2	3	1	3	3	4	4	1	3	7	1	4
		F	11	1	1	–	1	–	1	2	–	1	–	2	2
24	Tuberculosis of the meninges and central nervous system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
25	Tuberculosis of the intestines and peritoneum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Tuberculosis of the vertebral column	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
27*b*	Tuberculosis of the joints	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
34*c*	Syphilis, unspecified	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	–	–	–	1	–	–	1	–
		F	2	–	–	–	1	–	–	–	–	–	–	–	1
35	Gonococcus infection and other venereal diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
38	Malaria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	243	–	–	–	–	–	–	–	–	–	–	–	–
		M	119	5	12	10	11	13	9	7	14	9	6	13	10
		F	124	15	4	15	9	5	16	11	13	8	4	13	11
45–53	Cancer and other malignant tumors (total)	T	217	–	–	–	–	–	–	–	–	–	–	–	–
		M	110	4	12	9	10	12	9	6	11	9	6	12	10
		F	107	14	2	13	9	3	13	7	12	8	3	13	10
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	2	–	–	–	1	–
		F	3	–	–	1	–	–	1	–	–	–	–	–	1
45*a*	Lip	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*b*	Tongue	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
45*d*	Jaw	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
45*e*	Other and unspecified parts of buccal cavity	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritorium	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	3	5	5	4	6	4	3	8	6	4	5	3
		F	47	8	1	2	3	1	4	5	6	4	2	7	4
46*a*	Esophagus	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	1	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	41	8	1	6	2	12	8	17	52	67	140	181	214	190	80	15	-	-
	23	6	-	3	-	6	5	10	33	47	90	109	119	103	31	2	-	-
	18	2	1	3	2	6	3	7	19	20	50	72	95	87	49	13	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	-	-	-	1	1	-	4	5	27	4	2	1	-	-	-	-
	-	-	-	1	1	1	-	1	3	5	2	-	5	4	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-
11*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
11*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	4	3	23	4	-	1	-	-	-	-
	-	-	-	1	1	-	-	1	3	4	-	-	3	2	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	3	3	23	4	-	1	-	-	-	-
	-	-	-	-	-	-	-	1	3	4	-	-	1	2	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
27*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
34*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	3	2	1	4	16	33	30	21	8	-	-	-
	-	-	-	-	1	1	-	2	6	3	23	29	26	24	7	2	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	2	2	1	2	14	30	29	21	8	-	-	-
	-	-	-	-	-	-	-	1	3	2	19	24	25	24	7	2	-	-
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
45*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
45*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	7	18	19	9	1	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	10	13	18	2	-	-	-
46*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total	January	February	March	April	May	June	July	August	September	October	November	December
46b	Stomach and duodenum	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	1	2	1	1	-	2	2	1	-	1	2
		F	13	4	1	-	1	-	2	-	2	-	-	2	1
46c	Intestine (except rectum and anus)	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	1	1	3	2	1	-	1	2	-	3	-
		F	18	1	-	1	1	-	1	2	2	3	2	3	2
46d	Rectum and anus	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	2	-	-	2	3	1	1	-	2	-	-
		F	8	1	-	-	1	1	1	1	2	-	-	1	-
46e	Liver and biliary passages	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	-	-	2	2	-	-	-
		F	3	-	-	1	-	-	-	1	-	-	-	-	1
46f	Pancreas	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	-	1	-	-	2	1	1	-	-
		F	4	1	-	-	-	-	-	1	-	1	-	1	-
46g	Mesentery and peritoneum	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
47	Cancer and other malignant tumors of the respiratory system	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	2	-	-	1	2	1	-	1	-	1	1
		F	4	1	1	-	1	-	-	-	-	-	-	-	1
47a	Larynx	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
47b	Lungs and pleura	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	2	-	-	1	2	1	-	1	-	1	1
		F	3	1	1	-	-	-	-	-	-	-	-	-	1
48	Cancer and other malignant tumors of the uterus	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	2	-	3	1	-	2	1	3	2	-	3	2
49a	Cancer and other malignant tumors of the ovary and Fallopian tube	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	2	-	-	-	-	-	-	-	-	-
50	Cancer and other malignant tumors of the breast	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	2	-	3	3	1	3	-	2	1	1	2	1
51	Cancer and other malignant tumors of the male genito-urinary organs	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	3	2	4	2	3	-	2	1	-	4	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	Bladder (male)	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	2	1	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	Prostate	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	3	2	2	-	2	-	2	1	-	4	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	Testes	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Cancer and other malignant tumors of the skin	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	1	-	-	-	-	1	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
53	Cancer and other malignant tumors of other or unspecified organs	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	1	2	2	1	-	-	1	1	1	1	4
		F	12	-	-	2	1	1	3	1	1	1	-	1	1
53b	Bladder (female)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
53c	Brain	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	-	-	-	1	-	1	2
		F	8	-	-	2	1	1	1	1	-	1	-	1	-
53d	Bones (except jaw)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
53e	Others	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	-	2	-	-	-	1	-	1	-	2
		F	2	-	-	-	-	-	1	-	-	-	-	-	1
54	Nonmalignant tumors	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	1	-	-	-	1	3	-	-	1	-
		F	13	-	2	2	-	2	3	2	1	-	1	-	-
54b	Of the uterus	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	1	2	-	-	-	-	-	-
54d	Of the brain	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	-	-	3	-	-	1	-
		F	8	-	1	1	-	1	1	2	1	-	1	-	-
54e	Of other organs	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	2	5	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	4	5	-	-	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	5	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	5	8	2	-	-	-
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	2	5	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
46g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	6	3	5	1	4	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	5	6	3	-	1	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	2	7	9	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	4	9	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	1	1	1	5	2	1	-	1	-	-	-
	-	-	-	-	-	-	-	1	2	-	5	4	-	-	-	-	-	-
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	5	1	-	-	-	-	-	-
53d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-
	-	-	-	-	1	1	-	-	3	-	4	3	1	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
	-	-	-	-	1	1	-	-	2	-	1	2	1	-	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
55d	Tumors of the brain, nature not specified	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	4	1	–	–	–	–	–	2	–	–	–	–	1
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	–	–	1	–	1	1	1	2	1	3
		F	16	1	3	2	3	1	–	1	1	1	–	2	1
56	Acute rheumatic fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	–	–	1	–	1	1	1	1	1	3
		F	14	1	3	2	3	1	–	–	–	1	–	2	1
66	Diseases of the thyroid and parathyroid glands	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
66a	Simple goiter	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
66b	Exophthalmic goiter	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
IV.	Diseases of the Blood and Bloodmaking Organs	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	1	–	1	1	1	1	–	1	–
		F	3	–	–	–	2	–	–	–	1	–	–	–	–
71a	Pernicious anemia	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
72	Leukemias and pseudoleukemias	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	1	–	–	–
		F	3	–	–	–	2	–	–	–	1	–	–	–	–
72a	True leukemias	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	2	–	–	–	1	–	–	–	–
72b	Pseudoleukemias (Hodgkin's disease)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
74	Other diseases of the blood and bloodmaking organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisonings and Intoxications	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
75	Alcoholism (acute or chronic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	7	3	5	5	5	6	3	4	1	3	1	2
		F	45	2	4	6	4	2	2	6	2	5	4	3	5
78a	Abscess of the brain	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79	Meningitis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	–	1	–	–
79a	Simple meningitis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
79b	Nonepidemic cerebrospinal meningitis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
81	Other diseases of the spinal cord	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	6	1	4	3	4	5	2	3	1	3	–	1
		F	37	1	3	6	2	1	2	6	2	4	3	3	4
82a	Cerebral hemorrhage	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	6	1	4	2	3	3	2	2	1	3	–	1
		F	32	1	3	4	2	1	1	6	1	4	2	3	4
82b	Cerebral embolism and thrombosis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	1	2	–	1	–	–	–	–
		F	5	–	–	2	–	–	1	–	1	–	1	–	–
83	General paralysis of the insane	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	1	1	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	3	4	2	-	1	-	-	-
	-	-	-	-	-	-	1	-	1	-	-	6	7	1	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	4	2	-	1	-	-	-
	-	-	-	-	-	-	1	-	1	-	-	5	6	1	-	-	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
66a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	2	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	-	-	1	3	5	6	8	9	9	1	-	-	-
	-	1	-	-	-	2	-	1	1	2	7	4	7	11	8	1	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	3	3	2	5	9	9	1	-	-	-
	-	-	-	-	-	-	-	1	-	1	7	2	7	10	8	1	-	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	2	5	8	9	1	-	-	-
	-	-	-	-	-	-	-	1	-	1	5	2	6	10	6	1	-	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
85	Epilepsy	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
87b	Other diseases of the nervous system	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	1	-	-	-	-	-	-	-	-
88	Diseases of the organs of vision	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
89	Diseases of the ear and of the mastoid process	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
89a	Diseases of the ear	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
89b	Diseases of the mastoid process	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	Diseases of the Circulatory System	T	283	-	-	-	-	-	-	-	-	-	-	-	-
		M	160	8	12	18	10	10	13	16	20	16	9	12	16
		F	123	6	15	10	9	6	9	9	19	14	4	11	11
91a	Acute endocarditis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
92	Chronic endocarditis, valvular diseases	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	-	1	2	1	-	1	3	2	1	1	-
		F	11	-	2	1	-	-	2	1	1	3	-	-	1
92a	Endocarditis specified as chronic and valvular disease	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	1	2	1	-	1	3	1	-	1	-
		F	9	-	2	1	-	-	1	1	1	3	-	-	-
92b	Endocarditis unspecified (45 years and over)	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	1	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	1
93	Diseases of the myocardium	T	76	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	2	3	6	1	3	4	3	4	3	3	1	2
		F	41	4	6	5	5	2	2	1	5	3	1	4	3
93a	Acute Myocarditis	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	1	-
93c	Chronic myocarditis and myocardial degeneration	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	2	4	-	2	2	-	2	1	2	1	1
		F	30	3	4	3	5	2	1	-	4	2	1	2	3
93d	Other diseases of the myocardium	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	1	2	1	1	2	3	2	2	1	-	1
		F	9	1	2	2	-	-	1	1	-	1	-	1	-
94	Diseases of the coronary arteries and angina pectoris	T	85	-	-	-	-	-	-	-	-	-	-	-	-
		M	58	3	7	3	5	5	3	7	7	5	2	5	6
		F	27	-	2	-	2	2	4	1	8	2	1	3	2
94a	Angina pectoris	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
94b	Diseases of the coronary arteries	T	83	-	-	-	-	-	-	-	-	-	-	-	-
		M	57	3	7	2	5	5	3	7	7	5	2	5	6
		F	26	-	2	-	2	1	4	1	8	2	1	3	2
95b	Other and unspecified diseases of the heart	T	88	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	2	-	6	2	1	6	5	6	5	3	5	8
		F	39	2	4	4	2	2	1	5	4	5	2	3	5
96	Aneurysm (except of the heart)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	2	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	1	-	1	-	-	-
99	Other diseases of the arteries	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
VIII.	Diseases of the Respiratory System	T	41	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	3	3	5	3	2	-	2	2	1	4	-	1
		F	15	3	3	2	1	1	1	-	-	-	2	1	1
104	Diseases of the nasal fossae and annexae	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
106a	Acute	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
89a	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
89b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	-	1	-	1	2	1	3	8	1	5	2	-	-	-
104	1	-	-	1	-	-	-	-	-	-	2	2	3	2	2	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106a	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
106d	Unspecified (5 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
107a	Bronchopneumonia	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	2	1	1	–	1	1	–	1	–	–
		F	7	2	1	2	–	–	–	–	–	–	1	1	–
108	Lobar pneumonia	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	2	1	2	1	–	1	–	–	2	–	–
		F	4	1	2	–	–	–	–	–	–	–	–	–	1
110	Pleurisy	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	1	1	–	–
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
112	Asthma	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
114b	Other diseases of the respiratory system (tuberculosis excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	3	3	3	3	2	2	1	5	2	6	3	1
		F	27	1	3	–	2	3	2	3	4	2	2	4	1
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	3	–	1	–	–	–	–	1	1	–	–	–	–
115a	Pharnyx and tonsils	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	1	–	–	–	–	–	1	–	–	–	–
115b	Diseases of buccal cavity and annexa	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
117	Ulcer of the stomach and duodenum	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	–	1	–	1	1	1	–	3	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117a	Stomach	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	–	–	–	1	–	–	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117b	Duodenum	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	1	–	1	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
118	Other diseases of the stomach (cancer excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
120b	Ulceration of intestines	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	–	1	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
121	Appendicitis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	2	–	1	1	–	–	1	1	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
122	Hernia, intestinal obstruction	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	2	–	–	–	1	–	–	1	–
		F	6	1	–	–	1	1	1	–	–	–	–	1	1
122a	Hernia	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	3	–	–	–	1	–	1	–	–	–	–	–	1
122b	Intestinal obstruction	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	1	–	–	–	1	–	–	–	–
		F	3	1	–	–	–	1	–	–	–	–	–	1	–
124b	Cirrhosis of the liver, not specified as alcoholic	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	6	–	1	–	–	–	–	1	1	–	1	2	–
125b	Other diseases of the liver	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
126	Biliary calculi	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	1	–	–	1	–	–	1	–	–	1	–
127	Other diseases of the gall bladder and biliary passages	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	1	–	–	–	1	1	–	–
128	Diseases of the pancreas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
106d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	2	-	-	4	-	3	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
114b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	3	3	8	3	8	5	1	-	-	-
	1	-	-	-	-	-	-	-	1	2	2	9	8	3	1	-	-	-
115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
115a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
115b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	4	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	4	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-
125b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
X.	Diseases of the Genitourinary System	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	7	2	1	4	2	3	3	3	2	6	1	4
		F	23	1	–	2	1	1	1	8	2	2	2	1	2
130	Acute nephritis (including unspecified under 10 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
131	Chronic nephritis	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	4	2	–	1	1	2	3	1	1	4	1	2
		F	16	–	–	2	1	1	1	5	2	–	2	1	1
132	Nephritis, unspecified (10 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	2	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	–	1
133a	Pyelitis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	2	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
133b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
134b	Calculi of the bladder	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	–	–	1	1	1	–	–	1	2	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	3	–	–	–	–	–
139a	Cysts of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
139b	Other diseases of the ovaries, tubes and parametrium	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
139c	Diseases of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
145a	Puerperal septicemia and pyemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
153	Other diseases of the skin, and annexa and of the cellular tissue	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
XIII.	Diseases of the Bones and Organs of Locomotion	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
154	Osteomyelitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	–	–	1	–	–	2	2	–	–
		F	5	2	–	–	1	–	–	–	–	–	1	1	–
157	Congenital malformations (stillbirths not included)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	–	–	1	–	–	2	2	–	–
		F	5	2	–	–	1	–	–	–	–	–	1	1	–
157a	Congenital hydrocephalus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
157c	Congenital malformation of the heart	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
157d	Others	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	–	1	–	–	2	1	–	–
		F	3	1	–	–	1	–	–	–	–	–	–	1	–
XV.	Diseases of Early Infancy	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	1	–	2	4	1	–	1	1
		F	11	–	–	1	–	1	1	–	5	1	–	2	–
159	Premature birth	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	–	3	1	–	–	1
		F	8	–	–	–	–	1	1	–	3	1	–	2	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	2	3	3	7	19	2	-	-	-
	-	-	1	-	-	1	-	1	-	2	5	6	2	3	1	1	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	3	2	2	12	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	5	2	3	1	1	-	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
133b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	6	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
139c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
145a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
160*b*	Injury at birth, without Cesarean operation	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	2	1	–	–	1	–
		F	2	–	–	1	–	–	–	–	1	–	–	–	–
161*a*	Atelectasis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
XVII.	Violent and Accidental Deaths	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	6	5	2	10	3	1	10	9	5	6	6	8
		F	30	2	4	1	2	2	3	2	4	2	3	5	–
163–171	Suicide (total)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	–	3	–	–	3	1	–	–	1	–
		F	7	1	2	–	1	1	–	1	–	–	–	1	–
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	2	–	1	–	–	1	–	–	–	–	–	–	–
163*b*	Barbituric acid and all derivatives	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
163*d*	Mercury compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	All other poisons or kinds not stated	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
164*b*	Automobile exhaust gas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
165	Suicide by hanging or strangulation	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	2	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
166	Suicide by drowning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
167	Suicide by firearms	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	–	–	–	1	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169	Suicide by jumping from high places	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
170	Suicide by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
175	Homicide, assault	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
176–198, 201–214	Accidents (total)	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	60	4	4	2	7	3	1	7	8	5	6	5	8
		F	22	1	2	1	1	1	3	1	3	2	3	4	–
178	Accidental absorption of poisonous gas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178*b*	Automobile exhaust gas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178*c*	Coal and other fuel gases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*x*	All other poisons or kinds not stated	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Conflagration	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
181	Accidental burns (conflagration excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	3	–	1	–	–	–	1	–	–	1	–	–	–
183	Accidental drowning	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	2	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
186	Accidental traumatism by fall, crushing	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	1	–	–	–	–	1	2	–	1
		F	9	–	–	–	–	1	1	–	1	1	2	3	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
160b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	4	15	12	7	13	14	5	-	-	-	-
	-	1	-	1	-	-	1	1	3	3	5	3	2	5	4	1	-	-
163–171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	2	3	1	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	2	-	-	1	-	-	-	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
163b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
163d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
164b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
176–198,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201–214	-	-	-	1	-	-	-	4	14	9	5	9	13	5	-	-	-	-
	-	1	-	1	-	-	1	-	2	1	2	3	2	4	4	1	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	-	1	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	1	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
186a	Fall	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	1	–	–	–	–	1	1	–	1
		F	9	–	–	–	–	1	1	–	1	1	2	3	–
186b	Crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	2	–	–	–	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
194a	Foreign body	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
194b	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	2	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
205m	Other machinery accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207	Other railroad accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207a	Accidental absorption of poisonous gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207m	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210	Automobile accidents	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	2	–	1	3	2	–	4	3	3	2	4	4
		F	7	–	1	1	1	–	–	1	1	–	1	1	–
210g	Traumatism by crushing	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
210m	Other accidents	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	2	–	1	3	2	–	4	3	3	1	4	4
		F	6	–	1	1	1	–	–	1	1	–	–	1	–
212f	Other land transportation accidents (fall)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213	Water transportation accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	1	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213d	Drowning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII.	Ill-defined Causes of Death	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200a	Cardiac failure	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	1	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	1	-	-
186b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
194a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
194b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	5	4	1	5	8	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-
210g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	5	4	1	4	8	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-
212f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes	T	419	47	35	38	30	54	22	39	37	31	29	30	27
		M	283	31	23	31	24	39	10	24	24	19	18	22	18
		F	136	16	12	7	6	15	12	15	13	12	11	8	9
I.	Infectious and Parasitic Diseases	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	2	–	2	1	–	–	–	–	1	–	–
		F	6	–	–	–	–	–	2	–	1	–	–	2	1
11*a*	Influenza, with respiratory complications specified	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
22	Tetanus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
23	Tuberculosis of the respiratory system	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	1	1	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	1	–	–	–	–	–	1
34	Syphilis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
34*a*	Congenital	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
34*c*	Unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
36	Purulent infection, septicemia, non-pureperal	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
II.	Cancers and Other Tumors	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	3	3	3	5	1	–	1	3	–	3	1
		F	14	1	1	1	–	2	3	1	2	1	1	1	–
45–53	Cancer and other malignant tumors (total)	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	3	3	3	5	1	–	1	3	–	3	1
		F	13	1	1	1	–	2	3	1	2	1	–	1	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	2	2	3	4	–	–	1	2	–	1	–
		F	10	1	–	1	–	1	3	1	2	1	–	–	–
46*a*	Esophagus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46*b*	Stomach and duodenum	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	1	–	–	2	–	–	1	1	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
46*c*	Intestine (except rectum and anus)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	2	1	2	–	–	–	–
46*d*	Rectum and anus	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	3	1	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–
46*e*	Liver and biliary passages	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46*f*	Pancreas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
46*g*	Mesentery and peritoneum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*a*	Larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*b*	Lungs and pleura	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*c*	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
50	Cancer and other malignant tumors of the breast	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
51	Cancer and other malignant tumors of the male genito-urinary organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown
	AGE OF DECEDENTS (YEARS).																	
	8	2	1	-	-	5	1	5	25	23	72	76	88	79	32	2	-	-
	6	2	1	-	-	2	1	5	21	17	53	56	52	49	17	1	-	-
	2	-	-	-	-	3	-	-	4	6	19	20	36	30	15	1	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	2	4	-	-	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	2	3	-	-	1	-	-	-	-
11a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
34a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
34c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	8	5	8	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	5	5	1	-	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	8	5	8	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	4	5	1	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	4	5	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	5	1	-	-	-
46a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
46g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
51b	Bladder (male)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	Prostate	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Cancer and other malignant tumors of the skin	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
53e	Cancer and other malignant tumors of other or unspecified organs	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
55d	Tumors of which the nature is not specified (brain)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	2	-	-	-	1	-	-	-	-	-	-	1
		F	3	-	1	-	-	-	-	-	-	1	1	-	-
56	Acute rheumatic fever	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-	1	1	-	-
66b	Exophthalmic goiter	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
IV.	Diseases of the Blood and Blood-making Organs	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
70a	Primary purpuras	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
74	Other diseases of the blood and blood-making organs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	1	3	4	1	2	-	2	1	-	4	1	-
		F	18	4	1	1	1	2	1	-	1	3	2	-	2
79a	Simple meningitis	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	3	2	1	2	-	1	1	-	4	-	-
		F	16	4	1	1	1	1	1	-	1	2	2	-	2
82a	Cerebral hemorrhage	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	3	1	1	2	-	1	1	-	4	-	-
		F	11	3	1	1	1	-	-	-	1	2	1	-	1
82b	Cerebral embolism and thrombosis	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	1	-	-	-	-	-	-	-	-	-
		F	5	1	-	-	-	1	1	-	-	-	1	-	1
85	Epilepsy	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	Other diseases of the nervous system	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
89b	Diseases of the mastoid process	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	Diseases of the Circulatory System	T	150	-	-	-	-	-	-	-	-	-	-	-	-
		M	102	8	10	12	10	15	5	7	10	6	5	6	8
		F	48	4	6	3	3	6	4	5	5	4	4	3	1
92a	Endocarditis specified as chronic and valvular disease	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	1	1	2	1	-	1	-	-	-	1
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
93	Diseases of the myocardium	T	43	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	2	1	5	2	4	2	1	2	1	2	2	2
		F	17	4	4	1	-	1	-	2	1	1	2	1	-
93a	Acute myocarditis	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
93c	Chronic myocarditis and myocardial degeneration	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	1	2	1	4	1	1	1	1	1	2	-
		F	12	3	3	1	-	-	-	1	1	1	2	-	-
93d	Other diseases of the myocardium	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	3	1	-	-	-	1	-	1	-	2
		F	4	1	1	-	-	-	-	1	-	-	-	1	-

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
66b	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
70a	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	2	6	4	3	3	-	-	-
79a	-	-	-	-	-	-	-	-	2	-	3	4	3	3	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82a	-	-	-	-	-	-	-	-	-	-	1	4	4	3	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	4	3	3	3	-	-	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	3	3	3	-	-	-
85	-	-	-	-	-	-	-	-	-	-	3	2	3	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-
89b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	6	3	8	6	2	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	2	1	6	5	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	1	4	5	2	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	2	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months. Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
94	Diseases of the coronary arteries and angina pectoris	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	4	5	5	3	6	1	5	5	4	2	3	4
		F	13	–	–	1	–	2	2	1	2	2	1	2	–
94a	Angina pectoris	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	1	1	1	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
94b	Diseases of the coronary arteries	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	5	5	3	6	1	4	4	3	2	3	4
		F	12	–	–	–	–	2	2	1	2	2	1	2	–
95b	Other and unspecified diseases of the heart	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	3	–	3	2	–	1	1	1	–	1	1
		F	15	–	1	1	3	2	1	2	2	1	1	–	1
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	1	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
98	Gangrene	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
99	Other diseases of the arteries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	3	1	1	1	–	–	1	–	–	2	1
		F	9	3	1	–	1	–	1	1	–	–	1	–	1
107a	Bronchopneumonia	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	3	2	–	–	–	–	1	–	–	–	–	–	–
108	Lobar pneumonia	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	1	1	–	1	–	–	1	–	–	2	1
		F	5	1	1	–	1	–	–	1	–	–	1	–	–
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
111a	Pulmonary embolism and thrombosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
111b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	2	1	2	3	–	3	3	3	–	1	2
		F	6	–	–	–	–	1	–	2	1	1	1	–	–
115a	Diseases of the pharynx and tonsils	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
117a	Ulcer of the stomach	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
118	Other diseases of the stomach (cancer excepted)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
120a	Diarrhea, enteritis (2 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Appendicitis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	–	–	1	1	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
122	Hernia, intestinal obstruction	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	2	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
122a	Hernia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124a	Specified as alcoholic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	10	16	10	9	-	-	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	2	5	3	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	9	14	9	9	-	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	3	5	4	2	-	-	-
97	-	-	-	-	-	-	-	-	-	-	3	3	6	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	1	4	3	3	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	1	3	3	3	4	3	1	-	-	-
	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	-
115a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
124b	Not specified as alcoholic	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
125a	Yellow atrophy of liver	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
126	Biliary calculi	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
127	Other diseases of the gall bladder and biliary passages	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Diseases of the pancreas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
129	Peritonitis, cause not specified	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
X.	Diseases of the Genitourinary System	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	3	-	2	1	1	-	3	-	2	3	1	1
		F	14	3	1	-	-	2	1	1	3	1	-	1	1
130	Acute nephritis (including unspecified under 10 years of age)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
131	Chronic nephritis	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	2	-	-	-	3	-	2	1	1	1
		F	13	3	1	-	-	1	1	1	3	1	-	1	1
137	Diseases of the prostate	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	2	-	-	1	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
139c	Diseases of the uterus	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
XIV.	Congenital Malformations	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
157d	Congenital malformation (monstrosity)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	Diseases of Early Infancy	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	2	1	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
159	Premature birth	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	2	1	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
XVI.	Senility	T	1	-	-	-	-	-	-	-	-	-	-	-	-
162		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
XVII.	Violent and Accidental Deaths	T	74	-	-	-	-	-	-	-	-	-	-	-	-
		M	64	9	-	7	3	7	3	8	8	4	4	8	3
		F	10	1	-	2	1	1	-	3	-	1	-	-	1
163–171	Suicide (total)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	1	1	1	2	-	-	-	-	-
		F	2	-	-	-	1	-	-	1	-	-	-	-	-
164a	Suicide by illuminating gas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
165	Suicide by hanging or strangulation	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
166	Suicide by drowning	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
167	Suicide by firearms	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
168	Suicide by cutting or piercing instruments	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
176–198, 201–214	Accidents (total)	T	66	-	-	-	-	-	-	-	-	-	-	-	-
		M	58	9	-	6	2	6	2	6	8	4	4	8	3
		F	8	1	-	2	-	1	-	2	-	1	-	-	1
176	Attack by venomous animals	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
177	Poisoning by food	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
124*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	7	1	2	6	1	-	-	-
	-	-	-	-	-	1	-	-	1	-	2	1	4	3	2	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	6	-	1	3	1	-	-	-
	-	-	-	-	-	1	-	-	-	-	2	1	4	3	2	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	2	1	3	15	7	15	9	9	1	-	1	-	-
	-	-	-	-	-	-	-	-	1	2	3	1	2	1	-	-	-	-
163–171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
164*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
176–198, 201–214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	2	1	2	13	7	14	8	8	1	-	1	-	-
	-	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
178	Accidental absorption of poisonous gas	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
178a	Illuminating gas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
178b	Automobile exhaust gas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
181	Accidental burns (conflagration excepted)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
183	Accidental drowning	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	-	3	1	1	-	3	1	1	-	2	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
184	Accidental traumatism by firearms (wounds of war excepted)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
186a	Accidental traumatism by fall	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	-	-	-	1	-	-	-	-
		F	2	-	-	1	-	1	-	-	-	-	-	-	-
194b	Other accidents	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	-	-	-	3	1	-	1	1	-	-	1
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
195	Violent deaths of which the nature (accident, suicide or homicide) is unknown	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
207	Other railroad accidents	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
207e	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	Other accidents	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210	Automobile accidents	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	4	-	1	-	1	-	1	1	2	2	2	-
		F	5	1	-	1	-	-	-	2	-	-	-	-	1
210b	Burns (conflagration excepted)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210e	Traumatism by cutting or piercing instruments	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210g	Traumatism by crushing	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210m	Other accidents	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	-	1	-	1	-	1	-	2	1	2	-
		F	5	1	-	1	-	-	-	2	-	-	-	-	1
211m	Motorcycle accidents	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
213d	Water transportation accidents (drowning)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
214f	Air transportation accidents (fall)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII.	Ill-defined Causes of Death	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	1	1	-	1	-	-	-	-	-
		F	5	-	1	-	-	1	-	1	-	-	1	1	-
200	Cause of death not specified or ill-defined	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	1	1	-	1	-	-	-	-	-
		F	5	-	1	-	-	1	-	1	-	-	1	1	-
200a	Ill-defined	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	1	-	1	-	-	-	-	-
		F	4	-	-	-	-	1	-	1	-	-	1	1	-
200b	Not specified or unknown	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1939.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
178a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	2	1	2	6	1	1	1	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
194b	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-	-	-
195	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
207e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	5	1	1	3	2	-	-	-	-	-
210b	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210e	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210g	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210m	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211m	-	-	-	-	-	1	1	-	4	-	-	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-
213d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
214f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
XVIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
200	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
200a	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
200b	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	50,292	88	28	33	155	74	4	132	68	137
(1)	Typhoid and paratyphoid fever (1, 2)	13	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	16	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	15	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	45	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	15	–	–	–	–	–	–	–	–	1
(8)	Influenza (11)	230	–	–	–	2	–	–	4	–	1
(10)	Tuberculosis of the respiratory system (23)	1,505	1	–	3	7	1	–	5	2	2
(11)	Tuberculosis of the meninges and central nervous system (24)	29	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	68	–	–	–	2	–	–	1	–	–
(12)	Syphilis (34)	204	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	1	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	20	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	4	–	–	–	1	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	17	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	6,914	10	3	6	19	13	–	19	4	12
(17)	Rheumatism (56, 57, 58)	68	–	–	–	1	–	–	1	–	–
(18)	Diabetes mellitus (59)	1,506	3	2	2	8	–	–	5	–	5
(19)	Alcoholism (acute or chronic) (75)	198	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,504	12	1	7	9	8	–	7	10	15
(24)	Acute endocarditis (91)	116	–	–	–	–	1	–	–	–	1
(24)	Angina pectoris (94a)	251	–	1	–	1	–	1	–	2	5
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	17,237	36	8	7	51	24	1	37	16	49
(25)	Arteriosclerosis (97)	793	1	–	1	–	–	–	3	3	2
(26)	Bronchitis (106)	92	1	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,882	2	1	–	4	4	–	6	7	5
(27)	Lobar pneumonia (108)	1,211	1	–	1	5	2	–	2	1	4
(27)	Pneumonia (unspecified) (109)	33	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	301	–	–	–	1	–	–	–	2	–
(29)	Diarrhea and enteritis (under 2 years) (119)	90	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	423	–	–	–	2	–	1	–	–	–
(31)	Cirrhosis of the liver (124)	483	–	1	–	1	3	–	–	–	–
(32)	Diseases of the stomach (117, 118)	357	1	1	–	2	1	–	2	–	4
(32)	Hernia, intestinal obstruction (122)	384	–	–	–	–	1	–	1	2	–
(33)	Nephritis (130–132)	2,916	6	6	–	5	6	1	20	2	11
(34)	Diseases of the female genital organs, not specified as venereal (139)	69	1	–	–	–	1	–	–	1	–
(35)	Puerperal septicemia (140, 145)	65	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	145	3	–	–	2	–	–	–	–	1
(38)	Congenital malformations (157)	385	–	–	–	5	–	–	2	1	1
(38)	Congenital debility (158)	20	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	782	1	1	1	2	–	–	2	–	–
(39)	Senility (162)	32	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	570	–	1	1	3	1	–	2	–	2
(41)	Homicide (172–175)	61	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2,750	4	1	2	9	3	–	4	7	9
(42)	*Burns (conflagration excepted) (181)*	123	–	–	–	–	1	–	–	–	3
(42)	*Accidental drowning (183)*	173	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	1,206	2	–	1	2	1	–	4	1	4
(42)	*Railroad and automobile collisions (206)*	4	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	51	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	1	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	12	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	625	2	–	1	5	1	–	–	6	2
(42)	*All others*	557	–	1	–	2	–	–	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	3,438	5	1	2	13	5	–	7	7	7
(43)	Cause of death not specified or ill-defined (199, 200)	34	–	–	–	–	–	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley	Berlin.
	405	26	9	10	41	144	265	65	36	50	125	36	6	40	36	26	214	14	6
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	1	–	–	–	–	3	3	–	–	–	3	–	–	–	–	–	–	–	–
(10)	6	–	–	–	–	1	3	2	–	1	3	–	–	–	1	1	6	–	–
(11)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	1	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	37	1	–	2	10	18	33	5	9	4	13	6	–	3	6	4	44	3	–
(17)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(18)	11	–	–	1	1	1	6	2	2	3	2	2	–	2	–	1	5	1	–
(19)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(22)	57	4	1	2	8	13	19	8	5	4	13	5	–	4	3	2	11	3	1
(24)	1	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	1	–	–
(24)	2	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	1	–	–
(24)	142	6	5	1	12	50	106	23	10	26	34	10	4	14	12	4	74	3	4
(25)	7	1	–	2	–	4	5	4	–	–	1	–	–	1	–	–	2	–	–
(26)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(27)	15	2	–	–	2	4	4	5	2	1	5	–	–	1	–	5	7	1	1
(27)	9	–	–	–	1	7	9	–	–	1	8	1	–	–	1	1	5	3	–
(27)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	2	–	–	–	–	–	1	1	–	1	1	–	–	–	–	1	2	–	–
(29)	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(30)	4	2	–	–	–	–	1	2	–	–	2	–	–	–	–	–	3	–	–
(31)	6	–	–	–	–	–	2	–	1	–	1	2	–	–	1	–	–	–	–
(32)	5	–	–	–	–	1	5	–	–	–	–	–	–	–	1	–	2	–	–
(32)	4	1	–	1	1	1	3	–	–	–	–	–	–	–	–	–	1	–	–
(33)	20	2	1	1	2	12	19	2	1	–	7	5	–	7	7	1	10	–	–
(34)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(35)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
(38)	3	–	1	–	–	–	2	–	–	–	2	1	–	–	–	1	1	–	–
(38)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	4	1	–	–	–	2	2	–	–	1	2	1	1	–	–	–	2	–	–
(39)	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	–	–	–	–	2	2	–	–	1	5	–	–	–	–	–	5	–	–
(41)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	27	3	1	–	–	11	13	5	4	6	8	2	–	3	1	2	6	–	–
(42)	1	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
(42)	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(42)	12	1	–	–	–	4	6	–	1	2	1	1	–	1	–	–	2	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	7	–	–	–	–	6	5	3	1	1	3	1	–	–	–	1	4	–	–
(42)	4	2	1	–	–	1	1	1	1	3	2	–	–	2	1	–	–	–	–
	33	1	–	–	2	7	17	5	1	1	12	1	1	3	2	–	23	–	–
(43)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

[3] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	**14**	**287**	**93**	**56**	**3**	**16**	**9,999**	**45**	**2**	**10**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	1	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	1	–	–	–	1	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	1	–	–	–
(6)	Whooping cough (9)	–	–	–	1	–	–	4	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	1	–	–	–
(8)	Influenza (11)	–	1	–	1	–	–	28	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	3	1	2	–	–	435	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	1	–	–	–	–	9	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	–	–	–	20	–	–	–
(12)	Syphilis (34)	–	5	1	2	–	–	35	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	1	–	–	–
(14)	Erysipelas (15)	–	1	–	–	–	–	5	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	3	1	–	–
(15)	Cancer and other malignant tumors (45–53)	1	33	17	11	1	3	1,349	5	–	1
(17)	Rheumatism (56, 57, 58)	–	2	–	–	–	–	14	–	–	–
(18)	Diabetes mellitus (59)	–	11	3	–	–	–	294	2	–	1
(19)	Alcoholism (acute or chronic) (75)	1	1	–	–	1	–	109	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	25	7	9	–	2	820	1	1	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	25	–	–	–
(24)	Angina pectoris (94a)	–	5	1	–	–	–	22	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	117	32	13	1	4	3,448	16	–	4
(25)	Arteriosclerosis (97)	–	4	3	–	–	–	74	1	–	–
(26)	Bronchitis (106)	–	1	1	–	–	–	18	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	3	2	–	–	3	480	4	–	–
(27)	Lobar pneumonia (108)	–	5	2	1	–	1	283	–	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	6	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	–	1	–	–	64	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	18	–	–	–
(30)	Appendicitis (121)	–	3	2	1	–	–	74	–	–	–
(31)	Cirrhosis of the liver (124)	–	2	–	–	–	–	117	–	–	–
(32)	Diseases of the stomach (117, 118)	–	3	–	1	–	–	62	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	3	1	–	–	1	74	–	–	–
(33)	Nephritis (130–132)	–	18	6	2	–	–	438	4	1	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	11	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	16	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	24	–	–	1
(38)	Congenital malformations (157)	–	1	1	–	–	–	69	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	2	–	–	–
(38)	Premature birth (159)	–	3	–	3	–	1	153	1	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	1	–	–	1	97	1	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	21	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2	14	7	4	–	–	574	1	–	1
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	–	–	28	–	–	–
(42)	*Accidental drowning (183)*	–	1	–	–	–	–	45	–	–	–
(42)	*Traumatism by fall (186a)*	1	7	3	1	–	–	290	–	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	7	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	1	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	8	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	2	2	–	–	100	1	–	–
(42)	*All others*	1	5	1	1	–	–	95	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	2	20	4	4	–	–	694	7	–	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	5	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	16	175	13	98	9	827	18	601	23	36	1,316	77	12	22	15	43	34	103	469
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(8)	–	2	–	–	–	11	–	1	–	–	8	1	–	1	–	–	2	–	2
(10)	2	8	–	4	1	22	–	8	–	1	57	2	–	–	–	–	1	1	14
(11)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	3	–	–	–	–	2	–	–	–	–	–	–	–	–
(12)	–	1	–	1	–	–	–	3	–	1	6	1	–	–	–	–	–	2	3
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(15)	1	28	3	16	–	108	3	98	5	2	167	6	1	–	2	4	3	11	61
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	4	–	2	1	23	2	17	1	–	35	3	1	1	–	1	–	3	17
(19)	–	1	–	–	–	1	–	1	–	1	12	–	–	–	–	–	–	–	7
(22)	–	16	1	8	–	85	1	64	1	3	110	9	1	3	3	4	3	15	38
(24)	–	1	–	1	–	1	–	1	–	1	4	1	–	–	–	–	–	1	–
(24)	–	–	–	–	–	2	–	1	–	–	6	–	–	–	1	–	–	1	1
(24)	4	59	5	31	3	329	6	257	10	8	443	26	4	12	4	19	12	30	145
(25)	1	2	–	2	–	6	–	2	–	1	17	1	–	–	–	–	1	3	3
(26)	–	–	–	–	–	3	–	1	–	–	5	1	–	–	–	–	–	–	–
(27)	2	3	–	3	–	26	2	13	–	3	65	2	–	–	1	3	3	7	27
(27)	–	2	–	3	1	17	–	14	–	–	45	2	–	–	–	2	–	2	17
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2
(28)	–	–	1	1	–	6	1	6	–	–	10	–	–	–	–	–	–	–	4
(29)	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–	–	–	2
(30)	–	–	–	–	–	8	–	4	–	–	11	3	–	–	–	–	1	4	5
(31)	–	–	–	–	–	9	–	7	–	–	16	–	–	–	–	–	–	1	7
(32)	–	2	–	2	–	6	–	4	–	–	11	–	1	–	–	–	–	1	7
(32)	–	1	–	–	–	4	–	8	–	–	15	2	–	–	–	1	–	–	2
(33)	–	13	1	9	1	28	1	17	1	2	62	5	–	–	1	–	3	8	30
(34)	–	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	1	–	–	–
(36)	–	1	–	–	–	2	–	1	–	–	7	1	–	–	–	2	–	–	–
(38)	–	2	–	–	–	7	–	–	–	1	13	1	–	–	–	1	–	1	7
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(38)	1	5	–	1	–	10	–	2	1	–	24	1	–	–	1	–	–	1	7
(39)	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(40)	1	1	–	–	–	4	2	7	1	–	15	–	–	–	–	–	–	3	1
(41)	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1
(42)	1	9	–	8	–	43	–	23	–	8	45	4	1	1	1	2	3	2	21
(42)	–	–	–	1	–	–	–	1	–	–	3	1	–	–	–	–	1	–	2
(42)	–	1	–	–	–	2	–	3	–	–	5	1	–	–	–	–	–	–	2
(42)	1	4	–	2	–	20	–	15	–	3	18	1	–	–	–	1	1	–	8
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	3	–	3	–	12	–	2	–	3	12	–	–	–	1	1	1	–	2
(42)	–	–	–	2	–	9	–	2	–	2	7	–	1	1	–	–	–	2	7
	3	14	1	6	2	56	–	39	3	2	85	4	3	4	1	3	2	6	36
(43)	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarkeburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	19	18	8	379	5	10	146	35	13	81
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	2	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	1	–	–	–	–	–	–	–	1	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–	–	1
(10)	Tuberculosis of the respiratory system (23)	1	2	1	16	–	–	5	1	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	2	–	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	1	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	4	2	2	52	–	2	18	6	2	10
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	1
(18)	Diabetes mellitus (59)	–	1	–	2	–	–	1	1	1	2
(19)	Alcoholism (acute or chronic) (75)	–	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	1	–	29	–	–	11	6	–	10
(24)	Acute endocarditis (91)	–	–	–	1	–	–	1	–	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	4	4	145	2	4	57	5	3	25
(25)	Arteriosclerosis (97)	–	–	–	2	1	–	4	–	–	–
(26)	Bronchitis (106)	–	–	–	3	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	–	–	9	–	1	6	3	–	7
(27)	Lobar pneumonia (108)	1	–	–	5	–	–	4	–	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	–	–	–	1	1	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	2	–	–	–
(30)	Appendicitis (121)	–	–	–	6	–	–	2	–	–	1
(31)	Cirrhosis of the liver (124)	1	–	–	2	–	1	1	–	–	4
(32)	Diseases of the stomach (117, 118)	–	1	–	1	–	–	4	1	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	1	2	–	20	–	1	1	1	3	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	1	–	–	1
(35)	Puerperal septicemia (140, 145)	–	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	2	–	–	1	–	–	–
(38)	Congenital malformations (157)	–	1	–	4	–	–	–	1	–	–
(38)	Congenital debility (158)	–	1	–	1	–	–	–	–	–	–
(38)	Premature birth (159)	1	–	–	12	–	–	5	1	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	6	–	–	2	1	–	–
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	2	–	23	–	–	7	6	1	5
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	1	–	–	1
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	1	–	1	–
(42)	*Traumatism by fall (186a)*	–	2	–	11	–	–	5	3	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	1
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	1
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	5	–	–	–	–	–	1
(42)	*All others*	–	–	–	7	–	–	–	3	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	1	–	1	30	2	–	10	2	1	9
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	12	6	53	161	83	178	30	39	43	20	5	66	39	5	28	48	16	31
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	3	4	5	–	–	3	1	–	2	1	–	1	1	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	1	9	19	13	22	2	7	5	5	2	12	9	–	2	5	2	10
(17)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(18)	–	–	1	3	4	7	–	2	5	–	–	1	2	–	–	1	–	1
(19)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(22)	1	2	6	16	11	21	3	5	3	2	–	6	4	–	3	5	2	1
(24)	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(24)	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	1	–	–
(24)	3	1	16	68	18	45	13	19	14	8	3	19	9	4	14	18	9	10
(25)	–	–	–	2	4	14	–	1	2	–	–	3	–	–	–	–	–	–
(26)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(27)	1	–	1	6	4	5	1	–	1	–	–	2	5	–	2	2	–	–
(27)	–	1	–	6	1	5	–	–	–	–	–	2	1	–	1	–	–	2
(27)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	2	–	–	–	1	–	1	1	–	–	–	–	–
(29)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(30)	–	–	1	1	2	–	–	–	–	1	–	2	1	–	–	–	–	–
(31)	–	–	–	2	–	5	–	–	1	–	–	1	–	–	–	–	–	–
(32)	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
(32)	–	–	1	–	2	2	–	–	–	–	–	–	1	–	–	–	–	–
(33)	4	–	7	7	4	6	1	2	1	1	–	4	–	–	1	5	–	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	1	–	–	2	–	–	–	–	–	1	1	–	–	1	1	1
(38)	–	–	–	–	2	2	–	–	–	–	–	–	–	–	1	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	1	–	–	2	1	2	–	–	–	–	–	2	1	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(40)	1	–	2	1	1	1	1	1	–	–	–	1	1	1	1	–	–	1
(41)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	1	–	1	8	5	11	6	–	3	1	–	2	–	–	–	3	2	1
(42)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(42)	–	–	1	4	2	5	3	–	1	–	–	1	–	–	–	1	1	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	2	–	2	2	–	–	1	–	1	–	–	–	1	1	–
(42)	–	–	–	2	3	4	–	–	–	–	–	–	–	–	–	1	–	–
	–	–	6	12	5	14	1	–	3	–	–	3	2	–	2	4	–	3
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[2]	7	110	73	26	11	17	29	477	135
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	1	–	1	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	1	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	1	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	2	–	–	–	–	1	1
(10)	Tuberculosis of the respiratory system (23)	–	1	3	–	–	–	–	18	4
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	1	1
(12)	Syphilis (34)	–	–	–	–	–	–	–	2	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	18	8	2	2	1	5	80	13
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (59)	1	1	5	–	1	–	1	12	8
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	1	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	8	5	4	–	2	1	41	16
(24)	Acute endocarditis (91)	–	–	–	–	–	–	1	1	1
(24)	Angina pectoris (94a)	–	3	–	–	–	1	–	1	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	2	45	19	6	4	4	10	140	43
(25)	Arteriosclerosis (97)	1	3	2	6	–	–	1	6	2
(26)	Bronchitis (106)	–	–	–	1	–	–	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	2	3	1	–	1	–	16	5
(27)	Lobar pneumonia (108)	–	–	3	1	–	1	3	19	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	1	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	1	–	–	–	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	1	–	–	–	–	1	–
(30)	Appendicitis (121)	1	–	1	–	–	1	–	2	2
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	1	–	6	1
(32)	Diseases of the stomach (117, 118)	–	–	1	–	–	–	–	3	2
(32)	Hernia, intestinal obstruction (122)	–	1	1	–	–	–	–	6	4
(33)	Nephritis (130–132)	1	8	6	–	1	2	4	29	8
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	1	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	–	–	5	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	3	1	1	–	–	–	2	2
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	3	–	–	–	1	–	4	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	1	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	3	4	–	2	1	2	30	6
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	2	–
(42)	*Accidental drowning (183)*	–	–	1	–	–	–	–	1	1
(42)	*Traumatism by fall (186a)*	–	2	1	–	–	–	1	12	3
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	1	–	2	–	–	9	–
(42)	*All others*	–	1	1	–	–	1	1	5	2
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	10	7	3	1	–	1	42	12
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	1

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,335	72	417	1	68	254	79	24	193	–	33	5	353	3	2	69	9	11	79
(1)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(5)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(7)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	6	–	3	–	–	1	1	1	3	–	–	–	1	–	–	–	–	–	–
(10)	63	1	10	–	–	5	1	–	3	–	1	–	15	–	–	–	–	–	1
(11)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(11)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	4	2	1	–	–	1	1	–	1	–	1	–	3	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	171	9	55	–	8	26	10	3	27	–	6	–	43	1	–	8	–	1	10
(17)	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(18)	53	7	9	–	3	8	5	2	4	–	1	–	10	–	–	2	1	–	2
(19)	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(22)	119	4	28	–	7	25	8	3	15	–	1	–	36	–	–	3	–	1	11
(24)	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(24)	1	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	–
(24)	414	18	168	1	32	84	16	10	67	–	16	2	107	–	–	31	3	5	29
(25)	12	5	7	–	1	8	–	–	1	–	1	–	21	–	–	2	–	–	4
(26)	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(27)	56	3	11	–	1	10	4	–	5	–	1	–	5	–	–	2	–	–	5
(27)	24	2	14	–	1	4	4	1	6	–	1	–	15	–	1	2	–	–	1
(27)	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
(28)	7	–	–	–	–	4	–	–	2	–	1	–	1	–	–	–	1	–	–
(29)	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(30)	16	–	3	–	–	3	1	–	2	–	–	–	1	–	1	2	1	–	1
(31)	11	–	4	–	2	2	2	–	–	–	–	–	–	–	–	–	–	1	–
(32)	14	–	2	–	1	4	1	–	–	–	1	–	3	–	–	–	–	–	–
(32)	16	–	4	–	–	3	1	–	3	–	–	–	4	–	–	–	–	–	–
(33)	118	3	18	–	3	15	6	1	17	–	–	–	22	1	–	5	–	1	2
(34)	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
(36)	2	–	2	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
(38)	16	–	4	–	1	3	–	–	2	–	–	–	2	–	–	1	–	–	–
(38)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	28	3	10	–	1	8	3	1	2	–	–	–	6	1	–	–	–	–	1
(39)	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(40)	11	3	1	–	–	2	–	1	–	–	–	1	7	–	–	–	–	2	1
(41)	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	47	9	19	–	3	17	8	–	11	–	1	–	20	–	–	4	1	–	5
(42)	2	–	2	–	1	2	–	–	2	–	–	–	–	–	–	1	–	–	–
(42)	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	19	1	6	–	2	2	2	–	3	–	1	–	8	–	–	1	1	–	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	10	3	5	–	–	5	2	–	3	–	–	–	4	–	–	1	–	–	1
(42)	15	3	4	–	–	8	4	–	3	–	–	–	7	–	–	–	–	–	1
	97	2	38	–	2	15	6	1	14	–	1	–	24	–	–	6	2	–	5
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Greenfield.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	198	31	21	25	6	25	9	10	29
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	1	1	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	3	–	–	1	–	–	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	1	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	25	4	4	6	–	3	–	1	6
(17)	Rheumatism (56, 57, 58)	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	1	2	–	2	–	1	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	18	3	2	–	1	1	–	–	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	4	1	–	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	65	10	3	9	2	11	4	5	11
(25)	Arteriosclerosis (97)	6	2	1	–	–	–	–	1	1
(26)	Bronchitis (106)	–	–	1	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	8	–	–	–	–	1	–	–	1
(27)	Lobar pneumonia (108)	4	–	–	–	–	–	–	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	2	–	–	–	–	–	–	–
(30)	Appendicitis (121)	1	–	–	–	–	–	1	–	1
(31)	Cirrhosis of the liver (124)	2	–	–	–	1	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	1	–	–	–	1	–	1
(32)	Hernia, intestinal obstruction (122)	2	–	–	–	–	–	–	1	–
(33)	Nephritis (130–132)	11	–	3	–	–	2	1	–	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	1	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	2	–	–	–	1	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	5	1	1	–	–	1	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	3	1	1	–	–	–	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	15	3	2	1	–	2	–	–	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	5	1	2	1	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	3	1	–	–	–	1	–	–	–
(42)	*All others*	7	1	–	–	–	1	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	14	2	1	5	1	2	2	2	2
(43)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	44	32	16	55	14	621	3	4	79	14	47	42	2	34	689	34	48	17	90
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	1	–	2	–	–	–	2	–	–	–	–	3	–	–	–	–
(10)	3	1	–	1	–	9	1	–	2	–	–	1	–	–	26	–	–	1	4
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–
(12)	1	1	–	–	1	4	–	–	2	–	–	–	–	–	3	1	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	3	1	7	3	94	1	1	10	3	7	7	–	4	106	5	5	–	10
(17)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–
(18)	5	1	–	3	–	17	–	–	4	–	–	–	–	1	25	2	2	1	1
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(22)	–	2	3	6	–	64	–	–	3	1	1	2	–	5	47	1	4	3	5
(24)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	2
(24)	–	–	–	2	–	5	–	–	–	–	1	–	–	–	2	–	–	–	–
(24)	17	11	5	17	2	231	1	1	29	3	16	19	1	20	228	16	21	7	43
(25)	–	2	1	3	–	8	–	–	2	–	1	–	–	1	3	–	1	–	1
(26)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
(27)	2	1	3	2	–	19	–	1	4	–	5	2	–	–	25	2	4	–	3
(27)	–	–	–	–	1	8	–	–	2	–	–	2	–	–	18	1	–	–	2
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	3	–	–	1	–	–	–	–	–	9	–	–	–	1
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	13	1	–	–	–
(31)	–	–	–	–	1	5	–	–	–	–	–	–	–	–	5	–	–	–	–
(32)	–	–	1	–	–	3	–	–	–	–	–	–	–	–	2	–	–	–	–
(32)	1	1	–	–	–	4	–	–	–	–	–	–	–	–	7	–	1	–	1
(33)	2	3	–	4	–	32	–	–	3	3	5	2	–	2	52	5	2	3	3
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(35)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(36)	–	–	–	–	–	1	–	–	1	–	–	–	–	–	3	–	–	–	–
(38)	1	1	–	–	1	4	–	–	1	–	1	–	–	–	2	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	1	–	–	–	1	11	–	–	–	–	1	1	–	–	7	–	–	–	–
(39)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(40)	–	1	–	1	–	12	–	–	3	–	–	–	1	–	4	–	–	–	2
(41)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–
(42)	8	3	2	2	–	42	–	–	2	1	5	2	–	1	44	–	1	2	5
(42)	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	5	–	–	–	–
(42)	4	1	1	1	–	21	–	–	1	–	–	2	–	1	22	–	1	2	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	–	–	–	–	8	–	–	1	1	3	–	–	–	11	–	–	–	2
(42)	2	2	–	1	–	8	–	–	–	–	2	–	–	–	4	–	–	–	1
	–	1	–	6	3	32	–	–	9	–	3	4	–	–	42	–	5	–	7
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	34	17	78	42	19	29	6	948	45	48
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	1	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	5	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	6	–	–
(10)	Tuberculosis of the respiratory system (23)	2	–	1	–	1	1	–	23	1	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	1
(12)	Syphilis (34)	–	–	–	–	–	–	–	6	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	1	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	9	2	13	8	2	2	–	124	5	5
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	1	1	2	3	1	–	–	44	–	2
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	4	1	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	1	8	2	2	3	1	109	4	5
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	1	–	–
(24)	Angina pectoris (94a)	–	–	1	–	–	–	–	23	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	9	6	26	13	5	15	3	296	15	19
(25)	Arteriosclerosis (97)	1	–	–	2	2	–	–	12	1	2
(26)	Bronchitis (106)	1	1	–	1	–	–	–	3	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	3	1	–	1	1	26	2	1
(27)	Lobar pneumonia (108)	–	–	–	1	–	1	–	26	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	1	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	1	–	–	–	–	7	1	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	1	–	–	4	–	–
(31)	Cirrhosis of the liver (124)	2	–	–	–	–	–	–	3	–	–
(32)	Diseases of the stomach (117, 118)	–	1	–	–	–	–	–	10	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	1	–	–	–	–	9	–	–
(33)	Nephritis (130–132)	1	–	7	3	1	–	1	75	4	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	1	1	–	–	3	1	–
(38)	Congenital malformations (157)	–	–	1	1	–	–	–	11	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	1	–	–
(38)	Premature birth (159)	–	–	3	2	–	2	–	12	–	2
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	2	–	1	–	–	4	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2	1	2	–	1	1	–	33	5	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	1	–	–	1	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	2	–	–
(42)	*Traumatism by fall (186a)*	2	–	2	–	–	1	–	16	3	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	1	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	–	–	–	9	1	1
(42)	*All others*	–	–	–	–	–	–	–	5	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	1	3	5	4	1	2	–	63	4	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	1	–	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	Lynn.	Lynnfield.	Malden.	Manchester.	Mansfield.	Marblehead.	Marion.	Marlborough.
	37	241	12	108	–	14	15	40	1,289	50	15	1,161	28	663	31	68	137	16	182
(1)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	2	–	1	–	–	–	1	7	–	–	4	–	4	–	–	–	–	–
(10)	3	5	–	2	–	–	1	2	26	1	1	37	1	19	–	–	4	1	5
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	1
(12)	–	1	–	–	–	–	–	–	3	–	–	6	–	1	–	–	1	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
(15)	5	32	2	13	–	1	3	7	155	6	2	165	5	103	7	10	20	1	24
(17)	–	1	1	1	–	–	–	–	2	–	–	2	–	2	–	–	–	–	1
(18)	–	10	–	5	–	1	1	1	22	2	–	35	1	15	–	3	5	1	5
(19)	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
(22)	–	18	2	5	–	2	2	5	130	3	5	85	1	57	1	3	12	2	16
(24)	–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	1
(24)	–	–	–	–	–	–	–	–	7	–	–	6	–	1	1	1	1	–	–
(24)	13	66	4	29	–	5	5	12	457	21	3	394	9	241	14	28	57	4	71
(25)	–	10	–	1	–	1	–	–	72	1	–	23	–	13	1	1	4	1	2
(26)	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
(27)	–	12	–	8	–	–	–	–	53	1	1	45	2	20	3	3	1	–	7
(27)	1	10	–	3	–	1	–	2	23	1	1	15	–	17	–	1	1	–	6
(27)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	1	–	1	–	–	–	–	2	1	–	6	–	2	–	–	1	–	2
(29)	–	1	–	2	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–
(30)	–	2	–	–	–	–	–	–	9	1	–	8	–	5	–	–	2	–	3
(31)	–	4	–	3	–	–	1	–	14	–	–	15	1	2	–	–	1	–	4
(32)	–	3	–	–	–	–	–	–	14	–	–	6	–	2	–	–	–	–	1
(32)	–	1	–	1	–	–	–	–	13	–	–	12	1	7	–	1	1	–	1
(33)	7	11	1	8	–	–	1	2	52	1	–	73	2	31	1	3	4	1	7
(34)	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	3	–	–	3	–	1	–	–	–	–	–
(36)	1	1	–	–	–	–	–	–	3	–	–	2	–	2	–	–	3	–	2
(38)	–	2	–	1	–	–	–	–	10	2	–	15	–	8	–	1	–	1	2
(38)	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(38)	1	2	–	6	–	–	–	–	20	–	–	21	1	10	1	1	2	1	5
(39)	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
(40)	1	2	–	1	–	–	–	2	10	1	–	17	–	9	–	1	6	1	–
(41)	–	1	–	–	–	–	–	–	1	–	–	2	–	1	–	1	–	–	–
(42)	4	17	1	5	–	–	1	1	75	3	1	70	3	41	–	7	1	1	6
(42)	1	1	–	–	–	–	–	–	3	–	–	2	–	2	–	–	–	–	1
(42)	–	1	–	1	–	–	–	–	7	–	–	1	–	6	–	–	–	–	–
(42)	1	9	–	1	–	–	–	1	34	2	1	47	–	12	–	2	1	1	5
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	1	–	2	–	–	1	–	17	–	–	12	3	14	–	–	–	–	–
(42)	–	5	1	1	–	–	–	–	12	1	–	7	–	7	–	4	–	–	–
	1	25	1	9	–	3	–	4	91	3	1	80	1	40	2	3	10	1	10
(43)	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	29	5	24	65	36	646	42	286	9	36
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	1	–	1	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	1	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	3	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	–	–	1	–	2	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	1	3	1	20	3	7	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	1	–	1	–	–
(12)	Syphilis (34)	–	–	–	–	–	5	–	2	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–53)	1	–	3	11	6	80	7	51	–	1
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	1	–	1	1	19	–	5	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	3	2	5	1	54	3	29	–	5
(24)	Acute endocarditis (91)	–	–	–	–	–	2	–	2	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	6	–	1	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	14	–	10	25	16	242	19	100	3	20
(25)	Arteriosclerosis (97)	–	–	–	1	–	3	–	4	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	2	–	–	21	–	10	2	–
(27)	Lobar pneumonia (108)	1	–	–	–	1	23	–	8	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	1	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	1	–	1	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	1	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	7	1	4	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	2	–	6	–	4	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	8	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	5	–	1	–	–
(33)	Nephritis (130–132)	–	–	2	4	3	45	2	10	1	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	1	–	3	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	–	3	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	1	–	4	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	–	–	–	–	13	1	4	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	1	–	–
(40)	Suicide (163–171)	1	–	–	–	–	6	–	2	–	2
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	–	3	4	3	26	3	12	–	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	1	1	1	2	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	3	–	–	–	–
(42)	*Traumatism by fall (186a)*	1	–	3	3	–	11	1	4	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	3	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	1	6	1	3	–	–
(42)	*All others*	–	–	–	–	1	2	–	3	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	1	1	1	6	3	38	2	18	1	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	228	135	4	31	167	96	24	13	207	–	49	98	5	–	–	12	54	176	113
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	2	1
(10)	4	–	–	–	4	2	3	–	5	–	1	2	–	–	–	–	1	2	3
(11)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	1	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	29	16	1	5	30	13	4	1	41	–	5	9	–	–	–	2	9	35	16
(17)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
(18)	6	2	1	2	3	4	1	1	1	–	1	2	–	–	–	–	1	5	3
(19)	1	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
(22)	21	17	1	2	29	12	1	1	21	–	1	7	2	–	–	2	6	16	14
(24)	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
(24)	9	3	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	2	1
(24)	63	41	1	9	42	35	9	2	73	–	24	31	–	–	–	3	22	59	44
(25)	3	5	–	1	3	1	1	–	3	–	–	–	–	–	–	1	–	3	3
(26)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	6	8	–	–	9	4	1	1	6	–	3	3	–	–	–	–	1	5	3
(27)	5	1	–	2	5	3	–	–	4	–	1	–	–	–	–	1	–	4	2
(27)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	2	–	1
(29)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1
(31)	3	–	–	–	–	–	–	–	5	–	–	6	–	–	–	–	–	–	1
(32)	5	–	–	–	2	–	–	–	2	–	1	1	–	–	–	1	–	–	–
(32)	1	1	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–	2	2
(33)	25	9	–	1	9	9	–	4	10	–	5	13	–	–	–	–	1	12	1
(34)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(35)	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(36)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(38)	1	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	2
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	9	4	–	1	2	1	2	–	1	–	3	–	–	–	–	–	–	1	2
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	4	5	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	2	2
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	10	9	–	1	5	7	–	1	10	–	1	8	1	–	–	1	2	9	2
(42)	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–	2	–
(42)	3	4	–	1	2	4	–	–	5	–	1	1	1	–	–	1	1	3	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	5	1	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	3	–
(42)	–	2	–	–	1	1	–	–	3	–	–	3	–	–	–	–	1	1	2
	14	11	–	3	16	4	2	–	8	–	2	8	–	–	–	–	4	12	8
(43)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	1	1,353	5	10	11	26	211	785	12	248
(1)	Typhoid and paratyphoid fever (1, 2)	–	1	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	–	1	–	–	1
(7)	Diphtheria (10)	–	–	–	–	–	–	–	1	–	–
(8)	Influenza (11)	–	8	–	–	–	–	2	3	2	1
(10)	Tuberculosis of the respiratory system (23)	–	54	–	–	1	–	4	20	–	8
(11)	Tuberculosis of the meninges and central nervous system (24)	–	2	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	3	–	–	–	–	–	1	–	1
(12)	Syphilis (34)	–	5	–	–	–	1	3	1	–	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	–	177	1	2	2	3	25	145	–	28
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	1
(18)	Diabetes mellitus (59)	–	56	–	–	–	3	5	25	–	14
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	162	–	1	–	3	19	64	3	22
(24)	Acute endocarditis (91)	–	3	–	–	–	–	–	4	–	1
(24)	Angina pectoris (94a)	–	7	–	–	–	1	2	5	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	1	430	4	4	4	8	74	282	5	65
(25)	Arteriosclerosis (97)	–	32	–	–	–	–	3	9	–	3
(26)	Bronchitis (106)	–	2	–	–	–	–	1	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	59	–	2	1	1	12	21	–	7
(27)	Lobar pneumonia (108)	–	18	–	–	–	–	1	27	–	6
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	1	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	8	–	–	–	–	3	6	–	3
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	1	–	2
(30)	Appendicitis (121)	–	13	–	–	–	1	–	6	–	6
(31)	Cirrhosis of the liver (124)	–	9	–	–	–	–	4	3	–	4
(32)	Diseases of the stomach (117, 118)	–	7	–	–	–	–	1	1	–	1
(32)	Hernia, intestinal obstruction (122)	–	13	–	–	–	–	–	4	–	2
(33)	Nephritis (130–132)	–	77	–	–	1	3	17	32	1	18
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	3	–	–	–	–	–	3	–	3
(35)	Puerperal septicemia (140, 145)	–	1	–	–	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	4	–	–	–	–	–	–	–	1
(38)	Congenital malformations (157)	–	9	–	–	–	–	2	3	–	2
(38)	Congenital debility (158)	–	1	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	12	–	–	–	–	1	15	–	7
(39)	Senility (162)	–	–	–	–	–	–	1	–	–	–
(40)	Suicide (163–171)	–	22	–	–	–	–	2	8	1	3
(41)	Homicide (172–175)	–	1	–	–	–	–	–	1	–	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	57	–	1	1	1	13	34	–	15
(42)	*Burns (conflagration excepted) (181)*	–	2	–	–	–	–	1	1	–	2
(42)	*Accidental drowning (183)*	–	3	–	–	–	–	–	4	–	1
(42)	*Traumatism by fall (186a)*	–	23	–	–	1	–	5	11	–	4
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	1
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	1	–	–
(42)	*Automobile accidents and injuries (210)*	–	10	–	1	–	–	3	12	–	4
(42)	*All others*	–	19	–	–	–	1	4	4	–	3
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	94	–	–	1	1	14	59	–	20
(43)	Cause of death not specified or ill-defined 199, 200)	–	2	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	85	117	43	28	248	35	86	29	37	26	147	29	7	92	24	7	40	96	12
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	2	1	–	–	1	1	–	–	1	–	1	1	–	–	–	–	–	1	–
(10)	1	2	1	–	7	–	1	–	1	–	1	1	–	2	1	–	–	1	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(12)	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(15)	14	17	3	1	39	2	11	11	3	5	28	2	2	12	1	1	2	9	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	3	5	2	–	8	1	4	–	1	–	4	–	–	4	2	–	1	4	–
(19)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(22)	7	14	4	5	25	3	11	2	2	3	18	5	2	10	7	–	4	6	–
(24)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	4	–	–	–	2	1	–	–	–	–	1	–	–	5	–	–	–	–	–
(24)	24	24	17	14	79	14	30	7	14	8	43	12	–	27	6	3	13	30	4
(25)	1	2	1	2	1	–	1	–	–	2	3	1	–	2	2	–	1	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
(27)	1	3	3	1	6	1	1	–	1	1	5	1	1	2	–	–	4	2	1
(27)	–	1	–	–	2	–	2	–	–	2	4	–	1	3	–	1	2	1	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–
(29)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(30)	3	2	–	–	2	–	–	–	2	–	2	–	–	–	–	–	–	4	1
(31)	2	–	1	–	4	–	–	–	–	–	2	–	–	2	–	–	–	–	1
(32)	1	2	–	–	3	–	2	–	–	–	2	–	–	–	–	–	–	1	–
(32)	–	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	1	–
(33)	3	12	4	–	15	2	10	4	7	1	9	2	–	4	3	–	4	10	–
(34)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
(38)	2	3	–	1	1	–	1	1	–	1	2	–	–	2	–	–	–	1	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(38)	–	2	1	–	6	1	2	–	–	–	2	1	–	3	–	1	1	4	–
(39)	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	–	–	1	2	1	–	–	1	–	5	–	1	1	1	–	4	1	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	6	3	1	17	2	3	–	3	2	5	–	–	4	–	–	2	11	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
(42)	3	–	1	1	6	–	–	–	1	–	2	–	–	2	–	–	1	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	5	–	–	4	2	2	–	1	1	2	–	–	2	–	–	–	6	–
(42)	–	–	1	–	7	–	–	–	1	1	1	–	–	–	–	–	1	–	–
	11	13	2	1	23	4	5	2	1	–	7	1	–	4	–	1	–	8	1
(43)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[1]	255	9	30	32	2	14	10	502	2	14
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	1	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	4	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	1	1	–	1	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	9	–	–	–	–	1	–	18	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	1	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	4	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	38	–	4	8	–	2	1	66	–	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	2	–	–
(18)	Diabetes mellitus (59)	7	–	–	–	–	–	1	13	–	–
(19)	Alcoholism (acute or chronic) (75)	2	–	1	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thromboses (82)	17	–	2	3	–	1	1	36	–	3
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	3	–	–
(24)	Angina pectoris (94a)	2	–	–	–	–	–	–	4	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	78	3	9	9	1	5	3	150	–	5
(25)	Arteriosclerosis (97)	12	–	–	1	–	1	–	2	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	9	1	1	1	–	1	1	13	–	1
(27)	Lobar pneumonia (108)	8	1	–	–	–	–	1	12	–	–
(27)	Pneumonia (unspecified) (109)	1	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	4	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	3	–	2	1	–	–	–	7	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	–	1	–	–	11	–	1
(32)	Diseases of the stomach (117, 118)	2	–	–	–	–	–	–	2	–	–
(32)	Hernia, intestinal obstruction (122)	4	–	–	–	–	–	–	5	–	–
(33)	Nephritis (130–132)	11	–	3	2	–	–	1	49	2	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	1	–	–	–	–	–	–	3	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	2	–	–	–	–	–	–	2	–	–
(38)	Congenital malformations (157)	1	–	–	–	–	–	–	5	–	–
(38)	Congenital debility (158)	–	–	–	–	–	1	–	1	–	–
(38)	Premature birth (159)	6	1	–	–	–	–	–	8	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	5	–	–	1	–	–	–	8	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	15	–	3	5	–	1	–	30	–	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	1	–	–
(42)	*Accidental drowning (183)*	5	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	6	–	1	5	–	–	–	11	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	2	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	1	–	–	–	–	5	–	–
(42)	*All others*	1	–	1	–	–	1	–	13	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	18	3	4	–	–	–	–	32	–	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	2	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Plymouth.	Plympton.	Princeton.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	169	12	10	49	751	102	28	131	35	325	4	21	105	48	6	19	9	17
(1)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	2	–	–	1	4	–	–	–	–	1	–	–	1	–	–	–	–	–
(10)	2	–	–	1	31	2	1	2	–	6	–	–	2	2	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	34	1	1	12	103	8	2	19	5	51	–	3	7	6	1	4	1	2
(17)	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
(18)	4	–	–	1	17	3	–	6	–	9	–	1	8	1	–	–	–	–
(19)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	15	3	2	6	83	9	–	15	5	20	–	3	6	4	–	–	2	1
(24)	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
(24)	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1	–
(24)	56	6	4	14	251	40	11	42	10	124	2	8	38	17	1	7	1	7
(25)	3	–	–	–	6	3	1	5	1	4	1	1	6	2	–	–	1	1
(26)	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
(27)	4	–	2	2	22	4	–	2	–	17	–	–	2	–	–	1	–	–
(27)	1	–	–	2	15	4	–	2	1	8	–	–	1	1	–	1	–	1
(27)	1	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–
(28)	1	–	–	–	5	1	1	2	–	3	–	–	–	–	–	–	–	–
(29)	–	–	–	–	4	–	–	1	–	1	–	–	–	–	–	–	–	–
(30)	2	–	–	1	7	2	–	1	–	1	–	–	–	–	–	–	–	–
(31)	1	–	–	2	7	–	1	–	–	–	–	–	–	–	–	–	–	–
(32)	3	–	–	–	6	–	2	–	–	3	–	–	1	1	–	–	–	–
(32)	–	–	–	–	2	1	2	1	–	–	–	–	–	1	1	–	–	–
(33)	14	1	–	2	51	6	1	5	2	19	–	1	19	8	1	1	1	1
(34)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–
(38)	1	–	–	–	6	–	–	2	–	5	–	–	–	–	–	–	–	–
(38)	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(38)	3	–	1	–	10	–	1	2	2	5	–	–	–	–	–	–	–	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	3	–	–	–	7	2	2	3	–	3	–	–	4	2	–	–	–	–
(41)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	8	1	–	–	39	3	1	9	4	19	–	3	3	2	–	3	1	1
(42)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	2	–	–
(42)	2	–	–	–	13	3	–	2	3	4	–	–	1	2	–	1	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	1	–	–	9	–	1	3	1	5	–	3	2	–	–	–	–	–
(42)	[1]	–	–	–	12	–	–	4	–	6	–	–	–	–	–	–	–	–
	8	–	–	1	54	8	–	9	5	20	–	1	5	1	2	2	1	2
(43)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	22	469	22	7	21	151	9	56	49	43
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	2	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	–	–	–	–	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	5	8	–	–	–	5	–	1	1	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	1	2	–	–	–	–	–	–	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	3	82	3	1	1	26	2	6	7	6
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	1	–	–	–	–
(18)	Diabetes mellitus (59)	–	14	–	–	–	4	–	1	3	1
(19)	Alcoholism (acute or chronic) (75)	–	2	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	42	4	–	–	11	–	4	3	1
(24)	Acute endocarditis (91)	–	1	–	–	–	1	–	–	–	–
(24)	Angina pectoris (94a)	–	3	1	–	–	1	–	–	–	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	7	164	7	2	5	52	2	17	17	13
(25)	Arteriosclerosis (97)	–	11	1	–	1	2	–	3	–	1
(26)	Bronchitis (106)	1	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	14	1	–	–	6	1	1	1	5
(27)	Lobar pneumonia (108)	–	10	–	–	3	3	–	–	1	2
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	3	–	–	–	1	–	1	–	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	3	–	–	–	1	–	–	1	–
(30)	Appendicitis (121)	–	3	1	–	–	–	–	2	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	1	1	–	1	1	2
(32)	Diseases of the stomach (117, 118)	–	4	–	–	–	3	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	5	–	1	–	3	–	1	2	–
(33)	Nephritis (130–132)	1	16	1	1	7	7	1	6	3	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	6	–	–	–	–	–	–	1	1
(38)	Congenital debility (158)	–	1	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	6	–	–	–	3	–	2	2	–
(39)	Senility (162)	–	1	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	3	1	–	–	4	–	–	–	–
(41)	Homicide (172–175)	–	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	19	1	2	–	7	3	5	3	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	–	–	1
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	1	1	–	–
(42)	*Traumatism by fall (186a)*	–	11	1	–	–	2	1	2	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	1	–	–	–	1	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	3	–	1	–	1	1	–	1	–
(42)	*All others*	–	4	–	1	–	2	–	2	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	2	38	1	–	2	9	–	4	2	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	1	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	21	27	9	20	70	7	62	1,135	75	9	29	154	15	91	1,639	18	30	131	98
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	3	–	–	–	2	–	–	7	–	–	–	–
(10)	–	–	–	1	–	–	4	31	–	–	–	2	–	–	47	1	1	–	2
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	4	–	–	–	1	–	–	12	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(15)	5	4	1	2	12	1	9	157	11	3	4	21	2	7	230	3	4	23	19
(17)	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	–	–	–	–
(18)	–	–	–	1	–	1	–	35	2	–	–	12	–	–	48	1	1	7	3
(19)	–	–	–	–	–	–	–	2	1	–	–	–	–	–	6	–	–	–	–
(22)	–	3	1	1	7	–	7	100	9	1	4	8	–	13	150	2	2	12	7
(24)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	7	–	–	–	–
(24)	–	–	1	–	–	–	–	1	–	1	–	2	–	–	3	–	1	–	–
(24)	10	12	3	6	20	3	21	411	24	1	8	43	7	48	586	4	8	43	30
(25)	–	–	–	–	3	1	2	21	2	1	–	1	–	2	28	3	–	2	1
(26)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	4	–	–	–	1
(27)	–	–	–	–	3	–	3	39	2	–	2	8	1	3	50	–	3	3	5
(27)	–	–	–	–	3	–	1	34	4	–	–	4	1	–	35	–	–	2	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	2	3	–	–	–	3	–	–	5	–	–	2	–
(29)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	4	–	–	1	2
(30)	–	–	–	1	–	–	–	5	–	1	–	3	1	–	10	–	1	1	–
(31)	–	–	–	–	–	–	2	16	–	–	1	2	–	–	14	–	1	1	2
(32)	–	–	–	–	1	–	1	10	–	–	–	–	–	–	5	–	–	–	–
(32)	–	–	–	–	–	–	–	5	1	–	–	3	–	–	9	–	–	2	–
(33)	2	3	1	3	2	1	5	69	4	1	3	10	–	3	112	–	2	11	8
(34)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	4	–	–	1	–
(35)	–	–	–	–	1	–	–	2	–	–	–	1	–	–	3	–	–	–	–
(36)	–	–	–	–	–	–	–	7	–	–	–	1	1	–	3	–	–	3	–
(38)	–	–	–	–	–	–	–	8	–	–	1	1	–	–	9	–	–	1	2
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(38)	–	–	–	–	4	–	–	17	1	–	–	5	–	1	19	1	–	4	2
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(40)	–	–	–	–	1	–	1	9	1	–	1	5	1	2	20	–	–	–	3
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(42)	2	2	–	1	5	–	1	60	9	–	2	6	1	6	86	1	5	4	5
(42)	–	1	–	–	–	–	–	1	2	–	–	–	–	–	2	–	–	–	1
(42)	–	–	–	–	–	–	–	4	–	–	–	–	–	–	3	–	–	1	1
(42)	1	–	–	–	2	–	–	28	1	–	1	4	–	2	42	1	3	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	1	1	–	1	2	–	1	16	3	–	1	–	1	–	18	–	–	1	–
(42)	–	–	–	–	1	–	–	10	3	–	–	2	–	4	18	–	1	–	1
	2	3	2	3	8	–	3	71	4	–	3	8	–	6	111	2	–	8	6
(43)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	13	25	23	18	28	122	54	454	49	32
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	1	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	1	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	2	–	2	–	–
(10)	Tuberculosis of the respiratory system (23)	1	1	–	2	1	–	1	12	4	1
11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	1	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	2	–	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	1	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	1	4	3	3	16	9	60	6	4
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	1	–	3	–	–
(18)	Diabetes mellitus (59)	–	–	–	–	1	3	2	10	1	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	1	–	–	–	4	1	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	2	2	–	2	9	5	36	6	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	1	7	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	7	10	10	6	8	40	17	159	14	9
(25)	Arteriosclerosis (97)	1	–	1	–	–	5	–	13	1	1
(26)	Bronchitis (106)	–	–	–	–	–	2	–	2	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	–	2	4	1	9	3	1
(27)	Lobar pneumonia (108)	1	1	–	–	1	5	3	9	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	1	–	–	5	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	1	1	1	–	–
(30)	Appendicitis (121)	–	–	1	1	–	1	1	2	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	7	1	–
(32)	Diseases of the stomach (117, 118)	–	1	–	–	–	1	2	4	–	1
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	–	2	–	8	–	–
(33)	Nephritis (130–132)	1	3	1	1	4	10	6	19	2	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	1
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	1	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	–	–	5	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	1	–
(38)	Premature birth (159)	–	–	–	–	–	3	–	6	1	1
(39)	Senility (162)	–	–	–	–	–	1	–	–	–	–
(40)	Suicide (163–171)	–	–	–	–	1	1	–	10	1	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	3	–	2	–	7	3	16	2	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	1	1	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	–	–	5	–	9	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	3	–	–	–	1	–	1	1	2
(42)	*All others*	–	–	–	2	–	1	2	5	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	–	1	4	2	3	7	2	38	3	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	–	37	2	19	29	4	14	5	35	69	176	14	69	432	86	88	41	7	4
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(8)	–	1	–	–	–	–	–	–	–	–	2	–	–	4	–	1	–	–	–
(10)	–	–	–	–	–	–	1	–	–	2	4	–	–	11	2	3	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	8	1	4	3	1	1	1	6	8	22	2	12	65	12	9	7	–	1
(17)	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–
(18)	–	1	–	1	–	–	1	–	–	5	1	–	–	12	4	2	1	–	–
(19)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(22)	–	3	–	3	2	1	–	–	6	3	22	–	3	37	4	1	4	1	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–
(24)	–	–	–	–	–	–	1	–	1	3	2	–	2	2	1	–	–	–	–
(24)	–	14	–	7	13	2	4	2	13	23	58	9	26	147	31	29	16	1	1
(25)	–	–	–	–	–	–	–	–	2	2	3	–	1	8	1	4	2	–	–
(26)	–	–	–	1	–	–	–	–	–	–	3	–	–	2	–	–	1	–	–
(27)	–	–	–	1	1	–	–	–	1	5	3	–	2	17	1	3	–	–	–
(27)	–	–	–	1	–	–	–	–	–	–	5	–	3	8	1	1	1	–	–
(27)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	1	–	–	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(30)	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
(31)	–	–	–	–	–	–	–	–	–	–	1	2	1	4	1	1	–	–	–
(32)	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	–	–
(32)	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	2	–	–
(33)	–	2	1	–	2	–	2	–	1	8	16	–	5	19	11	9	3	2	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(35)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
(38)	–	–	–	–	1	–	–	–	–	1	–	–	–	4	4	1	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	2	–	–	1	–	–	–	1	–	–	–	1	12	2	3	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(40)	–	–	–	–	3	–	–	–	1	–	1	–	1	5	–	1	–	1	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
(42)	–	2	–	–	–	–	4	1	1	4	9	1	4	30	2	8	1	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(42)	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
(42)	–	1	–	–	–	–	1	–	–	2	4	–	2	17	1	–	1	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	1	–	1	–	4	1	1	4	–	2	–	–	–
(42)	–	1	–	–	–	–	2	1	–	1	–	–	1	8	–	2	–	–	–
	–	4	–	1	2	–	–	–	1	4	14	–	3	27	3	6	1	1	–
(43)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[1]Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	336	62	136	128	16	5	11	27	37	19
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	1	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	2	–	1	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	10	2	6	2	–	–	–	–	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	1	1	1	–	–	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	1	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	43	6	17	24	2	2	1	3	7	4
(17)	Rheumatism (56, 57, 58)	1	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	15	2	1	3	1	–	–	1	1	–
(19)	Alcoholism (acute or chronic) (75)	1	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	21	10	18	13	2	–	–	3	4	1
(24)	Acute endocarditis (91)	2	–	–	1	–	–	–	–	–	–
(24)	Angina pectoris (94a)	2	–	–	3	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	115	19	37	40	1	2	6	8	14	7
(25)	Arteriosclerosis (97)	2	–	1	2	3	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	12	2	6	5	1	–	–	1	1	1
(27)	Lobar pneumonia (108)	7	1	3	3	–	–	–	1	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	2	–	2	1	–	–	1	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	4	1	–	1	–	–	–	3	1	–
(31)	Cirrhosis of the liver (124)	2	1	1	1	–	–	–	1	1	1
(32)	Diseases of the stomach (117, 118)	3	1	–	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	2	–	–	1	–	–
(33)	Nephritis (130–132)	26	3	17	3	–	–	–	4	2	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	1	–	–	1	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	1	–	–	–	–	–	–
(38)	Congenital malformations (157)	4	–	1	–	–	–	–	–	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	5	1	2	2	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	3	2	2	7	–	–	–	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	29	6	6	7	1	–	2	1	2	–
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	12	4	2	2	–	–	1	–	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	9	1	2	4	–	–	–	1	–	–
(42)	*All others*	7	1	2	1	1	–	1	–	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	23	4	10	5	2	1	–	–	3	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1939.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	19	168	14	3	70	210	39	2	19	39	55	30	294	7	124	40	27	64	58
(1)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	1	–	1	1
(10)	–	4	–	–	1	3	2	–	–	1	1	–	8	–	2	2	–	–	1
(11)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	34	1	–	14	24	3	–	5	9	7	3	41	1	14	7	2	10	6
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	2	5	1	–	–	3	2	–	–	1	2	1	13	–	6	–	2	1	1
(19)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(22)	3	18	1	–	6	21	3	–	1	7	9	2	20	–	9	3	4	9	2
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(24)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–
(24)	6	57	4	–	32	90	19	1	5	7	16	10	104	1	47	13	6	17	29
(25)	–	–	–	1	1	2	–	–	–	1	–	–	6	–	1	–	–	–	–
(26)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	–	–	–	3	6	1	–	–	1	4	–	10	–	9	3	–	1	1
(27)	1	3	–	–	1	4	–	1	–	1	–	1	–	1	4	–	–	–	2
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	3	–	–	1	1	1	–	–	1	–	1	3	–	1	–	–	1	–
(29)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
(30)	–	1	–	–	–	3	–	–	1	–	1	–	4	–	2	–	1	2	1
(31)	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	1	1
(32)	–	1	1	–	1	–	–	–	–	–	2	–	4	–	2	–	–	1	–
(32)	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
(33)	5	7	1	1	3	6	–	–	2	1	2	4	12	1	7	3	6	6	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(35)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–
(38)	–	–	–	–	–	1	1	–	–	–	1	–	2	–	–	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	3	1	–	–	6	–	–	–	–	–	–	4	–	3	1	–	–	1
(39)	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	–	–	3	–	–	1	–	–	–	4	1	2	–	1	1	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	14	3	1	3	12	1	–	2	3	2	3	23	1	5	3	1	6	5
(42)	–	2	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
(42)	–	1	1	1	–	1	–	–	1	1	–	–	3	–	–	–	–	1	–
(42)	–	4	1	–	2	3	1	–	–	1	–	1	9	–	–	2	1	1	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	3	1	–	1	3	–	–	–	–	1	2	6	–	3	1	–	2	2
(42)	–	3	–	–	–	4	–	–	1	1	1	–	3	–	2	–	–	2	1
	–	12	1	–	3	16	4	–	1	4	5	5	22	–	6	4	2	5	6
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Important Causes Allocated to Each Municipality: 1939. Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	95	118	7	227	186	2,163	2	27	33
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	4	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	2	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	2	–	–	–
(8)	Influenza (11)	1	–	–	–	1	5	–	–	1
(10)	Tuberculosis of the respiratory system (23)	4	1	–	5	3	67	–	2	1
(11)	Tuberculosis of the meninges and central nervous system (24)	1	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	2	2	–	–	–
(12)	Syphilis (34)	–	1	–	1	–	12	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	1	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	3	–	–	–
(15)	Cancer and other malignant tumors (45–53)	19	17	1	25	19	301	1	3	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	3	–	–	–
(18)	Diabetes mellitus (59)	5	5	–	9	5	77	–	1	–
(19)	Alcoholism (acute or chronic) (75)	1	–	–	1	–	3	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	6	13	–	16	20	193	–	3	5
(24)	Acute endocarditis (91)	–	–	–	1	–	2	–	–	–
(24)	Angina pectoris (94a)	1	–	–	3	–	6	–	–	3
(24)	Other diseases of the heart, (90, 92, 93, 94b, 95)	27	33	2	98	76	679	1	9	11
(25)	Arteriosclerosis (97)	–	3	–	3	3	23	–	–	1
(26)	Bronchitis (106)	–	–	–	1	–	5	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	6	6	–	5	2	83	–	–	–
(27)	Lobar pneumonia (108)	1	3	1	8	5	73	–	1	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	1	1	1	17	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	1	–	–	–
(30)	Appendicitis (121)	–	1	–	1	–	24	–	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	4	3	20	–	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	2	3	21	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	1	19	–	–	–
(33)	Nephritis (130–132)	3	11	–	15	11	128	–	3	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	2	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	1	–	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	1	–	5	–	–	–
(38)	Congenital malformations (157)	–	–	–	2	1	20	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	3	1	–	3	2	38	–	–	–
(39)	Senility (162)	–	–	–	–	–	2	–	–	–
(40)	Suicide (163–171)	2	4	1	3	–	19	–	–	1
(41)	Homicide (172–175)	–	–	–	–	1	7	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	7	10	–	7	13	155	–	1	3
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	3	6	–	–	–
(42)	*Accidental drowning (183)*	1	–	–	–	2	8	–	–	–
(42)	*Traumatism by fall (186a)*	2	2	–	3	3	85	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	1	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	4	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	3	2	–	1	2	28	–	–	2
(42)	*All others*	1	5	–	2	3	23	–	1	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 160, 161)	6	7	1	10	13	138	–	4	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

TABLE 18 WHICH FOLLOWS HAS BEEN PREPARED FROM THE LIST OF OCCUPATIONS PUBLISHED BY THE BUREAU OF THE CENSUS AND SHOWS DEATHS FROM IMPORTANT CAUSES BY OCCUPATIONS.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: The State.	Abstractors, notaries and justices of the peace.	Accountants and auditors.	Actors.	Agents (n. e. s.).[2]	Agents, advertising.	Agents, express companies.	Agents, freight.	Agents, insurance.
	All Causes.	**19,440**	**2**	**80**	**13**	**67**	**13**	**1**	**5**	**136**
(1)	Typhoid and paratyphoid fever (1, 2)	6	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	6	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	2	–	–	–	–	–	–	–	–
(8)	Influenza (11)	78	–	–	–	–	–	–	–	1
(10)	Tuberculosis of the respiratory system (23)	1,054	–	6	2	1	–	–	–	5
(11)	Tuberculosis of the meninges and central nervous system (24)	6	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	34	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	133	–	1	1	–	–	–	–	–
(13)	Malaria (38)	1	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	4	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	5	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	2,845	–	10	2	12	4	–	–	16
(17)	Rheumatism (56, 57, 58)	20	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	395	–	2	–	3	–	–	–	2
(19)	Alcoholism (acute or chronic) (75)	163	–	2	–	1	–	–	–	2
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1,482	–	5	–	8	1	–	–	12
(24)	Acute endocarditis (91)	62	–	1	–	–	–	1	–	–
(24)	Angina pectoris (94a)	128	–	–	1	1	–	–	–	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	6,621	1	27	2	32	3	–	4	54
(25)	Arteriosclerosis (97)	131	–	–	–	–	–	–	1	1
(26)	Bronchitis (106)	18	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	462	–	2	–	–	1	–	–	5
(27)	Lobar pneumonia (108)	571	–	3	–	–	–	–	–	6
(27)	Pneumonia (unspecified) (109)	15	–	–	–	1	–	–	–	1
(28)	Other respiratory diseases (104, 105, 110–114)	135	–	–	–	1	–	–	–	1
(30)	Appendicitis (121)	202	–	1	–	1	–	–	–	3
(31)	Cirrhosis of the liver (124)	279	–	1	1	1	–	–	–	2
(32)	Diseases of the stomach (117, 118)	272	–	–	1	1	–	–	–	1
(32)	Hernia, intestinal obstruction (122)	175	–	1	–	–	–	–	–	2
(33)	Nephritis (130–132)	1,034	–	4	1	2	–	–	–	6
(34)	Diseases of the female genital organs, not specified as venereal (139)	10	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	6	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	9	–	–	–	–	–	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	433	–	2	–	–	–	–	–	2
(41)	Homicide (172–175)	41	–	1	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1,311	–	3	1	–	1	–	–	3
(42)	*Burns (conflagration excepted) (181)*	56	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	87	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	384	–	1	–	–	–	–	–	2
(42)	*Railroad and automobile collisions (206)*	4	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	42	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	5	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	398	–	1	–	–	1	–	–	–
(42)	*All others*	335	–	1	1	–	–	–	–	1
	All other defined causes	1,278	1	8	1	2	3	–	–	9
(43)	Cause of death not specified or ill-defined (199, 200)	12	–	–	–	–	–	–	–	–

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Agents, purchasing.	Agents, real estate.	Agents, sales.	Agricultural foremen and overseers.	Agricultural laborers.	Agricultural proprietors.	Architects, designers and draftsmen.	Artists, sculptors and teachers of art.	Auctioneers.	Authors.	Aviators.	Baggagemen.	Bakers.	Bankers and bank officials.	Barbers, hairdressers and manicurists.	Billiard room, dance hall, keepers, etc.
	6	144	1	3	221	562	52	34	3	9	2	7	93	36	179	14
(1)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–
(10)	–	3	–	–	15	11	1	–	–	–	1	–	4	–	11	1
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	2	–	–	–	–	–	–	2	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	30	–	–	33	55	8	4	–	–	1	1	17	7	23	3
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	3	1	–	3	8	1	–	–	–	–	–	4	–	7	–
(19)	–	1	–	–	–	3	–	–	–	–	–	–	1	–	–	–
(22)	–	10	–	–	9	45	2	3	–	–	–	1	5	3	13	–
(24)	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
(24)	–	1	–	–	–	6	–	1	–	–	–	–	–	1	1	–
(24)	3	47	–	2	64	226	19	15	1	3	–	3	32	16	64	5
(25)	–	1	–	–	2	6	2	–	–	–	–	–	1	–	2	–
(26)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(27)	–	5	–	1	6	15	–	2	–	–	–	–	–	–	2	–
(27)	–	3	–	–	12	17	1	1	–	1	–	1	1	1	5	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	3	–	–	2	3	2	–	–	–	–	–	1	–	1	–
(30)	–	–	–	–	2	8	–	4	1	–	–	1	1	2	2	–
(31)	1	4	–	–	4	5	–	1	–	–	–	–	–	–	5	–
(32)	–	1	–	–	3	9	–	–	–	–	–	–	2	1	2	–
(32)	–	1	–	–	1	5	2	–	–	–	–	–	–	–	–	–
(33)	2	13	–	–	11	36	7	1	–	–	–	–	5	1	14	2
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	3	–	–	5	19	1	–	–	1	–	–	2	–	6	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42)	–	2	–	–	31	42	1	2	–	4	–	–	6	–	7	–
(42)	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–
(42)	–	2	–	–	4	10	–	1	–	–	–	–	1	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	11	10	–	1	–	–	–	–	2	–	3	–
(42)	–	–	–	–	10	20	1	–	–	3	–	–	3	–	3	–
	–	13	–	–	12	32	5	–	1	–	–	–	8	4	13	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Blacksmiths, forgemen and hammermen.	Boarding and lodging house keepers.	Boatmen, canal men and lock keepers.	Boilermakers.	Boiler washers and engine hostlers.	Bookkeepers and cashiers.	Bootblacks.	Brakemen.	Brass and iron molders, founders and casters.
	All Causes.	74	25	2	15	3	173	6	26	46
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	–	–	3	–	–	–
(10)	Tuberculosis of the respiratory system (23)	3	1	–	–	–	3	1	2	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	1	–	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	10	6	–	4	1	34	1	3	11
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	1	–	–	–
(18)	Diabetes mellitus (59)	1	4	–	–	–	2	–	–	–
(19)	Alcoholism (acute or chronic) (75)	1	2	–	1	–	1	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	7	2	–	1	–	17	–	3	7
(24)	Acute endocarditis (91)	–	–	–	–	–	1	–	–	1
(24)	Angina pectoris (94a)	–	–	–	–	–	3	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	28	4	1	4	–	54	4	11	10
(25)	Arteriosclerosis (97)	1	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	1	1	2	–	–	1
(27)	Lobar pneumonia (108)	4	1	–	1	–	6	–	1	3
(27)	Pneumonia (unspecified) (109)	1	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	–	–	1	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	3	–	–	–
(31)	Cirrhosis of the liver (124)	2	–	–	–	–	1	–	–	1
(32)	Diseases of the stomach (117, 118)	1	–	–	–	–	2	–	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	1	–	–	–
(33)	Nephritis (130–132)	1	1	–	3	–	10	–	1	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	1	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	2	–	–	–	–	4	–	–	1
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	5	2	–	–	1	7	–	3	4
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	2	1	–	–	–	1	–	–	2
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	1	–	–	–	1	–	–	1	1
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	–	–	–	5	–	1	1
(42)	*All others*	2	–	–	–	–	1	–	1	–
	All other defined causes	4	1	–	–	–	15	–	1	3
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Brick and stone masons and tile layers.	Brokers, not specified, and promoters.	Buffers, polishers, filers and grinders (metal).	Builders and building contractors.	Cabinetmakers.	Canvassers.	Captains, masters, mates and pilots.	Carpenters.	Cement finishers.	Cemetery keepers.	Charwomen and cleaners.	Chauffeurs (including bus drivers).	Chemists, assayists and metallurgists.	Chiropractors.	Clergymen.	Clerks in stores.
	101	16	28	91	33	8	29	474	6	17	18	192	18	1	82	16
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(10)	4	–	4	4	2	1	–	27	–	–	1	12	2	–	1	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(12)	–	–	1	–	–	–	–	2	–	–	1	2	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	16	3	7	10	8	1	3	82	3	8	4	17	1	–	14	3
(17)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(18)	2	–	–	–	1	1	2	4	–	–	–	2	–	–	3	–
(19)	1	–	1	1	–	–	–	1	–	–	–	2	–	–	–	–
(22)	13	–	–	9	3	1	1	41	–	–	1	11	2	–	7	–
(24)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
(24)	–	–	–	2	1	–	2	5	–	–	–	–	–	–	–	–
(24)	32	7	7	32	12	2	17	167	–	5	5	62	7	1	38	3
(25)	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(27)	1	–	–	1	–	–	–	15	1	–	–	3	–	–	1	–
(27)	7	–	–	–	1	–	–	9	–	–	1	10	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	–	–	1	–	–	–	3	–	–	–	4	–	–	–	–
(30)	2	–	–	1	–	–	–	3	–	–	1	6	–	–	1	1
(31)	–	–	–	2	2	–	–	4	1	–	–	3	–	–	–	1
(32)	4	–	–	–	–	–	1	5	–	1	–	5	–	–	1	–
(32)	–	1	–	1	–	1	–	4	–	–	–	3	–	–	–	–
(33)	2	3	–	7	1	–	1	23	–	1	2	9	2	–	6	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	3	4	–	–	–	7	1	–	–	8	3	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	12	1	2	9	1	1	1	37	–	–	2	20	–	–	2	4
(42)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–
(42)	5	1	2	4	1	–	1	17	–	–	1	6	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	3	–	–	–	–	1	–	6	–	–	–	6	–	–	–	2
(42)	3	–	–	2	–	–	–	11	–	–	–	6	–	–	1	2
	4	1	2	6	1	–	–	31	–	2	–	10	1	–	7	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Clerks, others (n. e. s.)[2]	Clerks, railway mail.	Clerks, shipping.	Collectors.	College presidents and professors.	Commercial brokers and commission men.	Commercial travelers.	Compositors, linotypers and typesetters.	Conductors.
	All Causes.	**670**	**7**	**107**	**11**	**16**	**12**	**18**	**102**	**46**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	1	–	1	–	–	1	–
(10)	Tuberculosis of the respiratory system (23)	61	–	10	–	–	–	1	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	3	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	5	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	106	1	18	2	–	2	2	16	7
(17)	Rheumatism (56, 57, 58)	2	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	13	–	1	–	–	1	1	1	4
(19)	Alcoholism (acute or chronic) (75)	3	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	45	3	10	–	1	1	4	5	2
(24)	Acute endocarditis (91)	6	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	4	–	1	–	–	–	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	221	2	31	5	7	5	4	40	16
(25)	Arteriosclerosis (97)	3	–	1	–	1	–	–	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	14	–	3	1	1	–	–	2	2
(27)	Lobar pneumonia (108)	17	–	5	–	–	–	–	4	1
(27)	Pneumonia (unspecified) (109)	1	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	7	–	–	–	1	2	1	–	1
(30)	Appendicitis (121)	11	–	1	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	6	–	1	–	–	–	–	5	–
(32)	Diseases of the stomach (117, 118)	12	–	1	–	–	–	–	1	2
(32)	Hernia, intestinal obstruction (122)	7	–	–	–	–	–	–	1	–
(33)	Nephritis (130–132)	36	–	2	–	–	–	–	8	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	2	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	14	1	4	1	1	1	–	3	–
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	27	–	9	1	–	–	2	8	1
(42)	*Burns (conflagration excepted) (181)*	2	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	4	–	1	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	7	–	2	–	–	–	–	4	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	6	–	–	–	–	–	1	3	–
(42)	*All others*	8	–	6	1	–	–	1	1	1
	All other defined causes	39	–	7	1	3	–	2	6	4
(43)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Cooks.	Coopers.	Coppersmiths.	Cranemen, derrickmen, hoistmen, etc.	Credit men.	Dealers, automobiles and accessories.	Dealers, books, music, news, etc.	Dealers, candy and confectionery.	Dealers, cigars and tobacco.	Dealers, coal and wood.	Dealers, department stores.	Dealers, drugs and medicines.	Dealers, five and ten cent and variety stores.	Dealers, food, groceries, etc.	Dealers, furniture, carpets, etc.	Dealers, gasoline and oil filling stations.
	201	9	6	17	10	27	12	15	10	24	88	58	19	356	31	24
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(10)	17	2	1	–	1	1	–	1	–	–	3	3	1	8	2	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
(12)	1	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	25	2	1	2	–	6	1	3	2	5	19	8	6	54	5	3
(17)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	5	–	–	–	1	–	1	1	–	1	2	3	–	18	1	1
(19)	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(22)	10	–	–	1	3	2	1	2	2	3	4	4	–	32	1	1
(24)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(24)	2	–	–	–	–	1	–	–	–	–	1	–	–	2	1	1
(24)	63	4	2	3	4	7	8	7	3	9	38	21	5	144	16	9
(25)	1	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	8	–	–	1	–	–	–	–	–	–	1	2	1	7	–	–
(27)	4	–	–	1	–	2	–	–	–	–	2	2	–	9	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–
(30)	2	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–
(31)	3	–	–	–	–	–	–	–	–	–	–	1	–	7	–	2
(32)	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
(32)	4	–	–	–	–	–	–	–	1	–	1	–	–	4	–	–
(33)	6	–	1	–	–	2	–	1	–	1	6	–	–	20	–	2
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	6	–	–	1	–	3	–	–	1	1	–	2	1	5	–	1
(41)	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(42)	15	–	–	7	–	–	–	–	–	–	4	2	–	13	2	3
(42)	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
(42)	6	–	–	1	–	–	–	–	–	–	2	–	–	6	1	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	6	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1
(42)	1	–	–	4	–	–	–	–	–	–	1	1	–	3	–	1
	20	1	1	–	1	3	1	–	1	2	2	5	3	22	2	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Dealers, hardware, implements and wagons.	Dealers, ice.	Dealers, jewelry.	Dealers, junk and rags.	Dealers, livestock and farm products.	Dealers, lumber.	Dealers, opticians.	Dealers, others (n. e. s.).[2]	Decorators, drapers and window dressers.
	All Causes.	13	15	3	42	19	9	11	250	1
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	1	–
(10)	Tuberculosis of the respiratory system (23)	–	–	–	–	–	–	–	10	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	5	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	2	1	7	1	2	1	25	–
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (59)	1	–	–	–	1	–	1	5	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	3	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	1	–	7	4	1	2	19	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	2	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	–	2	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	4	10	1	13	11	4	3	101	1
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	3	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	2	–	–	–	4	–
(27)	Lobar pneumonia (108)	–	–	–	2	–	1	2	5	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	1	–	–	–	–	–
(30)	Appendicitis (121)	1	–	–	–	–	–	–	3	–
(31)	Cirrhosis of the liver (124)	–	–	–	2	1	–	–	5	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	4	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	2	–
(33)	Nephritis (130–132)	2	1	–	1	1	–	1	14	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	2	1	–	–	–	–	–	9	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	1	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	–	–	2	–	1	–	10	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	1	
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	1	–	–	1	–	1	–	3	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	–	–	–	3	–
(42)	*All others*	–	–	–	1	–	–	–	3	–
	All other defined causes	1	–	1	4	–	–	1	15	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Deliverymen (including milkmen).	Demonstrators.	Dentists.	Detectives.	Draymen, teamsters and carriage drivers.	Dressmakers and seamstresses (not in factory).	Dyers.	Editors and reporters.	Electricians.	Electrotypers and stereotypers.	Elevator tenders.	Employment office keepers.	Enamelers, lacquerers and japanners.	Engineers, civil, and surveyors.	Engineers, electrical.	Engineers, locomotive.
	19	1	57	5	92	109	18	34	89	5	45	1	2	49	24	33
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	1	–	4	4	–	3	2	–	1	–	2	2	1	–
(11)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(12)	1	–	–	–	–	1	–	–	1	–	–	–	–	2	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	1	10	1	17	27	3	4	9	1	9	1	–	5	4	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	1	–	4	4	–	1	–	–	1	–	–	–	–	2
(19)	1	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–
(22)	1	–	6	–	5	9	2	3	3	2	2	–	–	2	1	2
(24)	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(24)	–	–	3	–	2	–	–	1	2	–	–	–	–	1	–	–
(24)	6	–	18	2	27	31	5	11	30	2	16	–	–	24	9	11
(25)	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(27)	1	–	1	1	4	2	–	1	4	–	1	–	–	–	–	1
(27)	–	–	2	–	2	2	1	1	3	–	2	–	–	2	–	3
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
(30)	1	–	–	–	3	–	–	1	1	–	–	–	–	–	–	1
(31)	1	–	2	–	–	–	1	–	3	–	1	–	–	–	1	–
(32)	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	1
(32)	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
(33)	1	–	2	–	5	5	2	1	3	–	4	–	–	1	3	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	3	–	3	–	1	2	–	2	4	–	–	–	–	–	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	–	2	–	5	12	3	3	12	–	2	–	–	3	–	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	7	2	–	6	–	–	–	–	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42)	1	–	1	–	2	4	–	1	3	–	–	–	–	2	–	–
(42)	1	–	1	–	2	1	–	–	1	–	2	–	–	–	–	1
(42)	–	–	2	1	5	9	–	–	8	–	4	–	–	5	4	4
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Engineers, mechanical.	Engineers, mining.	Engineers, stationary.	Engravers.	Firemen, fire department.	Firemen, locomotive.	Firemen (n. e. s.).[2]	Fishermen and oystermen.	Foremen and overseers, domestic and personal service.
	All Causes.	**30**	**3**	**167**	**23**	**73**	**14**	**98**	**62**	**6**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	3	2	2	–	2	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	1	–	–	–	–	–	–
(12)	Syphilis (34)	1	–	1	–	–	1	–	2	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	1	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	4	–	32	–	7	1	14	6	2
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	3	–	2	–	3	2	–	2	–
(19)	Alcoholism (acute or chronic) (75)	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	–	7	1	4	2	7	3	1
(24)	Acute endocarditis (91)	–	1	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	1	–	1	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	9	1	66	10	33	6	44	13	–
(25)	Arteriosclerosis (97)	–	–	2	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	4	–	1	–	3	1	–
(27)	Lobar pneumonia (108)	1	–	6	–	2	–	3	4	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	1	–	1	–	1	2	–
(30)	Appendicitis (121)	1	–	2	–	1	–	–	–	–
(31)	Cirrhosis of the liver (124)	2	–	1	–	1	–	2	–	–
(32)	Diseases of the stomach (117, 118)	–	–	3	–	1	–	–	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	1	–	–	–	1	–	1
(33)	Nephritis (130–132)	1	–	9	3	5	–	4	2	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	–	2	1	3	–	1	2	–
(41)	Homicide (172–175)	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	–	11	3	5	2	11	17	–
(42)	*Burns (conflagration excepted) (181)*	–	–	2	–	–	–	2	–	–
(42)	*Accidental drowning (183)*	–	–	1	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	1	–	1	1	2	6	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	2	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	3	3	–	–	5	2	–
(42)	*All others*	–	–	4	–	4	1	2	7	–
	All other defined causes	2	–	11	2	4	–	4	6	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Foremen and overseers manufacturing and mechanical industries.	Foremen and overseers, other industries (n.e.s.).[2]	Foremen and overseers, public service.	Foremen and overseers, trade.	Foremen and overseers, transportation and communication.	Foresters, forest rangers and timber cruisers.	Fruit graders and packers.	Furnace men, smelter men and pourers.	Garbage men and scavengers.	Goldsmiths and silversmiths.	Guards, watchmen and doorkeepers.	Healers (n. e. s.).[2]	Heaters.	Hotel keepers and managers.
	240	19	24	15	49	5	1	1	2	9	222	17	1	34
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	1	–	–	–	–	–	1	1	–	–	–
(10)	6	3	–	1	2	–	–	–	–	–	6	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(12)	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	41	–	3	3	7	–	–	1	–	–	26	3	–	5
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	8	1	3	–	3	1	–	–	–	–	5	–	–	–
(19)	–	–	1	–	1	–	–	–	–	1	1	–	–	–
(22)	25	2	1	1	4	–	–	–	–	–	19	–	–	8
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	4	–	–	–	1	–	–	–	–	1	1	–	–	–
(24)	87	7	8	3	18	1	–	–	2	4	91	10	1	9
(25)	2	–	–	1	–	–	–	–	–	–	4	–	–	1
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	2	1	–	1	2	–	–	–	–	–	5	1	–	–
(27)	7	–	1	1	–	–	–	–	–	–	9	1	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	–	–	–	–	–	–	–	–	–	1	–	–	1
(30)	3	–	–	–	–	1	–	–	–	–	4	–	–	–
(31)	2	–	–	1	–	–	–	–	–	–	3	–	–	1
(32)	3	1	–	–	1	–	–	–	–	1	1	–	–	1
(32)	–	–	–	–	2	1	–	–	–	–	3	–	–	–
(33)	18	1	–	1	3	–	–	–	–	–	16	1	–	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	5	–	1	–	–	–	–	–	–	–	–	–	–	2
(41)	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	13	2	2	–	3	–	1	–	–	–	12	1	–	–
(42)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	–	–	–	–	1	–	–	–
(42)	3	–	1	–	1	–	–	–	–	–	6	1	–	–
(42)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	5	–	–	–	1	–	–	–	–	–	2	–	–	–
(42)	3	2	1	–	–	–	1	–	–	–	2	–	–	–
	9	1	4	1	2	1	–	–	–	1	12	–	–	4
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Housekeepers and stewards.	Hunters, trappers and guides.	Inspectors (n. e. s.).[2]	Inventors.	Janitors and sextons.	Jewelers and lapidaries (factory).	Jewelers and watchmakers (not in factory).	Keepers of penal and charitable institutions.	Keepers of pleasure resorts, race tracks, etc.
	All Causes.	179	1	23	2	318	3	83	9	2
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	4	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	3	–	–	–	5	1	1	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	2	1	2	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	32	–	1	–	43	–	12	–	
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	9	–	1	–	5	–	1	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	1	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	24	–	2	–	21	–	11	–	–
(24)	Acute endocarditis (91)	–	–	–	–	1	–	–	–	1
(24)	Angina pectoris (94a)	–	–	–	–	1	–	1	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	54	1	11	–	129	–	35	6	–
(25)	Arteriosclerosis (97)	1	–	–	–	1	–	1	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	7	–	–	–	16	–	1	2	–
(27)	Lobar pneumonia (108)	4	–	1	–	18	–	2	–	–
(27)	Pneumonia (unspecified) (109)	1	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	2	–	1	–	–
(30)	Appendicitis (121)	1	–	–	–	1	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	7	–	–	–	–
(32)	Diseases of the stomach (117, 118)	2	–	–	–	5	–	2	1	1
(32)	Hernia, intestinal obstruction (122)	2	–	1	–	5	1	1	–	–
(33)	Nephritis (130–132)	7	–	2	–	18	–	3	–	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	1	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	1	–	3	–	1	–	–
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	10	–	2	–	21	–	2	–	–
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	2	–	–	–	–
(42)	*Traumatism by fall (186a)*	5	–	–	–	7	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	1	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	4	–	1	–	6	–	2	–	–
(42)	*All others*	–	–	–	–	6	–	–	–	–
	All other defined causes	15	–	1	2	13	–	5	–	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Laborers, domestic, personal and professional service.	Laborers, extraction of minerals.	Laborers, fishing and forestry.	Laborers, manufacturing and mechanical industries.	Laborers, others (n. e. s.).[2]	Laborers, public service.	Laborers, trade.	Laborers, transportation, and communication.	Launderers and laundresses.	Lawyers, judges and justices.	Librarians, assistants and attendants.	Lithographers.	Loan brokers and pawn brokers.	Longshoremen and stevedores.	Loom fixers.	Machinists.
	33	9	23	370	812	608	59	214	17	99	18	2	3	73	62	512
(1)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(5)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	4	2	–	–	–	–	–	–	–	–	–	2
(10)	1	1	1	20	59	27	6	8	1	1	2	–	–	3	1	29
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(12)	1	–	1	1	13	4	–	–	–	–	–	–	–	2	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
(14)	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(15)	4	2	1	53	106	70	7	38	2	13	4	1	–	12	9	86
(17)	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
(18)	1	–	–	10	8	6	–	4	–	–	1	–	–	–	–	9
(19)	1	–	2	8	17	16	1	4	–	–	–	–	–	5	–	–
(22)	3	–	–	38	58	32	5	16	4	7	1	–	–	3	4	46
(24)	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
(24)	–	–	–	4	3	2	–	–	–	1	–	–	–	–	1	3
(24)	11	2	7	96	234	226	16	65	6	49	6	1	1	18	24	171
(25)	–	1	1	4	9	3	–	4	–	2	–	–	–	–	1	4
(26)	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	1
(27)	3	–	1	8	29	13	–	9	1	1	–	–	–	4	3	9
(27)	1	–	1	16	32	21	2	6	1	–	–	–	–	5	–	21
(27)	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1
(28)	–	–	–	6	8	3	1	2	–	1	2	–	–	–	–	2
(30)	1	–	–	4	4	5	–	2	–	–	–	–	1	–	–	8
(31)	–	–	–	6	15	6	1	4	–	1	–	–	–	2	1	9
(32)	1	–	–	1	11	9	2	2	–	–	–	–	–	1	1	10
(32)	–	–	–	4	6	9	1	2	–	–	–	–	–	–	–	5
(33)	2	–	1	22	50	29	3	14	–	5	1	–	–	3	4	29
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(40)	–	1	1	7	18	8	3	2	–	3	–	–	–	1	2	13
(41)	–	–	–	1	3	2	–	1	–	–	–	–	–	–	–	1
(42)	3	2	5	39	67	64	8	21	1	4	–	–	–	11	6	23
(42)	–	–	–	4	4	2	–	–	–	–	–	–	–	1	–	–
(42)	–	–	–	5	7	4	1	1	–	–	–	–	–	–	–	–
(42)	–	–	1	6	20	14	2	7	–	3	–	–	–	5	1	10
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	1	1	4	–	2	–	–	–	–	–	1	–	1
(42)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	1	3	11	22	22	4	7	1	–	–	–	–	–	4	5
(42)	1	–	1	11	13	17	1	4	–	1	–	–	–	4	1	7
	–	–	1	17	47	45	2	9	1	9	1	–	1	2	5	28
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 18. Cause of Death.[1]	Allocated Deaths: Mail carriers.	Managers and officials, domestic and personal service.	Managers and officials, extraction of minerals.	Managers and officials, manufacturing and mechanical industries.	Managers and officials, others (n. e. s.).[2]	Managers and officials, professional service.	Managers and officials, public service.	Managers and officials, trade.	Managers and officials, transportation and communication.
	All Causes.	47	10	3	208	47	3	1	26	40
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	1	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	2	–	–	2	1	–	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25-32)	1	–	–	–	1	–	–	–	–
(12)	Syphilis (34)	–	–	–	2	–	–	–	1	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	1
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	12	3	–	25	11	1	–	3	8
(17)	Rheumatism (56, 57, 58)	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	3	–	–	6	2	1	–	–	1
(19)	Alcoholism (acute or chronic) (75)	1	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	–	–	19	2	1	–	6	4
(24)	Acute endocarditis (91)	–	–	–	1	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	1	1	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	7	4	2	79	19	–	1	8	15
(25)	Arteriosclerosis (97)	1	–	–	–	–	–	–	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	2	2	–	–	–	1
(27)	Lobar pneumonia (108)	–	1	–	5	–	–	–	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	5	–	–	–	–	–
(30)	Appendicitis (121)	1	–	–	4	2	–	–	–	1
(31)	Cirrhosis of the liver (124)	1	–	–	7	2	–	–	–	–
(32)	Diseases of the stomach (117, 118)	2	1	–	3	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	–	–	–	–	–
(33)	Nephritis (130–132)	2	–	–	12	–	–	–	–	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	1	–	4	1	–	–	2	2
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	5	–	–	7	2	–	–	–	–
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	2	–	–	2	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	–	2	1	–	–	–	–
(42)	*All others*	1	–	–	3	1	–	–	–	–
	All other defined causes	2	–	1	21	1	–	–	5	3
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Marshals and constables.	Meat Cutters.	Mechanics (n. e. s.).[2]	Messenger and office boys and girls.	Messengers, express.	Messengers, telegraph.	Millers.	Milliners.	Millwrights.	Motormen.	Motor truck and tractor drivers.	Musicians and teachers of music.	Newsboys.	Nurses (not trained included).	Officials and inspectors (City).	Officials and inspectors (County).
	5	71	211	15	5	2	1	16	27	33	144	89	2	170	73	12
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	3	–	–	–	–	–	–	–	2	–	–	–	2	–
(10)	–	6	12	1	–	–	–	–	–	1	18	5	1	15	3	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(11)	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
(12)	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	11	21	1	–	–	–	4	3	4	8	14	–	30	4	3
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(18)	–	–	7	1	1	–	–	1	–	1	3	1	–	4	3	–
(19)	–	–	2	–	–	–	–	–	1	1	1	1	–	2	–	–
(22)	–	4	12	1	–	–	–	1	4	4	9	10	–	13	1	1
(24)	–	–	2	–	–	–	–	–	–	–	–	1	–	2	–	–
(24)	–	–	2	–	–	–	–	–	–	1	–	2	–	1	1	2
(24)	4	28	65	6	–	1	1	9	11	16	29	26	–	45	34	5
(25)	–	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(27)	–	–	5	1	–	–	–	–	–	1	1	1	–	1	–	–
(27)	–	2	5	–	1	–	–	–	1	–	7	3	–	6	1	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–
(30)	–	1	1	–	–	–	–	–	2	–	2	–	–	1	2	–
(31)	–	2	4	–	–	–	–	–	1	–	2	2	–	1	5	–
(32)	–	1	3	1	–	–	–	–	–	–	5	1	–	–	–	–
(32)	–	–	3	–	1	–	–	–	–	–	1	1	–	2	–	–
(33)	–	1	12	–	–	–	–	–	2	2	4	4	1	6	5	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	3	5	–	1	1	–	–	–	–	5	3	–	8	1	–
(41)	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(42)	1	6	29	1	–	–	–	–	–	–	29	7	–	6	2	–
(42)	–	–	2	–	–	–	–	–	–	–	1	–	–	3	–	–
(42)	–	1	2	–	–	–	–	–	–	–	2	1	–	–	–	–
(42)	–	2	6	–	–	–	–	–	–	–	5	3	–	2	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	2	8	1	–	–	–	–	–	–	16	3	–	–	1	–
(42)	–	1	10	–	–	–	–	–	–	–	5	–	–	1	1	–
	–	4	10	1	1	–	–	1	2	2	15	5	–	14	6	1
(43)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Officials and inspectors (State).	Officials and inspectors (United States).	Officials of lodges, societies, etc.	Oilers of machinery.	Operatives, building and construction.	Operatives, chemical and allied industries.	Operatives, cigar and tobacco factories.	Operatives, clay, glass and stone industries.	Operatives, clothing industry.
	All Causes.	18	34	14	3	6	32	20	24	70
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	1	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	3	1	–	1	–	–	1	8
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	1
(12)	Syphilis (34)	1	–	–	–	–	1	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	–	7	1	1	2	3	5	2	7
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	1	–	1	–	–	–	–	2	3
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	3	–	–	–	2	3	4	8
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	8	12	6	1	–	11	8	7	19
(25)	Arteriosclerosis (97)	–	–	–	–	–	1	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	–	1	1	1	1
(27)	Lobar pneumonia (108)	–	1	–	–	–	1	–	2	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	–	1
(30)	Appendicitis (121)	1	–	–	–	–	–	–	–	2
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	2	1	1	1
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	–	–	–	–	2
(33)	Nephritis (130–132)	2	1	2	–	1	2	–	–	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	1	–	1	–	–	–	1	2
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	3	1	–	1	3	2	1	3
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	1	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	–	1	–	1	1	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	2	1	–	–	1	–	–	2
(42)	*All others*	1	1	–	–	–	–	1	–	–
	All other defined causes	1	3	2	–	1	4	–	2	5
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Operatives, domestic, personal and professional service.	Operatives, food and allied industries.	Operatives, iron, metals, machinery, etc., industries.	Operatives, leather industry.	Operatives, lumber and furniture industries.	Operatives, miscellaneous manufacturing industries.	Operatives, others (n. e. s.).[2]	Operatives, paper, printing and allied industries.	Operatives, public service.	Operatives, textile industry.	Operatives, trade.	Operatives, transportation and communication.	Operators and manufacturers (n. e. s.).[2]	Operators, office appliances.
	72	53	288	699	89	535	72	152	36	695	12	74	300	2
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	3	1	1	–	1	–	5	–	–	2	–
(10)	10	3	10	39	4	38	5	8	3	44	3	4	10	–
(11)	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(11)	–	1	–	1	–	1	–	–	–	3	–	–	–	–
(12)	1	–	2	4	–	4	1	–	–	2	–	–	6	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(15)	11	8	54	123	11	79	5	29	4	109	1	11	40	–
(17)	–	–	–	1	–	1	–	–	–	–	–	–	–	–
(18)	3	–	5	13	3	6	1	1	–	8	–	2	12	–
(19)	1	2	1	3	–	2	6	–	–	4	–	–	–	–
(22)	4	8	17	53	3	38	6	16	2	52	1	2	22	–
(24)	–	1	–	1	–	1	–	–	–	4	–	–	–	–
(24)	–	–	–	2	2	2	–	–	1	6	–	–	2	–
(24)	20	16	93	267	40	164	22	50	8	238	3	23	118	1
(25)	–	2	2	5	–	1	1	–	–	2	–	1	3	–
(26)	–	–	–	1	–	1	–	–	–	–	–	–	1	–
(27)	3	1	6	12	1	16	2	4	1	5	–	1	4	1
(27)	2	2	12	17	2	11	1	8	–	19	–	2	5	–
(27)	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(28)	–	–	3	1	1	3	1	2	–	7	1	1	–	–
(30)	–	1	4	5	1	5	–	1	1	8	–	–	2	–
(31)	–	–	4	10	1	6	–	2	3	8	–	2	7	–
(32)	1	–	9	17	–	9	–	1	–	8	–	2	7	–
(32)	1	1	3	10	–	9	–	2	–	12	–	1	1	–
(33)	3	–	15	29	5	31	5	8	4	38	1	4	17	–
(34)	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	2	–	–	–	–	–	–	–	
(36)	–	–	–	–	–	1	–	–	–	2	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	1	5	21	1	13	4	2	–	11	–	3	12	–
(41)	–	–	–	3	–	2	1	1	–	1	–	–	1	–
(42)	2	3	26	29	6	40	8	11	6	44	2	7	9	–
(42)	–	1	2	–	1	2	–	1	–	–	–	–	–	–
(42)	–	–	3	3	–	4	3	2	1	5	–	–	–	–
(42)	1	1	6	7	–	9	1	2	3	14	1	1	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	1	–	1	–	–	–	1	–	3	–	–
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	1	–	7	15	2	12	2	2	1	16	–	2	4	–
(42)	–	1	7	3	3	11	2	4	1	8	1	1	4	–
	8	3	16	28	6	45	3	5	3	51	–	8	18	–
(43)	–	–	–	–	1	2	–	–	–	1	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Other occupations, domestic and personal service (n. e. s.).[2]	Other occupations, professional (n. e. s.).[2]	Other occupations, public service (n. e. s.).[2]	Painters, glaziers and varnishers. (Building).	Painters, glaziers and varnishers. (Factory).	Paper hangers.	Pattern and model makers.	Photographers.	Physicians and surgeons.
	All Causes.	**57**	**54**	**41**	**412**	**14**	**10**	**22**	**20**	**145**
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	1	–	–	–	2	1
(10)	Tuberculosis of the respiratory system (23)	6	6	–	33	–	2	1	2	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	1	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	2	–	–	5	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	1	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	7	6	5	54	1	1	–	3	19
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	1	2	–	6	–	–	1	1	3
(19)	Alcoholism (acute or chronic) (75)	3	–	–	7	2	–	–	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	2	3	32	3	2	1	3	19
(24)	Acute endocarditis (91)	–	–	–	2	–	–	1	–	1
(24)	Angina pectoris (94a)	–	1	–	2	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	16	19	16	128	3	3	11	4	58
(25)	Arteriosclerosis (97)	–	–	–	3	–	–	–	1	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	2	–	8	2	–	1	1	4
(27)	Lobar pneumonia (108)	4	–	2	21	–	–	2	–	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	3	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	4	–	–	1	–	2
(31)	Cirrhosis of the liver (124)	3	–	1	3	–	–	–	1	–
(32)	Diseases of the stomach (117, 118)	1	1	–	7	–	–	–	–	1
(32)	Hernia, intestinal obstruction (122)	1	–	–	3	–	–	–	–	–
(33)	Nephritis (130–132)	–	3	6	25	1	–	1	1	9
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	1	7	–	–	–	–	4
(41)	Homicide (172–175)	1	2	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	5	6	2	27	1	2	1	1	7
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	1	–	–	2
(42)	*Accidental drowning (183)*	–	1	–	2	–	–	1	–	–
(42)	*Traumatism by fall (186a)*	4	1	1	18	–	–	–	1	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	1	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	3	1	3	–	1	–	–	3
(42)	*All others*	1	–	–	4	–	–	–	–	1
	All other defined causes	1	3	4	30	1	–	1	–	10
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS, 1939.

Abridged Int. List No.	Piano and organ tuners.	Plasterers.	Plumbers and gas and steam fitters.	Policemen.	Porters.	Postmasters.	Pressmen and plate printers.	Probation and truant officers.	Radio operators.	Religious workers.	Restaurant, cafe and lunch room keepers.	Rollers and roll hands.	Roofers and slaters.	Sailors and deck hands (not in navy).
	7	24	171	119	41	8	10	5	3	27	93	3	26	39
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	1	2	–	–	–	–	–	1	–	–	–	–
(10)	1	1	5	3	5	–	1	–	–	1	6	–	–	3
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(12)	–	–	1	1	1	–	–	–	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	7	18	13	9	3	–	–	–	5	10	–	2	3
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	4	3	–	–	–	–	1	–	2	–	1	2
(19)	–	–	2	–	–	–	1	–	–	–	–	–	–	3
(22)	1	1	18	10	1	1	1	1	–	2	7	–	2	2
(24)	–	–	1	–	–	–	–	–	–	–	1	–	–	–
(24)	–	–	2	1	–	–	–	–	–	–	2	–	1	–
(24)	1	4	67	45	14	1	5	3	–	11	32	–	5	6
(25)	–	1	1	–	–	–	–	1	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	1	3	–	1	–	–	–	–	1	2	–	–	3
(27)	2	2	1	4	1	–	–	–	–	1	1	–	–	1
(27)	–	1	–	–	1	–	–	–	–	–	–	–	–	1
(28)	–	–	1	1	–	–	–	–	–	1	–	–	–	–
(30)	–	–	2	–	1	–	–	–	–	–	2	–	–	–
(31)	–	1	2	3	–	–	–	–	–	–	1	–	–	–
(32)	–	–	2	3	–	–	–	–	–	–	1	1	1	1
(32)	–	–	2	–	–	–	–	–	–	1	1	1	–	1
(33)	1	3	13	10	2	2	–	–	–	–	9	–	1	2
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	4	4	–	1	–	–	–	–	3	1	–	1
(41)	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	11	6	2	–	2	–	–	–	5	–	10	6
(42)	–	1	1	–	–	–	1	–	–	–	–	–	–	–
(42)	–	1	1	1	–	–	–	–	–	–	–	–	1	3
(42)	–	–	1	2	–	–	–	–	–	–	2	–	6	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	3	1	1	–	1	–	–	–	3	–	3	–
(42)	–	–	4	2	1	–	–	–	–	–	–	–	–	2
	–	–	9	10	3	–	–	–	1	2	7	–	3	3
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Salesmen and saleswomen.	Sawyers.	Servants, domestic and personal service (n.e.s.).[2]	Sheriffs.	Shoemakers and cobblers (not in factory).	Showmen.	Skilled occupations (n. e. s.).[2]	Social and welfare workers.	Soldiers, sailors and marines.
	All Causes.	838	4	334	6	54	16	7	23	58
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	1	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	1	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	55	–	38	–	3	–	–	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	2	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	12	–	2	–	–	–	–	–	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	114	–	61	–	6	6	–	5	7
(17)	Rheumatism (56, 57, 58)	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	12	–	4	–	–	–	–	1	2
(19)	Alcoholism (acute or chronic) (75)	5	–	–	–	1	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	57	1	27	1	5	–	3	4	2
(24)	Acute endocarditis (91)	7	–	3	–	–	–	–	–	–
(24)	Angina pectoris (94a)	7	–	–	–	–	–	–	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	286	2	69	–	24	4	2	6	13
(25)	Arteriosclerosis (97)	2	–	5	–	–	1	–	–	–
(26)	Bronchitis (106)	1	–	1	–	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	25	–	22	–	3	1	–	2	3
(27)	Lobar pneumonia (108)	18	–	9	–	2	1	1	–	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	11	–	7	–	–	–	–	–	1
(31)	Cirrhosis of the liver (124)	19	–	6	–	1	–	–	–	2
(32)	Diseases of the stomach (117, 118)	21	–	2	3	–	1	1	–	–
(32)	Hernia, intestinal obstruction (122)	3	–	3	–	–	–	–	–	1
(33)	Nephritis (130–132)	47	–	18	–	3	1	–	2	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	25	–	3	1	1	–	–	–	2
(41)	Homicide (172–175)	–	–	2	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	48	–	26	1	1	1	–	1	9
(42)	*Burns (conflagration excepted) (181)*	2	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	1	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	18	–	12	1	1	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	2	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	19	–	10	–	–	–	–	1	3
(42)	*All others*	6	–	4	–	–	1	–	–	6
	All other defined causes	57	1	24	–	2	–	–	1	7
(43)	Cause of death not specified or ill-defined (199. 200)	–	–	–	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1939.

Abridged Int. List No.	Stage hands and circus helpers.	Stenographers and typists.	Stock brokers.	Stonecutters.	Structural iron workers (building).	Switchmen and flagmen.	Tailors and tailoresses.	Teachers, athletics, dancing, school, etc.	Technicians and laboratory assistants.	Telegraph and telephone linemen.	Telegraph operators.	Telephone operators.	Theatrical owners, managers, etc.	Ticket and station agents.	Tinsmiths and sheet metal workers.
	2	43	19	59	8	46	85	256	15	19	15	36	9	15	52
(1)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
(10)	1	4	–	17	–	2	4	6	1	3	1	6	1	–	5
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	11	3	5	–	11	17	68	5	2	2	5	1	–	10
(17)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(18)	–	1	1	1	–	–	6	4	1	–	–	1	–	–	1
(19)	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
(22)	–	2	2	3	–	3	5	25	1	2	2	2	2	1	4
(24)	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
(24)	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
(24)	1	9	9	18	2	12	31	81	3	7	6	11	1	9	18
(25)	–	–	–	1	–	2	1	1	–	–	–	–	–	–	1
(26)	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1
(27)	–	–	–	1	–	4	–	5	–	–	–	1	–	–	–
(27)	–	1	–	–	3	1	2	5	–	–	–	1	–	–	1
(27)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
(30)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(31)	–	2	–	–	–	–	1	1	–	1	–	1	–	–	–
(32)	–	–	–	1	–	1	1	1	–	–	1	–	2	1	2
(32)	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1
(33)	–	2	1	4	–	1	3	12	–	3	1	2	–	2	2
(34)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	3	1	–	–	2	1	1	–	–	1	1	–	–
(41)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	1	2	3	4	11	2	–	–	2	–	1	4
(42)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	1	1	2	2	–	–	–	–	–	–	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	1	1	4	2	–	–	1	–	–	2
(42)	–	1	–	1	1	–	1	3	–	–	–	1	–	–	–
	–	5	–	1	1	4	5	23	–	–	2	3	1	1	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Allocated Deaths from Important Causes by Occupations: 1939.

Abridged Int. List No.	Cause of Death.[1]	Toolmakers, die setters and sinkers.	Undertakers.	Unknown or unspecified occupations.	Upholsterers.	Veterinary surgeons.	Waiters and waitresses.	Weighers.	Wholesale dealers, importers and exporters.	Yardmen.
	All Causes.	49	25	556	29	6	127	4	37	2
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	1	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	5	1	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	1	56	3	–	24	–	3	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	3	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	4	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	8	2	63	3	–	19	–	7	1
(17)	Rheumatism (56, 57, 58)	–	–	2	–	–	1	–	–	–
(18)	Diabetes mellitus (59)	–	2	11	–	–	3	–	1	–
(19)	Alcoholism (acute or chronic) (75)	2	–	9	–	–	1	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4	3	34	4	–	8	1	3	–
(24)	Acute endocarditis (91)	–	–	1	–	–	–	–	–	–
(24)	Angina pectoris (94a)	2	–	3	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	19	8	163	10	6	33	3	10	1
(25)	Arteriosclerosis (97)	–	–	3	–	–	–	–	1	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	25	–	–	1	–	1	–
(27)	Lobar pneumonia (108)	–	–	16	–	–	2	–	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	9	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	6	–	–	3	–	1	–
(31)	Cirrhosis of the liver (124)	–	2	5	1	–	1	–	1	–
(32)	Diseases of the stomach (117, 118)	1	1	3	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	4	1	–	2	–	–	–
(33)	Nephritis (130–132)	4	1	27	1	–	3	–	2	–
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	12	1	–	2	–	1	–
(41)	Homicide (172–175)	–	–	2	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	2	29	3	–	14	–	2	–
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	4	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	1	6	–	–	4	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	1	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	1	1	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	7	1	–	7	–	1	–
(42)	*All others*	–	1	9	1	–	3	–	1	–
	All other defined causes	5	3	59	1	–	10	–	3	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	1	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

[2] Not elsewhere specified.

Table 19

DEATHS FROM PRINCIPAL CAUSES: 1915 TO 1939.

YEARS.	All causes.	Diseases of the heart.	Cancer.	Cerebral hemorrhage, embolism and thrombosis.	Pneumonia.	Nephritis.	Tuberculosis of the respiratory system.	Diabetes.	Influenza.	Puerperal causes.
		90–95	45–53	82	107–109	130–132	23	59	11	140–150
1915	53,131	7,164	3,708	3,691	6,448	3,530	4,194	673	232	462
1916	56,366	8,682	3,990	3,690	6,567	3,593	4,467	783	539	525
1917	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	494	616
1918	78,842	7,800	4,098	4,343	14,626	4,008	5,078	680	13,783	804
1919	52,345	6,941	4,112	4,461	5,279	3,743	4,145	633	2,872	622
1920	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	1,623	698
1921	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	153	580
1922	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	569	559
1923	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	742	498
1924	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	277	544
1925	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	519	501
1926	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	718	501
1927	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	326	486
1928	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	520	456
1929	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	1,185	453
1930	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	270	438
1931	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	432	408
1932	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	360	369
1933	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	584	389
1934	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	268	317
1935[1]	49,634	14,835	6,351	4,167	3,992	3,307	1,813	1,303	322	325
1936[1]	51,435	16,087	6,599	4,273	4,220	3,186	1,733	1,388	280	270
1937[1]	51,739	16,233	6,669	4,350	4,174	3,099	1,761	1,495	432	252
1938[1]	49,285	16,296	6,875	4,292	3,216	3,010	1,536	1,436	155	232
1939[1]	50,292	17,604	6,914	4,504	3,126	2,916	1,505	1,506	230	210

[1] Allocated.

Table 20

DEATHS FROM PRINCIPAL COMMUNICABLE DISEASES: 1915 TO 1939.

YEARS.	Scarlet fever.	Whooping cough.	Diphtheria.	Poliomyelitis.	Measles.	Epidemic cerebrospinal meningitis.	Typhoid fever.	Encephalitis lethargica.	Dysentery.	Smallpox.
	8	9	10	16	7	18	1	17	13	6
1915	182	283	720	32	149	9	246	–[1]	92	9
1916	127	346	629	452	392	10	172	–[1]	83	–
1917	120	243	838	51	371	13	178	–[1]	63	10
1918	78	729	608	37	532	115	160	–[1]	82	–
1919	122	323	593	15	183	71	107	–[1]	19	2
1920	214	546	591	144	352	39	95	–[1]	41	2
1921	191	201	607	48	179	49	119	81	41	–
1922	149	294	606	33	218	47	86	83	29	–
1923	155	493	579	35	321	41	70	85	14	–
1924	158	147	534	27	165	39	68	58	17	2
1925	117	269	333	52	337	35	73	99	19	–
1926	117	391	249	44	367	39	61	78	13	–
1927	144	149	268	169	87	43	44	61	19	–
1928	90	208	249	65	265	38	36	56	27	–
1929	71	137	256	21	121	79	41	44	18	1
1930	98	182	182	35	137	59	37	41	20	–
1931	101	88	130	114	64	30	30	24	15	–
1932	145	107	107	13	64	34	25	19	11	–
1933	108	97	86	32	27	25	22	16	9	–
1934	76	125	50	9	91	28	14	25	24	–
1935[2]	57	67	26	61	37	55	10	16	9	–
1936[2]	44	52	27	8	35	100	10	14	10	–
1937[2]	38	95	18	22	28	72	13	14	10	–
1938[2]	24	35	19	7	13	18	13	19	19	–
1939[2]	15	45	15	4	16	17	11	7	11	–

[1] Not tabulated.
[2] Allocated.

Abridged Int. List No.	Table 21 — Cause of Death.[1]	Number of Deaths.[2] 1939[3].	1938.[3]	1937.[3]	1936[3].	1935[3].	1934.	1933.
	All Causes.[2]	50,292	49,285	51,739	51,435	49,634	50,760	50,832
I	Infectious and parasitic diseases	2,267	2,277	2,940	2,824	2,954	3,127	3,590
II	Cancer and other tumors	7,130	7,097	6,900	6,836	6,590	6,917	6,630
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,664	1,610	1,743	1,638	1,573	1,602	1,566
IV	Diseases of the blood and blood-making organs	413	415	430	374	392	425	397
V	Chronic poisonings and intoxications	207	184	202	214	223	276	234
VI	Diseases of the nervous system and of the organs of special sense	5,074	4,860	5,034	5,020	4,911	5,094	5,167
VII	Diseases of the circulatory system	18,589	17,392	17,458	17,320	16,038	15,976	15,437
VIII	Diseases of the respiratory system	3,519	3,630	4,583	4,689	4,428	4,079	4,558
IX	Diseases of the digestive system	2,450	2,487	2,709	2,629	2,539	2,837	2,809
X	Diseases of the genitourinary system	3,555	3,639	3,783	3,844	3,922	4,019	4,141
XI	Diseases of pregnancy, childbirth and the puerperal state	210	232	252	270	325	317	389
XII	Diseases of the skin and cellular tissue	71	61	64	83	92	102	106
XIII	Diseases of the bones and organs of locomotion	61	44	62	66	44	55	55
XIV	Congenital malformations	385	387	385	405	393	444	473
XV	Diseases of early infancy	1,250	1,326	1,386	1,493	1,473	1,541	1,654
XVI	Senility	32	28	33	54	50	42	56
XVII	Violent and accidental deaths	3,381	3,590	3,741	3,662	3,650	3,836	3,505
XVIII	Ill-defined causes of death	34	26	34	14	37	71	65
1	Typhoid and paratyphoid fever (1, 2)	13	13	15	11	10	14	24
3	Smallpox (6)	–	–	–	–	–	–	–
4	Measles (7)	16	13	28	35	37	91	27
5	Scarlet fever (8)	15	24	38	44	57	76	108
6	Whooping cough (9)	45	35	95	52	67	125	97
7	Diphtheria (10)	15	19	18	27	26	50	86
8	Influenza (11)	230	155	432	280	322	268	584
10	Tuberculosis of the respiratory system (23)	1,505	1,536	1,761	1,733	1,813	1,902	2,059
11	Tuberculous meningitis (24)	29	40	45	54	51	74	74
11	Other forms of tuberculosis (25–32)	68	99	81	111	97	140	148
13	Malaria (38)	1	1	2	–	1	2	2
14	Acute poliomyelitis and polioencephalitis (16)	4	7	22	8	61	9	32
14	Epidemic cerebro-spinal meningitis (18)	17	18	72	100	55	28	25
15	Cancer and other malignant tumors (45–53)	6,914	6,875	6,669	6,599	6,351	6,675	6,382
18	Diabetes mellitus (59)	1,506	1,436	1,495	1,388	1,303	1,327	1,234
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,504	4,292	4,350	4,273	4,167	4,269	4,359
24	Acute endocarditis (91)	116	86	121	107	125	120	157
24	Angina pectoris (94a)	251	278	574	663	800	971	905
24	Other diseases of the heart (90, 92, 93, 94b, 95)	17,237	15,932	15,538	15,317	13,910	13,452	13,057
26	Acute bronchitis (106a)	44	38	42	45	63	47	68
26	Chronic bronchitis (106b)	24	35	37	37	39	50	72
27	Bronchopneumonia (including capillary bronchitis) (107)	1,882	1,868	2,291	2,233	2,232	2,005	2,166
27	Pneumonia (108, 109)	1,244	1,348	1,883	1,987	1,760	1,626	1,873
28	Other respiratory diseases (104, 105, 106c, 106d, 110–114)	325	341	330	387	334	351	379
29	Diarrhea and enteritis (under 2 years) (119)	90	122	124	153	219	194	161
30	Appendicitis (121)	423	450	568	490	484	588	623
31	Cirrhosis of the liver (124)	483	436	436	392	355	368	349
32	Diseases of the stomach (cancer excepted) (117,118)	357	346	346	354	312	355	333
32	Hernia, intestinal obstruction (122)	384	371	417	380	402	413	435
32	Acute nephritis and Bright's disease (130, 131)	2,868	2,945	3,019	3,119	3,222	3,247	3,394
16,34	Diseases of the female genital organs (54a, 54b, 54c, 55a, 55b, 55c, 139)	145	170	192	186	187	188	182
35	Puerperal septicemia (140, 145)	65	61	67	80	104	93	103
36	Other diseases of pregnancy, childbirth, and the puerperal state (141–144, 146–150)	145	171	185	190	221	224	286
38	Congenital debility and malformations (157–159)	1,187	1,305	1,327	1,490	1,374	1,509	1,570
39	Senility (162)	32	28	33	54	50	42	56
40	Suicide (163–171)	570	586	642	555	570	598	597
41	Homicide (172–175)	61	61	85	72	74	93	110
42	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2,750	2,943	3,014	3,035	3,006	3,145	2,798
42	Other diseases (3–5, 12–15, 17, 19–22, 33–37, 39–44, 54d, 54e, 55d, 55e–58, 60–81, 83–89, 96–103, 115, 116, 120, 123, 125–129, 132–138, 151–156, 160, 161)	4,693	4,775	5,311	5,380	5,336	5,960	5,852
43	Unknown or ill-defined diseases (199, 200)	34	26	34	14	37	71	65

[1]Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[3] per 100,000 Population.							Per Cent Distribution.						
	1939.[3]	1938.[3]	1937.[3]	1936.[3]	1935.[3]	1934.	1933.	1939.[3]	1938.[3]	1937.[3]	1936.[3]	1935.[3]	1934.	1933.
	1,131.0	1,113.6	1,174.8	1,173.5	1,140.8	1,169.8	1,177.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I	51.0	51.5	66.7	64.4	67.9	72.1	83.1	4.5	4.6	5.7	5.5	6.0	6.2	7.0
II	160.3	160.4	156.7	156.0	151.5	159.4	153.5	14.2	14.4	13.3	13.3	13.3	13.6	13.0
III	37.4	36.4	59.6	37.4	36.1	36.9	36.3	3.3	3.3	3.4	3.2	3.2	3.2	3.1
IV	9.3	9.4	9.8	8.5	9.0	9.8	9.2	.8	.8	.8	.7	.8	.8	.8
V	4.7	4.1	4.6	4.9	5.1	6.4	5.4	.4	.4	.4	.4	.4	.6	.5
VI	114.1	109.8	114.3	114.5	112.9	117.4	119.6	10.1	9.9	9.7	9.8	9.9	10.0	10.2
VII	418.0	393.0	396.4	395.2	368.6	368.2	357.5	37.0	35.3	33.7	33.7	32.3	31.5	30.4
VIII	79.1	82.0	104.1	107.0	101.8	94.0	105.6	7.0	7.4	8.9	9.1	8.9	8.0	9.0
IX	55.1	56.2	61.5	60.0	58.4	65.4	65.1	4.9	5.0	5.2	5.1	5.1	5.6	5.5
X	80.0	82.2	85.9	87.7	90.1	92.6	95.9	7.1	7.4	7.3	7.5	7.9	7.9	8.1
XI	4.7	5.2	5.7	6.1	7.5	7.3	9.0	.4	.5	.5	.5	.6	.6	.8
XII	1.6	1.4	1.4	1.9	2.1	2.4	2.4	.1	.1	.1	.2	.2	.2	.2
XIII	1.4	1.0	1.4	1.5	1.0	1.3	1.3	.1	.1	.1	.1	.1	.1	.1
XIV	8.7	8.7	8.7	9.2	9.0	10.2	11.0	.8	.8	.8	.8	.8	.9	.9
XV	28.1	30.0	31.5	34.1	33.9	35.5	38.3	2.5	2.7	2.7	2.9	3.0	3.0	3.3
XVI	.7	.6	.8	1.2	1.1	.9	1.3	.1	–[5]	.1	.1	.1	.1	.1
XVII	76.0	81.1	84.9	83.6	83.9	88.4	81.2	6.7	7.3	7.2	7.1	7.3	7.6	6.9
XVIII	.8	.6	.8	.3	.9	1.6	1.5	.1	–[5]	.1	–[5]	.1	.1	.1
1	.3	.3	.3	.3	.2	.3	.6	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	.4	.3	.6	.8	.9	2.1	.6	–[5]	–[5]	.1	.1	.1	.2	.1
5	.3	.5	.9	1.0	1.3	1.7	2.5	–[5]	.1	.1	.1	.1	.2	.2
6	1.0	.8	2.2	1.2	1.5	2.9	2.2	.1	.1	.2	.1	.1	.2	.2
7	.3	.4	.4	.6	.6	1.2	2.0	–[5]	.1	–[5]	.1	.1	.1	.2
8	5.2	3.5	9.8	6.4	7.4	6.2	13.6	.5	.3	.8	.5	.6	.5	1.1
10	33.8	34.7	40.0	39.5	41.7	43.8	47.7	3.0	3.1	3.4	3.4	3.7	3.7	4.1
11	.7	.9	1.0	1.2	1.2	1.7	1.7	.1	.1	.1	.1	.1	.1	.1
11	1.5	2.3	1.8	2.5	2.2	3.2	3.4	.1	.2	.2	.2	.2	.3	.3
13	–[4]	–[4]	–[4]	–	–[4]	–[4]	–[4]	–[5]	–[5]	–[5]	–	–[5]	–[5]	–[5]
14	.1	.1	.5	.2	1.4	.2	.7	–[5]	–[5]	–[5]	–[5]	.1	–[5]	1
14	.4	.4	1.6	2.3	1.3	.6	.6	–[5]	–[5]	.1	.2	.1	.1	–[5]
15	155.5	155.3	151.4	150.6	146.0	153.8	147.8	13.7	13.9	12.9	12.8	12.8	13.2	12.5
18	33.9	32.4	33.9	31.7	29.9	30.6	28.6	3.0	2.9	2.9	2.7	2 6	2.6	2.4
22	101.3	97.0	98.8	97.5	95.8	98.4	100.9	9.0	8.7	8.4	8.3	8.4	8.4	8.6
24	2.6	1.9	2.8	2.5	2.9	2.8	3.6	.2	.2	.2	.2	.3	.2	.3
24	5.6	6.3	13.0	15.1	18.4	22.4	21.0	.5	.6	1.1	1.3	1.6	1.9	1.8
24	387.6	360.0	352.8	349.5	319.7	310.0	302.4	34.3	32.3	30.0	29.8	28.0	26.5	25.7
26	1.0	.9	1.0	1.0	1.4	1.1	1.6	.1	.1	.1	.1	.1	.1	.1
26	.5	.8	.8	.8	.9	1.2	1.7	–[5]	.1	.1	.1	.1	.1	.1
27	42.3	42.2	52.0	50.9	51.3	46.2	50.1	3.7	3.8	4.4	4.3	4.5	4.0	4.3
27	28.0	30.5	42.8	45.3	40.5	37.5	43.4	2.5	2.7	3.6	3.9	3.6	3.2	3.7
28	7.3	7.7	7.5	8.8	7.7	8.1	8.8	.6	.7	.6	.8	.7	.7	.7
29	2.0	2.8	2.8	3.5	5.0	4.5	3.7	.2	.2	.2	.3	.4	.4	.3
30	9.5	10.2	12.9	11.2	11.1	13.5	14.4	.8	.9	1.1	.9	1.0	1.2	1.2
31	10.9	9.9	9.9	8.9	8.1	8.5	8.1	1.0	.9	.9	.8	.7	.7	.7
32	8.0	7.8	7.9	8.1	7.2	8.2	7.7	.7	.7	.7	.7	.6	.7	.7
32	8.6	8.4	9.5	8.7	9.2	9.5	10.1	.8	.8	.8	.7	.8	.8	.9
32	64.5	66.5	68.6	71.2	74.1	74.8	78.6	5.7	6.0	5.8	6.1	6.5	6.4	6.7
16,34	3.3	3.8	4.4	4.3	4.3	4.3	4.2	.3	.3	.4	.4	.4	.4	.4
35	1.4	1.4	1.5	1.8	2.4	2.1	2.4	.1	.1	.1	.1	.2	.2	.2
36	3.3	3.8	4.2	4.3	5.1	5.2	6.6	.3	.3	.4	.4	4	.4	.6
38	26.7	29.5	30.1	34.0	31.6	34.8	36.4	2.4	2.6	2.6	2.9	2.8	3.0	3.1
39	.7	.6	.8	1.2	1.1	1.0	1.3	.1	.1	.1	.1	.1	.1	.1
40	12.8	13.2	14.6	12.7	13.1	13.8	13.8	1.1	1.2	1.2	1.1	1.1	1.2	1.2
41	1.4	1.4	1.9	1.7	1.7	2.1	2.6	.1	.1	.2	.1	.1	.2	.2
42	61.9	66.5	68.4	69.2	69.1	72.5	64.8	5.5	6.0	5.8	5.9	6.1	6.2	5.5
42	105.5	107.9	120.6	122.7	122.6	137.4	135.5	9.3	9.7	10.3	10.4	10.8	11.7	11.5
43	.8	.6	.8	.3	9	1.6	1.5	.1	.1	.1	–[5]	1	.1	.1

[3] Exclusive of stillbirths.
[3] Allocated.
[4] Less than one-tenth of 1 per 100,000.
[5] Less than one-tenth of 1 per cent.

Table 22

DEATHS RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS 1910 TO 1935.

YEARS.	All causes.[2]	Typhoid fever.* 1	Smallpox.* 6	Measles.* 7	Scarlet fever.* 8	Diphtheria and croup.* 10	Tuberculosis of the respiratory system.* 23	Cancer. 45-53	Nephritis, Bright's disease, etc. 130, 131, 132
1910 . .	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915 . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920 . .	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0
1925 . .	1,235.2	1.5	–[3]	6.2	4.1	11.1	70.6	124.3	85.6
1930 . .	1,181.9	.8	–[3]	3.0	2.4	4.3	56.5	136.9	85.6
1935 . .	1,167.2	.3	–	1.0	1.5	1.0	42.5	149.9	75.6

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 23

DEATHS PRODUCED BY EXTERNAL CAUSES: 1915 TO 1939.

YEARS.	Total.	Traumatism by fall. 186a	Automobile (including railroad and street car collisions). 206, 208 210	Drowning. 183, 213d	Burns (conflagration excepted) 181	Absorption of poisonous gas. 178	Excessive heat. 191	Excessive cold. 190	Suicide. 163–171	Homicide. 172–175
1915 . . .	3,206	621	265	362	274	197	17	11	515	113
1916 . . .	3,402	682	314	318	282	260	26	27	455	115
1917 . . .	3,584	630	415	315	309	272	91	27	493	106
1918 . . .	3,442	563	495	276	302	295	14	17	492	93
1919 . . .	3,242	535	532	292	296	207	26	13	445	102
1920 . . .	2,938	529	457	224	282	207	15	9	391	78
1921 . . .	2,996	523	526	301	202	140	31	9	472	116
1922 . . .	3,140	611	500	269	243	183	12	3	458	102
1923 . . .	3,392	646	638	260	265	192	32	4	452	106
1924 . . .	3,474	674	705	354	257	135	30	14	486	109
1925 . . .	3,573	643	743	273	215	151	135	9	459	109
1926 . . .	3,343	700	682	225	219	157	63	1	473	87
1927 . . .	3,371	692	697	296	198	136	14	7	466	86
1928 . . .	3,567	746	734	318	204	127	34	8	550	82
1929 . . .	3,584	760	785	257	191	160	37	14	540	70
1930 . . .	3,499	817	799	238	189	123	25	7	547	79
1931 . . .	3,582	851	849	242	152	133	38	3	601	89
1932 . . .	3,485	859	804	261	179	94	12	6	639	91
1933 . . .	3,505	933	816	248	126	109	23	13	597	110
1934 . . .	3,142	982	1,016	238	137	71	24	28	598	93
1935 . . .	3,006[1]	1,109	824	232	143	72	21	28	570	74
1936 . .	3,035[1]	1,130	866	188	135	83	13	15	555	72
1937 . . .	3,014[1]	1,037	864	265	113	67	72	19	642	85
1938 . . .	2,943[1]	1,207	658	295	116	79	11	13	586	61
1939 . . .	2,750[1]	1,206	630	211	123	72	14	12	570	61

[1] Allocated.

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1939.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45–53	**Cancer (all causes)**	6,914	448	1,944	703	42	5	682	1,627	1,400	61	2
	Under 20 years	50	27	1	–	–	–	22	–	–	–	–
	20 to 29 years	73	24	8	–	–	–	18	23	–	–	–
	30 to 39 years	185	11	41	–	–	–	18	105	5	5	–
	40 to 49 years	656	53	180	10	3	–	73	296	26	15	–
	50 to 59 years	1,346	89	453	44	13	–	141	460	131	14	1
	60 to 69 years	2,098	133	690	183	13	–	188	468	408	15	–
	70 to 79 years	1,823	87	470	314	10	5	149	238	540	10	–
	80 years and over	683	24	101	152	3	–	73	37	290	2	1
45	Cancer of the buccal cavity and pharynx	226	30	108	50	3	–	9	6	17	3	–
	Under 20 years	2	1	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	2	–	1	–	–	–	–	1	–	–	–
	40 to 49 years	12	3	6	1	1	–	–	–	–	1	–
	50 to 59 years	35	5	21	2	–	–	3	3	1	–	–
	60 to 69 years	81	14	44	11	–	–	3	1	7	1	–
	70 to 79 years	64	6	29	21	2	–	1	–	4	1	–
	80 years and over	29	1	7	15	–	–	–	1	5	–	–
45*a*	Cancer of the lip	25	4	10	8	–	–	1	–	2	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	2	–	1	–	–	–	1	–	–	–	–
	60 to 69 years	9	2	4	1	–	–	–	–	2	–	–
	70 to 79 years	9	2	3	4	–	–	–	–	–	–	–
	80 years and over	5	–	2	3	–	–	–	–	–	–	–
45*b*	Cancer of the tongue	62	6	37	11	–	–	1	4	3	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	1	–	1	–	–	–	–	–	–	–	–
	50 to 59 years	11	2	5	2	–	–	–	2	–	–	–
	60 to 69 years	27	2	19	3	–	–	1	–	2	–	–
	70 to 79 years	16	2	10	3	–	–	–	–	1	–	–
	80 years and over	6	–	2	3	–	–	–	1	–	–	–
45*c*	Cancer of the mouth	28	4	13	8	–	–	–	–	3	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	6	–	6	–	–	–	–	–	–	–	–
	60 to 69 years	10	3	4	3	–	–	–	–	–	–	–
	70 to 79 years	7	1	2	3	–	–	–	–	1	–	–
	80 years and over	5	–	1	2	–	–	–	–	2	–	–
45*d*	Cancer of the jaw	23	3	6	8	1	–	–	2	2	1	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	–	1	1	–	–	–	–	1	–
	50 to 59 years	1	–	–	–	–	–	–	1	–	–	–
	60 to 69 years	8	1	4	2	–	–	–	1	–	–	–
	70 to 79 years	5	–	1	3	–	–	–	–	1	–	–
	80 years and over	5	1	1	2	–	–	–	–	1	–	–
45*e*	Cancer of other and unspecified parts of the buccal cavity	35	6	16	9	–	–	3	–	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	6	1	5	–	–	–	–	–	–	–	–
	50 to 59 years	3	1	2	–	–	–	–	–	–	–	–
	60 to 69 years	9	3	4	1	–	–	1	–	–	–	–
	70 to 79 years	12	1	5	5	–	–	1	–	–	–	–
	80 years and over	4	–	–	3	–	–	–	–	1	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1939.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45f	Cancer of the pharynx	53	7	26	6	2	–	4	–	6	2	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	2	2	–	–	–	–	–	–	–	–	–
	50 to 59 years	12	2	7	–	–	–	2	–	1	–	–
	60 to 69 years	18	3	9	1	–	–	1	–	3	1	–
	70 to 79 years	15	–	8	3	2	–	–	–	1	1	–
	80 years and over	4	–	1	2	–	–	–	–	1	–	–
46	Cancer of the digestive tract and peritoneum	3,455	230	1,106	408	23	2	260	654	747	23	2
	Under 20 years	4	1	1	–	–	–	2	–	–	–	–
	20 to 29 years	18	6	3	–	–	–	4	5	–	–	–
	30 to 39 years	56	4	16	–	–	–	6	28	2	–	–
	40 to 49 years	240	27	97	5	1	–	18	79	10	3	–
	50 to 59 years	621	49	264	24	9	–	44	168	57	5	1
	60 to 69 years	1,123	79	417	108	7	–	81	219	201	11	–
	70 to 79 years	1,025	49	260	192	4	2	72	135	307	4	–
	80 years and over	368	15	48	79	2	–	33	20	170	–	1
46a	Cancer of the esophagus	165	21	59	40	1	–	11	13	20	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	–	–	–	–	1	1	–	–	–
	40 to 49 years	10	3	5	–	–	–	–	1	1	–	–
	50 to 59 years	25	5	13	1	1	–	2	2	1	–	–
	60 to 69 years	72	9	27	17	–	–	4	6	9	–	–
	70 to 79 years	43	3	11	17	–	–	3	2	7	–	–
	80 years and over	13	1	3	5	–	–	1	1	2	–	–
46b	Cancer of the stomach and duodenum	1,143	75	420	158	7	2	71	183	223	4	–
	Under 20 years	1	–	1	–	–	–	–	–	–	–	–
	20 to 29 years	3	1	–	–	–	–	–	2	–	–	–
	30 to 39 years	12	1	4	–	–	–	2	5	–	–	–
	40 to 49 years	71	8	39	2	–	–	3	17	1	1	–
	50 to 59 years	202	19	102	12	3	–	7	41	16	2	–
	60 to 69 years	356	22	149	45	2	–	22	60	56	–	–
	70 to 79 years	366	18	107	71	1	2	20	49	97	1	–
	80 years and over	132	6	18	28	1	–	17	9	53	–	–
46c	Cancer of the intestines (except duodenum, rectum and anus)	1,018	48	268	91	5	–	108	233	255	10	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	8	2	1	–	–	–	3	2	–	–	–
	30 to 39 years	17	1	5	–	–	–	2	8	1	–	–
	40 to 49 years	72	4	21	2	–	–	8	32	4	1	–
	50 to 59 years	166	10	56	2	1	–	22	56	17	2	–
	60 to 69 years	326	17	104	18	3	–	38	81	59	6	–
	70 to 79 years	310	10	67	48	–	–	25	49	110	1	–
	80 years and over	118	3	14	21	1	–	10	5	64	–	–
46d	Cancer of the rectum and anus	487	44	168	61	5	–	30	95	81	2	1
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	6	3	2	–	–	–	–	1	–	–	–
	30 to 39 years	15	1	3	–	–	–	–	11	–	–	–
	40 to 49 years	37	7	16	–	–	–	5	8	1	–	–
	50 to 59 years	102	5	43	7	–	–	5	31	10	–	1
	60 to 69 years	157	16	69	15	2	–	5	29	20	1	–
	70 to 79 years	120	11	27	25	3	–	11	14	28	1	–
	80 years and over	50	1	8	14	–	–	4	1	22	–	–
46e	Cancer of the liver and biliary passages	360	19	103	28	2	–	19	83	101	4	1
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	6	–	2	–	–	–	1	2	1	–	–
	40 to 49 years	25	1	5	–	–	–	2	13	3	1	–
	50 to 59 years	68	4	26	1	2	–	3	24	7	1	–
	60 to 69 years	121	9	36	8	–	–	6	29	32	1	–
	70 to 79 years	101	4	30	12	–	–	6	12	36	1	–
	80 years and over	38	1	4	7	–	–	–	3	22	–	1

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1939.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
46f	Cancer of the pancreas	235	17	79	25	3	–	15	38	56	2	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	23	3	10	1	1	–	–	8	–	–	–
	50 to 59 years	46	4	22	–	2	–	3	11	4	–	–
	60 to 69 years	72	4	28	3	–	–	4	10	21	2	–
	70 to 79 years	79	3	17	17	–	–	7	9	26	–	–
	80 years and over	14	3	1	4	–	–	1	–	5	–	–
46g	Cancer of the mesentery and peritoneum	47	6	9	5	–	–	6	9	11	1	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	3	1	1	–	–	–	–	1	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	12	2	2	1	–	–	2	3	2	–	–
	60 to 69 years	19	2	4	2	–	–	2	4	4	1	–
	70 to 79 years	6	–	1	2	–	–	–	–	3	–	–
	80 years and over	3	–	–	–	–	–	–	1	2	–	–
46h	Cancer of other organs under this title	–	–	–	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	372	46	196	31	4	–	15	45	33	2	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	2	1	–	–	–	–	–	–	–	–
	30 to 39 years	13	2	6	–	–	–	1	4	–	–	–
	40 to 49 years	49	7	30	3	–	–	–	8	1	–	–
	50 to 59 years	127	19	74	5	2	–	3	19	4	1	–
	60 to 69 years	116	13	58	10	1	–	6	13	14	1	–
	70 to 79 years	54	3	24	9	1	–	4	1	12	–	–
	80 years and over	10	–	3	4	–	–	1	–	2	–	–
47a	Cancer of the larynx	69	10	42	7	1	–	–	4	5	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	7	1	5	1	–	–	–	–	–	–	–
	50 to 59 years	28	5	20	2	–	–	–	1	–	–	–
	60 to 69 years	19	2	10	1	–	–	–	3	3	–	–
	70 to 79 years	10	2	5	1	1	–	–	–	1	–	–
	80 years and over	5	–	2	2	–	–	–	–	1	–	–
47b	Cancer of the lungs and pleura	255	28	128	19	2	–	13	39	24	2	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	2	1	–	–	–	–	–	–	–	–
	30 to 39 years	12	2	6	–	–	–	–	4	–	–	–
	40 to 49 years	34	4	20	1	–	–	–	8	1	–	–
	50 to 59 years	82	9	46	2	1	–	2	17	4	1	–
	60 to 69 years	82	10	40	7	1	–	6	9	8	1	–
	70 to 79 years	37	1	14	7	–	–	4	1	10	–	–
	80 years and over	5	–	1	2	–	–	1	–	1	–	–
47c	Cancer of the other respiratory organs	48	8	26	5	1	–	2	2	4	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	1	–	–	–	–
	40 to 49 years	8	2	5	1	–	–	–	–	–	–	–
	50 to 59 years	17	5	8	1	1	–	1	1	–	–	–
	60 to 69 years	15	1	8	2	–	–	–	1	3	–	–
	70 to 79 years	7	–	5	1	–	–	–	–	1	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1939.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
48	Cancer of the uterus	579	–	–	–	–	–	84	311	176	8	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	10	–	–	–	–	–	4	6	–	–	–
	30 to 39 years	40	–	–	–	–	–	1	35	2	2	–
	40 to 49 years	94	–	–	–	–	–	13	75	3	3	–
	50 to 59 years	144	–	–	–	–	–	22	90	29	3	–
	60 to 69 years	135	–	–	–	–	–	21	64	50	–	–
	70 to 79 years	118	–	–	–	–	–	18	35	65	–	–
	80 years and over	38	–	–	–	–	–	5	6	27	–	–
49	Cancer of other female genital organs	195	–	–	–	–	–	42	94	53	6	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	2	2	–	–	–
	30 to 39 years	9	–	–	–	–	–	1	8	–	–	–
	40 to 49 years	28	–	–	–	–	–	8	17	1	2	–
	50 to 59 years	43	–	–	–	–	–	9	27	5	2	–
	60 to 69 years	59	–	–	–	–	–	12	22	24	1	–
	70 to 79 years	37	–	–	–	–	–	6	16	14	1	–
	80 years and over	15	–	–	–	–	–	4	2	9	–	–
49a	Cancer of the ovary and Fallopian tube	166	–	–	–	–	–	38	84	40	4	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	–	–	–	–	–	2	1	–	–	–
	30 to 39 years	9	–	–	–	–	–	1	8	–	–	–
	40 to 49 years	26	–	–	–	–	–	8	16	–	2	–
	50 to 59 years	39	–	–	–	–	–	9	26	4	–	–
	60 to 69 years	52	–	–	–	–	–	10	20	21	1	–
	70 to 79 years	28	–	–	–	–	–	5	12	10	1	–
	80 years and over	9	–	–	–	–	–	3	1	5	–	–
49b	Cancer of the vagina and vulva	28	–	–	–	–	–	4	10	13	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	–	1	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	–	–	–	–	–	–	1	1	–	–
	50 to 59 years	3	–	–	–	–	–	–	1	1	1	–
	60 to 69 years	7	–	–	–	–	–	2	2	3	–	–
	70 to 79 years	9	–	–	–	–	–	1	4	4	–	–
	80 years and over	6	–	–	–	–	–	1	1	4	–	–
49c	Cancer of other female genital organs	1	–	–	–	–	–	–	–	–	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	1	–	–	–	–	–	–	–	–	1	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
50	Cancer of the breast	789	1	5	1	–	–	171	358	239	14	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	–	–	–	–	–	–	3	–	–	–
	30 to 39 years	30	1	–	–	–	–	5	20	1	3	–
	40 to 49 years	126	–	2	–	–	–	26	89	4	5	–
	50 to 59 years	177	–	1	–	–	–	41	108	24	3	–
	60 to 69 years	231	–	1	1	–	–	48	104	76	1	–
	70 to 79 years	151	–	1	–	–	–	35	29	86	–	–
	80 years and over	71	–	–	–	–	–	16	5	48	2	–
51	Cancer of the male genitourinary organs	594	69	348	167	7	3	–	–	–	–	–
	Under 20 years	4	4	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	2	2	–	–	–	–	–	–	–	–
	30 to 39 years	6	1	5	–	–	–	–	–	–	–	–
	40 to 49 years	27	7	19	–	1	–	–	–	–	–	–
	50 to 59 years	67	10	46	10	1	–	–	–	–	–	–
	60 to 69 years	173	17	117	36	3	–	–	–	–	–	–
	70 to 79 years	230	22	128	75	2	3	–	–	–	–	–
	80 years and over	83	6	31	46	–	–	–	–	–	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1939.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
51a	Cancer of the kidneys and suprarenals (male)	69	15	42	12	–	–	–	–	–	–	–
	Under 20 years	4	4	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	10	3	7	–	–	–	–	–	–	–	–
	50 to 59 years	16	2	13	1	–	–	–	–	–	–	–
	60 to 69 years	25	2	18	5	–	–	–	–	–	–	–
	70 to 79 years	8	2	2	4	–	–	–	–	–	–	–
	80 years and over	3	1	–	2	–	–	–	–	–	–	–
51b	Cancer of the bladder (male)	145	19	88	37	1	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	7	2	4	–	1	–	–	–	–	–	–
	50 to 59 years	23	5	15	3	–	–	–	–	–	–	–
	60 to 69 years	45	5	33	7	–	–	–	–	–	–	–
	70 to 79 years	47	6	26	15	–	–	–	–	–	–	–
	80 years and over	22	1	9	12	–	–	–	–	–	–	–
51c	Cancer of the prostate	352	27	205	112	5	3	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	7	1	6	–	–	–	–	–	–	–	–
	50 to 59 years	23	1	17	4	1	–	–	–	–	–	–
	60 to 69 years	97	9	63	23	2	–	–	–	–	–	–
	70 to 79 years	170	12	100	53	2	3	–	–	–	–	–
	80 years and over	55	4	19	32	–	–	–	–	–	–	–
51d	Cancer of the testes	11	4	6	1	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	2	1	1	–	–	–	–	–	–	–	–
	30 to 39 years	3	1	2	–	–	–	–	–	–	–	–
	40 to 49 years	3	1	2	–	–	–	–	–	–	–	–
	50 to 59 years	2	1	–	1	–	–	–	–	–	–	–
	60 to 69 years	1	–	1	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51e	Cancer of the scrotum	3	1	1	1	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	1	1	–	–	–	–	–	–	–	–	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	1	–	–	1	–	–	–	–	–	–	–
	80 years and over	1	–	1	–	–	–	–	–	–	–	–
51f	Cancer of other male genitourinary organs	14	3	6	4	1	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	1	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	2	–	1	1	–	–	–	–	–	–	–
	60 to 69 years	5	1	2	1	1	–	–	–	–	–	–
	70 to 79 years	4	2	–	2	–	–	–	–	–	–	–
	80 years and over	2	–	2	–	–	–	–	–	–	–	–
52	Cancer of the skin	97	10	32	12	2	–	10	9	22	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	1	2	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	1	–	–	–	–	1	–	–	–
	40 to 49 years	6	1	3	–	–	–	2	–	–	–	–
	50 to 59 years	7	–	5	–	–	–	1	1	–	–	–
	60 to 69 years	24	3	7	1	–	–	1	5	7	–	–
	70 to 79 years	26	5	9	6	1	–	–	1	4	–	–
	80 years and over	29	–	5	5	1	–	6	1	11	–	–

Table 24

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1939.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
53	Cancer of other or unspecified organs	607	62	149	34	3	–	91	150	113	5	–
	Under 20 years	40	21	–	–	–	–	19	–	–	–	–
	20 to 29 years	27	13	–	–	–	–	7	7	–	–	–
	30 to 39 years	27	3	12	–	–	–	4	8	–	–	–
	40 to 49 years	74	8	23	1	–	–	6	28	7	1	–
	50 to 59 years	125	6	42	3	1	–	18	44	11	–	–
	60 to 69 years	156	7	46	16	2	–	16	40	29	–	–
	70 to 79 years	118	2	19	11	–	–	13	21	48	4	–
	80 years and over	40	2	7	3	–	–	8	2	18	–	–
53a	Cancer of the kidneys and suprarenals (female)	37	–	–	–	–	–	9	16	12	–	–
	Under 20 years	4	–	–	–	–	–	4	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	–	–	–	–	–	–	1	–	–
	50 to 59 years	10	–	–	–	–	–	3	6	1	–	–
	60 to 69 years	13	–	–	–	–	–	2	6	5	–	–
	70 to 79 years	8	–	–	–	–	–	–	4	4	–	–
	80 years and over	1	–	–	–	–	–	–	–	1	–	–
53b	Cancer of the bladder (female)	80	–	–	–	–	–	19	31	28	2	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–		–	–	–	–	–	–
	40 to 49 years	5	–	–	–	–	–	–	5	–	–	–
	50 to 59 years	12	–	–	–	–	–	4	8	–	–	–
	60 to 69 years	16	–	–	–	–	–	4	9	3	–	–
	70 to 79 years	32	–	–	–	–	–	5	8	17	2	–
	80 years and over	15	–	–	–	–	–	6	1	8	–	–
53c	Cancer of the brain	93	14	31	5	–	–	15	24	4	–	–
	Under 20 years	14	6	–	–	–	–	8	–	–	–	–
	20 to 29 years	5	2	–	–	–	–	2	1	–	–	–
	30 to 39 years	11	2	5	–	–	–	2	2	–	–	–
	40 to 49 years	21	2	9	–	–	–	1	7	2	–	–
	50 to 59 years	27	2	14	1	–	–	1	8	1	–	–
	60 to 69 years	14	–	3	3	–	–	1	6	1	–	–
	70 to 79 years	1	–	–	1	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
53d	Cancer of the bones (except jaw)	77	10	26	1	1	–	10	17	12	–	–
	Under 20 years	4	2	–	–	–	–	2	–	–	–	–
	20 to 29 years	8	4	–	–	–	–	1	3	–	–	–
	30 to 39 years	6	–	3	–	–	–	1	2	–	–	–
	40 to 49 years	6	2	1	–	–	–	1	2	–	–	–
	50 to 59 years	14	–	9	–	–	–	1	3	1	–	–
	60 to 69 years	24	2	9	1	1	–	1	5	5	–	–
	70 to 79 years	12	–	3	–	–	–	3	2	4	–	–
	80 years and over	3	–	1	–	–	–	–	–	2	–	–
53e	Cancer of other or unspecified organs	320	38	92	28	2	–	38	62	57	3	–
	Under 20 years	18	13	–	–	–	–	5	–	–	–	–
	20 to 29 years	14	7	–	–	–	–	4	3	–	–	–
	30 to 39 years	10	1	4	–	–	–	1	4	–	–	–
	40 to 49 years	41	4	13	1	–	–	4	14	4	1	–
	50 to 59 years	62	4	19	2	1	–	9	19	8	–	–
	60 to 69 years	89	5	34	12	1	–	8	14	15	–	–
	70 to 79 years	65	2	16	10	–	–	5	7	23	2	–
	80 years and over	21	2	6	3	–	–	2	1	7	–	–

Table 25

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1939.		
		Total.	Males.	Females.
Infant Mortality Rate. The State.	37.4			
	1,605	2,338	1,370	968
Abington	2	2	2	–
Acton	1	1	–	1
Acushnet	1	1	–	1
Adams	8	11	6	5
Agawam	1	2	1	1
Alford	–	–	–	–
Amesbury	6	7	4	3
Amherst	3	4	3	1
Andover	4	4	3	1
Arlington	10	14	8	6
Ashburnham	1	2	2	–
Ashby	–	1	–	1
Ashfield	–	–	–	–
Ashland	–	2	2	–
Athol	3	7	3	4
Attleboro	2	6	5	1
Auburn	1	2	2	–
Avon	1	2	1	1
Ayer	1	2	–	2
Barnstable	6	9	6	3
Barre	2	3	1	2
Becket	1	1	–	1
Bedford	–	1	–	1
Belchertown	–	–	–	–
Bellingham	1	2	–	2
Belmont	5	6	2	4
Berkley	–	–	–	–
Berlin	–	–	–	–
Bernardston	–	–	–	–
Beverly	3	9	5	4
Billerica	1	3	2	1
Blackstone	3	4	2	2
Blandford	–	–	–	–
Bolton	1	1	–	1
Boston	319	449	273	176
Bourne	1	2	2	–
Boxborough	–	–	–	–
Boxford	–	–	–	–
Boylston	1	2	1	1
Braintree	7	9	4	5
Brewster	–	–	–	–
Bridgewater	1	3	–	3
Brimfield	–	–	–	–
Brockton	24	38	23	15
Brookfield	–	–	–	–
Brookline	6	7	4	3
Buckland	1	2	2	–
Burlington	3	4	3	1
Cambridge	48	83	44	39
Canton	2	5	3	2
Carlisle	–	–	–	–
Carver	–	1	1	–
Charlemont	1	1	1	–
Charlton	–	1	1	–
Chatham	–	–	–	–
Chelmsford	2	3	2	1
Chelsea	24	36	16	20
Cheshire	1	3	1	2
Chester	2	2	1	1
Chesterfield	–	–	–	–
Chicopee	19	24	18	6
Chilmark	–	–	–	–
Clarksburg	–	1	–	1
Clinton	7	9	6	3
Cohasset	2	2	1	1
Colrain	–	1	1	–
Concord	2	2	–	2
Conway	1	1	1	–
Cummington	–	–	–	–
Dalton	1	1	1	–
Danvers	5	7	5	2
Dartmouth	4	4	1	3
Dedham	5	7	3	4
Deerfield	–	–	–	–
Dennis	–	1	–	1
Dighton	–	1	–	1
Douglas	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1939.		
		Total.	Males.	Females.
Dover	–	–	–	–
Dracut	3	4	2	2
Dudley	2	3	2	1
Dunstable	–	–	–	–
Duxbury	1	2	2	–
East Bridgewater	1	1	1	–
East Brookfield	–	–	–	–
East Longmeadow	1	1	1	–
Eastham	–	–	–	–
Easthampton	5	5	3	2
Easton	3	4	1	3
Edgartown	1	1	–	1
Egremont	–	–	–	–
Erving	–	1	–	1
Essex	–	–	–	–
Everett	13	21	14	7
Fairhaven	3	3	3	–
Fall River	58	95	53	42
Falmouth	4	4	4	–
Fitchburg	21	26	12	14
Florida	–	–	–	–
Foxborough	3	3	1	2
Framingham	12	18	14	4
Franklin	5	6	5	1
Freetown	1	2	1	1
Gardner	7	8	7	1
Gay Head	–	–	–	–
Georgetown	1	1	1	–
Gill	–	–	–	–
Gloucester	11	13	8	5
Goshen	1	1	1	–
Gosnold	–	–	–	–
Grafton	1	3	–	3
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	1	1	–	1
Greenfield	9	12	7	5
Groton	1	3	2	1
Groveland	1	1	1	–
Hadley	–	–	–	–
Halifax	–	1	–	1
Hamilton	2	2	1	1
Hampden	–	–	–	–
Hancock	–	–	–	–
Hanover	–	–	–	–
Hanson	2	3	2	1
Hardwick	1	1	1	–
Harvard	1	1	1	–
Harwich	–	1	–	1
Hatfield	2	2	2	–
Haverhill	13	21	9	12
Hawley	–	–	–	–
Heath	–	–	–	–
Hingham	–	2	1	1
Hinsdale	–	1	1	–
Holbrook	1	2	1	1
Holden	1	1	1	–
Holland	–	–	–	–
Holliston	–	–	–	–
Holyoke	15	18	9	9
Hopedale	–	–	–	–
Hopkinton	2	3	3	–
Hubbardston	–	–	–	–
Hudson	1	1	1	–
Hull	1	1	1	–
Huntington	–	–	–	–
Ipswich	5	6	3	3
Kingston	4	4	2	2
Lakeville	–	–	–	–
Lancaster	2	2	2	–
Lanesborough	–	–	–	–
Lawrence	32	52	32	20
Lee	2	2	1	1
Leicester	4	5	3	2
Lenox	1	2	2	–
Leominster	12	17	9	8
Leverett	–	–	–	–
Lexington	11	15	9	6
Leyden	–	–	–	–
Lincoln	–	–	–	–

[1] Exclusive of stillbirths.

Table 25

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1939.		
		Total.	Males.	Females.
Littleton	–	–	–	–
Longmeadow	–	1	–	1
Lowell	35	58	32	26
Ludlow	3	3	1	2
Lunenburg	–	1	1	–
Lynn	41	55	28	27
Lynnfield	1	1	–	1
Malden	21	28	16	12
Manchester	1	1	–	1
Mansfield	3	4	2	2
Marblehead	2	2	2	–
Marion	2	2	2	–
Marlborough	7	9	6	3
Marshfield	1	3	1	2
Mashpee	–	–	–	–
Mattapoisett	1	1	–	1
Maynard	4	6	6	–
Medfield	–	–	–	–
Medford	22	30	16	14
Medway	1	1	1	–
Melrose	6	9	7	2
Mendon	–	–	–	–
Merrimac	–	–	–	–
Methuen	13	15	7	8
Middleborough	5	7	6	1
Middlefield	–	–	–	–
Middleton	2	3	3	–
Milford	4	6	4	2
Millbury	1	1	–	1
Millis	2	3	3	–
Millville	–	–	–	–
Milton	3	4	2	2
Monroe	–	–	–	–
Monson	3	3	1	2
Montague	4	6	2	4
Monterey	–	–	–	–
Montgomery	–	–	–	–
Mount Washington	–	–	–	–
Nahant	–	–	–	–
Nantucket	–	–	–	–
Natick	3	5	2	3
Needham	3	6	3	3
New Ashford	–	–	–	–
New Bedford	28	47	31	16
New Braintree	–	–	–	–
New Marlborough	–	–	–	–
New Salem	–	–	–	–
Newbury	–	1	–	1
Newburyport	5	8	6	2
Newton	27	31	20	11
Norfolk	–	–	–	–
North Adams	12	19	12	7
North Andover	4	4	2	2
North Attleborough	5	6	2	4
North Brookfield	1	1	1	–
North Reading	1	1	–	1
Northampton	8	10	4	6
Northborough	1	1	–	1
Northbridge	4	6	4	2
Northfield	1	1	1	–
Norton	–	1	1	–
Norwell	1	1	1	–
Norwood	7	8	6	2
Oak Bluffs	1	2	2	–
Oakham	–	–	–	–
Orange	4	9	6	3
Orleans	–	–	–	–
Otis	1	1	1	–
Oxford	1	5	3	2
Palmer	8	11	5	6
Paxton	1	3	2	1
Peabody	9	13	5	8
Pelham	2	3	2	1
Pembroke	1	1	1	–
Pepperell	–	–	–	–
Peru	–	–	–	–
Petersham	–	1	–	1
Phillipston	–	–	–	–
Pittsfield	20	28	15	13
Plainfield	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1939.		
		Total.	Males.	Females.
Plainville	1	1	1	–
Plymouth	4	4	–	4
Plympton	–	–	–	–
Princeton	1	2	1	1
Provincetown	1	1	1	–
Quincy	24	34	20	14
Randolph	3	3	2	1
Raynham	1	1	1	–
Reading	5	8	5	3
Rehoboth	2	2	1	1
Revere	12	20	10	10
Richmond	–	–	–	–
Rochester	–	–	–	–
Rockland	–	–	–	–
Rockport	–	–	–	–
Rowe	–	–	–	–
Rowley	–	–	–	–
Royalston	–	–	–	–
Russell	1	2	1	1
Rutland	1	2	–	2
Salem	18	26	14	12
Salisbury	–	–	–	–
Sandisfield	–	–	–	–
Sandwich	–	–	–	–
Saugus	3	5	4	1
Savoy	–	–	–	–
Scituate	2	3	2	1
Seekonk	3	5	–	5
Sharon	2	3	1	2
Sheffield	1	1	–	1
Shelburne	–	–	–	–
Sherborn	–	–	–	–
Shirley	1	1	1	–
Shrewsbury	5	6	5	1
Shutesbury	–	–	–	–
Somerset	1	2	1	1
Somerville	30	51	30	21
South Hadley	1	1	–	1
Southampton	–	–	–	–
Southborough	1	1	–	1
Southbridge	7	11	6	5
Southwick	–	1	–	1
Spencer	3	4	2	2
Springfield	41	66	37	29
Sterling	1	1	1	–
Stockbridge	–	1	1	–
Stoneham	6	7	4	3
Stoughton	6	10	5	5
Stow	–	–	–	–
Sturbridge	–	2	1	1
Sudbury	4	4	3	1
Sunderland	–	1	1	–
Sutton	–	1	1	–
Swampscott	3	4	2	2
Swansea	1	2	2	–
Taunton	17	26	12	14
Templeton	1	4	2	2
Tewksbury	1	2	–	2
State Infirmary	–	–	–	–
Tisbury	4	5	3	2
Tolland	–	–	–	–
Topsfield	–	1	1	–
Townsend	2	2	1	1
Truro	–	–	–	–
Tyngsborough	–	–	–	–
Tyringham	–	–	–	–
Upton	1	1	1	–
Uxbridge	1	2	1	1
Wakefield	3	4	2	2
Wales	–	–	–	–
Walpole	2	2	1	1
Waltham	15	21	15	6
Ware	7	7	4	3
Wareham	4	7	6	1
Warren	1	2	1	1
Warwick	–	–	–	–
Washington	–	–	–	–
Watertown	13	18	7	11
Wayland	2	3	2	1
Webster	5	7	3	4

[1] Exclusive of stillbirths.

Table 25

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1939.			Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1939.		
		Total.	Males.	Females.			Total.	Males.	Females.
Wellesley	2	2	1	1	Westwood	–	–	–	–
Wellfleet	1	2	–	2	Weymouth	10	14	10	4
Wendell	–	–	–	–	Whately	–	–	–	–
Wenham	–	1	1	–	Whitman	4	5	4	1
West Boylston	–	–	–	–	Wilbraham	2	3	1	2
West Bridgewater	1	1	1	–	Williamsburg	1	2	2	–
West Brookfield	1	1	1	–	Williamstown	2	2	2	–
West Newbury	–	1	1	–	Wilmington	2	3	2	1
West Springfield	6	7	5	2	Winchendon	3	7	5	2
West Stockbridge	2	2	1	1	Winchester	1	1	–	1
West Tisbury	–	–	–	–	Windsor	–	–	–	–
Westborough	2	4	4	–	Winthrop	7	8	8	–
Westfield	10	15	13	2	Woburn	5	7	3	4
Westford	2	3	2	1	Worcester	75	101	62	39
Westhampton	–	1	–	1	Worthington	–	–	–	–
Westminster	–	–	–	–	Wrentham	–	–	–	–
Weston	1	1	1	–	Yarmouth	–	1	1	–
Westport	1	2	1	1					

[1] Exclusive of stillbirths.

Table 26

Counties.	Infant and Maternal Deaths[1] and Death Rates[1], for the State and Counties: 1939.			
	Total deaths[2] under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
The State.	**2,338**	**37.4**	**210**	**33.6**
Barnstable	21	35.5	2	33.8
Berkshire	77	41.9	13	70.8
Bristol	214	41.6	13	25.3
Dukes	8	75.5	–	–
Essex	264	39.1	24	35.6
Franklin	35	52.6	3	45.0
Hampden	159	37.2	17	39.8
Hampshire	36	39.5	3	32.9
Middlesex	500	34.8	46	32.0
Nantucket	–	–	–	–
Norfolk	136	29.7	13	28.4
Plymouth	93	38.1	12	49.1
Suffolk	513	38.3	45	33.6
Worcester	282	37.8	19	25.5

[1] Allocated. [2] Exclusive of stillbirths.

Table 27

Municipalities. (Grouped in order of population, 1935.)	Infant Deaths[1] per 1,000 Live Births[2] in Municipalities having over 15,000 Inhabitants in 1935: 1932 to 1939.							
	1939.	1938.	1937.	1936.	1935.	1934.	1933.	1932.
The State.	37	39	44	47	48	49	52	53
Over 100,000.								
Boston	38	44	49	51	49	55	59	59
Worcester	36	32	43	53	41	62	55	53
Springfield	34	39	40	48	45	52	52	56
Cambridge	45	42	57	55	73	47	48	57
Fall River	56	54	43	49	58	42	63	53
New Bedford	34	49	48	62	58	61	56	57
Lynn	41	27	36	39	69	33	49	43
Somerville	31	43	38	39	44	45	50	47
Lowell	39	48	60	56	68	63	62	67
50,000 to 100,000.								
Lawrence	46	44	52	54	62	65	50	55
Quincy	30	39	38	44	38	50	57	53
Newton	34	34	31	27	40	31	21	40
Brockton	43	34	44	47	35	35	48	38
Medford	30	32	33	35	31	35	34	43
Malden	35	25	38	43	37	50	31	31
Holyoke	27	39	37	44	47	48	69	55
Brookline (town)	14	34	37	23	13	45	34	57
25,000 to 50,000.								
Haverhill	33	63	56	47	32	52	48	42
Pittsfield	38	23	54	43	35	43	52	47
Everett	27	30	31	44	35	33	59	50
Salem	44	39	53	61	84	83	57	63
Chelsea	56	33	38	57	54	39	47	58
Chicopee	43	45	56	68	75	71	73	75
Fitchburg	42	37	45	36	63	52	59	52
Waltham	33	33	37	55	38	34	40	32
Arlington (town)	28	26	26	48	43	31	42	33
Taunton	47	60	30	51	55	56	73	60
Watertown (town)	33	33	43	42	33	47	41	59
Revere	37	42	35	41	32	65	42	46
Beverly	26	22	31	33	56	17	30	39
15,000 to 25,000.								
Belmont (town)	20	28	28	32	12	21	52	85
Northampton	35	32	10	50	26	42	54	69
Melrose	31	48	30	21	51	41	49	35
Gloucester	36	32	82	73	46	56	37	57
Framingham (town)	52	41	36	46	43	31	57	56
North Adams	57	63	38	55	49	49	47	43
Peabody	40	28	50	47	69	37	32	35
Leominster	51	34	44	65	72	52	49	62
Attleboro	17	45	84	17	55	47	46	58
Weymouth (town)	37	39	46	20	27	38	43	45
Methuen (town)	56	32	36	55	52	32	52	54
Gardner	29	50	28	51	53	47	43	59
Woburn	24	44	45	35	57	37	35	26
Westfield	60	43	51	53	17	33	23	81
Milton (town)	18	27	23	42	40	52	48	–[3]
Braintree (town)	35	40	44	45	32	40	33	99
West Springfield (town)	32	29	46	98	67	43	52	43
Winthrop (town)	32	28	38	16	41	40	23	20
Wakefield (town)	18	32	45	49	48	44	56	61
Greenfield (town)	55	25	35	46	49	43	45	20
Southbridge (town)	40	34	13	35	27	–	–	–
Marlborough	43	41	58	45	53	39	38	44
Norwood (town)	33	26	58	57	29	24	47	56
Dedham (town)	28	36	42	29	68	23	51	70
Saugus (town)	24	41	32	47	101	–	–	–
Milford (town)	26	50	14	21	27	–	–	–

[1] Exclusive of stillbirths. [2] Allocated. [3] No deaths under 1 year of age.

Table 28

Municipalities. (Grouped in order of population, 1935.)	Birth Rates,[1] Death Rates,[1] Natural Increase, Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1935: 1939.					
	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	Survivors at end of first year of life.	
					Number.	Per 1,000 births.[2]
The State.	14.1	11.3	2.8	37.4	60,237	963
Over 100,000.						
Boston	14.0	11.7	2.3	37.5	11,516	962
Worcester	14.6	11.4	3.2	36.3	2,683	964
Springfield	12.9	11.0	1.9	34.2	1,864	966
Cambridge	15.0	10.8	4.2	45.3	1,749	955
Fall River	14.2	11.2	3.0	55.9	1,604	945
New Bedford	12.7	12.3	.4	33.6	1,353	966
Lynn	13.3	11.5	1.8	40.9	1,291	959
Somerville	16.4	11.3	5.1	30.8	1,605	969
Lowell	14.9	12.9	2.0	38.8	1,435	961

[1] Allocated. [2] Exclusive of stillbirths.

Table 28

BIRTH RATES[1], DEATH RATES[1], NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1935: 1939.—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1935.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[2]
50,000 TO 100,000.						
Lawrence	12.8	10.7	2.1	46.0	1,079	954
Quincy	14.1	9.2	4.9	29.5	1,119	971
Newton	13.7	11.7	2.0	33.7	888	966
Brockton	14.3	13.3	1.0	43.0	855	957
Medford	15.9	10.2	5.7	29.9	973	970
Malden	14.1	11.6	2.5	34.6	781	965
Holyoke	12.0	12.3	.3[3]	26.7	657	973
Brookline (town)	9.8	11.3	1 5[3]	13.5	513	987
25,000 TO 50,000.						
Haverhill	12.6	12.4	.2	33.2	612	967
Pittsfield	15.7	10.6	5.1	37.5	718	962
Everett	16.7	10.1	6.6	26.5	770	973
Salem	13.6	10.8	2.8	43.9	566	956
Chelsea	15.0	11.0	4.0	56.2	605	944
Chicopee	13.3	9.0	4.3	43.0	534	957
Fitchburg	14.5	9.8	4.7	41.9	594	958
Waltham	15.1	10.3	4.8	33.2	611	967
Arlington (town)	12.1	9.9	2.2	28.3	481	972
Taunton	14.7	12.1	2.6	47.3	524	953
Watertown (town)	14.7	9.2	5.5	33.3	523	967
Revere	15.1	9.2	5.9	37.4	515	963
Beverly	13.0	10.8	2.2	25.9	338	974
15,000 TO 25,000.						
Belmont (town)	10.9	7.7	3.2	19.9	296	980
Northampton	11.7	10.1	1.6	34.6	279	965
Melrose	11.5	11.3	.2	30.8	283	969
Gloucester	14.9	14.6	.3	36.0	348	964
Framingham (town)	14.9	11.0	3.9	52.3	326	948
North Adams	14.9	11.0	3.9	56.7	316	943
Peabody	14.3	11.2	3.1	40.0	312	960
Leominster	15.2	11.0	4.2	50.7	318	949
Attleboro	16.1	12.1	4.0	17.0	347	983
Weymouth (town)	17.0	13.0	4.0	36.6	369	963
Methuen (town)	12.6	10.8	1.8	56.4	251	944
Gardner	13.0	9.0	4.0	28.9	269	971
Woburn	14.6	9.3	5.3	24.1	284	976
Westfield	13.3	11.2	2.1	60.2	234	940
Milton (town)	11.5	10.5	1.0	17.6	223	982
Braintree (town)	13.8	9.5	4.3	35.3	246	965
West Springfield (town)	12.6	9.6	3.0	31.7	214	968
Winthrop (town)	14.8	13.2	1.6	31.6	245	968
Wakefield (town)	13.6	10.6	3.0	17.6	223	982
Greenfield (town)	13.4	12.2	1.2	54.8	207	945
Southbridge (town)	16.1	8.9	7.2	39.6	267	960
Marlborough	13.2	11.4	1.8	42.9	201	957
Norwood (town)	15.1	9.1	6.0	32.9	235	967
Dedham (town)	15.9	11.4	4.5	28.2	241	972
Saugus (town)	13.3	9.8	3.5	24.3	201	976
Milford (town)	15.0	10.9	4.1	26.2	223	974

[1] Allocated. [2] Exclusive of stillbirths. [3] Decrease.

Table 29

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: 1923 TO 1939.

YEARS.	MASSACHUSETTS. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.
1923	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4
1927	82,273	5,320	64.7	17,079	1,459	85.4	65,194	3,861	59.2
1928	79,054	5,118	64.7	18,781	1,445	76.9	60,273	3,673	60.9
1929	74,122	4,592	62.0	17,942	1,236	68.9	56,180	3,356	59.7
1930	73,690	4,440	60.3	18,057	1,257	69.6	55,633	3,183	57.2
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58 9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2
1935	62,416[1]	3,014	48.3	12,371[1]	607	49.1	50,045	2,407	48.1
1936	61,184[1]	2,854	46.6	12,117[1]	615	50.8	49,067	2,239	45.6
1937	61,272[1]	2,684	43.8	12,101[1]	587	48.5	49,171	2,097	42.6
1938	62,382[1]	2,439	39.1	11,943[1]	522	43.7	50,439	1,917	38.0
1939	62,575[1]	2,338	37.4	11,965[1]	449	37.5	50,610	1,889	37.3

Table 30

Years.	Survivors at End of First Year of Life: 1914 to 1939. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1914 to 1939. Per 1,000 population.	Per 1,000 live births.
1914	22.9	894	1927	18.0	935
1915	22.7	898	1928	17.1	935
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951
1922	20.5	919	1935	13.7[1]	952[1]
1923	20.7	922	1936	13.3[1]	953[1]
1924	21.3	932	1937	13.3[1]	956[1]
1925	19.2	927	1938	13.5[1]	961[1]
1926	18.4	927	1939	13.5[1]	963[1]

[1] Allocated.

Table 31

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1932 to 1939. 1939[1]	1938[1]	1937.[1]	1936.[1]	1935.[1]	1934.	1933.	1932.
	All Causes.	37.4	39.1	43.8	46.6	48.3	49.2	51.9	53.1
	Developmental and wasting diseases*	18.5	20.5	21.2	23.7	21.7	23.2	24.1	23.3
159	Premature birth*	12.5	14.4	14.7	17.1	15.0	16.0	15.8	15.6
157	Congenital malformations*	5.7	5.8	5.8	6.0	5.8	6.5	6.9	6.8
158	Congenital debility, etc.*	.3	.3	.7	.6	.9	.7	1.4	.9
119	Diarrhea and enteritis*	1.3	1.9	1.7	2.3	3.1	2.7	2.2	2.9
107*a*	Bronchopneumonia*	4.7	4.8	6.4	6.1	7.3	7.0	7.5	7.8
108	Lobar pneumonia*	.8	1.0	1.2	1.4	1.4	1.1	1.3	1.3
86	Convulsions	.1	.1	.2	.2	.1	.2	.3	.2
106*a*, 106*b*, 106*c*	Bronchitis*	.2	.1	.1	.2	.2	.2	.2	.2
9	Whooping cough*	.5	.3	1.0	.6	.7	1.1	.9	.9
18, 79	Meningitis	.4	.3	.3	.5	.5	.2	.3	.3
24	Tuberculous meningitis	–	–	.1	.1	.1	.1	.2	.3
34	Syphilis	.1	.1	.1	.1	.3	.2	.3	.3
109	Pneumonia, undefined	.1	.2	.2	.1	.1	–	.2	.2
16	Acute anterior poliomyelitis	–	–	–	–	–	–	–	–
	All other causes	10.7	9.8	11.3	11.3	12.7	13.2	14.4	15.4

[1] Allocated.

Table 32

Months	Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1932 to 1939. 1939.[1]	1938[1]	1937.[1]	1936.[1]	1935.[1]	1934.	1933.	1932.
The Year.	**90**	**122**	**124**	**153**	**219**	**194**	**161**	**229**
January	6	6	6	24	6	7	12	13
February	6	1	9	17	17	10	13	16
March	12	7	11	18	14	20	17	21
April	11	12	11	9	22	12	11	18
May	5	11	9	7	26	15	14	14
June	4	11	14	12	20	16	10	17
July	13	11	13	15	15	18	12	19
August	6	16	16	10	28	38	11	24
September	7	15	16	14	21	23	24	29
October	12	10	10	12	15	23	13	22
November	4	9	4	7	23	6	12	18
December	4	13	5	8	12	6	12	18
	Per Cent Distribution.							
The Year.	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	6.7	4.9	4.9	15.7	2.7	3.6	7.5	5.6
February	6.7	.8	7.3	11.1	7.8	5.1	8.0	7.0
March	13.3	5.7	8.8	11.8	6.4	10.3	10.6	9.2
April	12.2	9.9	8.8	5.9	10.1	6.2	6.8	7.9
May	5.6	9.0	7.3	4.6	11.9	7.7	8.7	6.1
June	4.4	9.0	11.3	7.8	9.1	8.2	6.2	7.4
July	14.4	9.0	10.5	9.8	6.8	9.3	7.5	8.3
August	6.7	13.1	12.9	6.5	12.8	19.6	6.8	10.5
September	7.8	12.3	12.9	9.2	9.6	11.9	14.9	12.6
October	13.3	8.2	8.0	7.8	6.8	11.9	8.0	9.6
November	4.4	7.4	3.2	4.6	10.5	3.1	7.5	7.9
December	4.4	10.7	4.1	5.2	5.5	3.1	7.5	7.9

[1] Allocated.

Table 33

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State[2]	T	2,338	831	208	129	199	1,367	109	78	51	1,605	142	101	228	145	117
		M	1,370	497	126	82	120	825	53	40	24	942	92	53	135	81	67
		F	968	334	82	47	79	542	56	38	27	663	50	48	93	64	50
7	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	13	–	–	–	–	–	–	–	–	–	1	–	3	4	5
		F	16	–	–	–	–	–	–	–	–	–	2	4	5	2	3
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	16	–	–	–	–	–	–	–	–	–	–	1	1	5	9
		F	7	–	–	–	–	–	–	–	–	–	–	1	3	1	2
13	Dysentery	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
18	Epidemic cerebro-spinal meningitis	M	5	–	–	–	–	–	–	–	–	–	–	–	2	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	5	–	–	–	–	–	–	–	–	–	1	1	1	1	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
24	Tuberculosis of the meninges and central nervous system	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–
		F	4	–	–	–	–	–	–	1	–	1	1	2	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–
106	Bronchitis	M	6	–	–	–	1	1	–	–	–	1	–	–	5	–	–
		F	7	–	–	1	–	1	–	–	–	1	1	–	3	–	2
107	Bronchopneumonia	M	164	–	1	2	9	12	6	5	4	27	28	18	48	25	18
		F	130	1	3	2	10	16	11	10	4	41	10	13	26	26	14
108, 109	Pneumonia	M	32	–	–	–	1	1	1	3	2	7	–	5	7	8	5
		F	26	–	–	–	2	2	2	2	–	6	–	2	8	6	4
117, 118	Diseases of the stomach	M	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
119	Diarrhea and enteritis	M	46	–	–	–	–	–	2	5	–	7	8	3	12	10	6
		F	35	–	–	–	–	–	1	2	5	8	4	2	7	10	4
122*b*	Intestinal obstruction	M	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1
		F	3	–	–	–	1	1	–	–	–	1	–	–	1	1	–
157	Congenital malformations	M	183	46	12	13	25	96	17	7	5	125	22	9	19	5	3
		F	174	53	8	8	18	87	19	14	8	128	16	8	15	1	6
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	16	1	–	2	4	7	–	1	1	9	3	2	1	–	1
		F	13	1	1	1	2	5	1	1	–	7	2	–	3	–	1
159	Premature birth	M	479	315	65	34	28	442	12	11	6	471	8	–	–	–	–
		F	303	193	47	18	18	276	12	5	5	298	4	–	1	–	–
160	Injuries at birth	M	152	77	18	14	31	140	5	2	1	148	2	1	1	–	–
		F	91	44	13	7	18	82	4	1	1	88	2	1	–	–	–
161*a*, *d*	Other diseases of early infancy	M	124	54	29	16	13	112	4	3	1	120	3	1	–	–	–
		F	71	39	9	10	7	65	5	–	–	70	–	1	–	–	–
172–198, 201–214	External causes	M	29	4	1	1	1	7	–	–	–	7	1	4	9	4	4
		F	21	1	–	–	–	1	–	1	1	3	2	5	9	2	–
199, 200	Unknown or ill-defined diseases	M	3	–	–	–	–	–	–	1	–	1	1	–	1	–	–
		F	4	2	–	–	–	2	–	–	–	2	–	–	1	1	–
	All other causes	M	80	–	–	–	7	7	5	1	4	17	11	7	21	13	11
		F	51	–	1	–	2	3	1	1	3	8	5	7	9	13	9

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33a

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.[2]	T	449	153	38	24	39	254	26	25	14	319	33	18	43	25	11
		M	273	92	25	19	20	156	14	13	5	188	21	13	26	18	7
		F	176	61	13	5	19	98	12	12	9	131	12	5	17	7	4
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
18	Epidemic cerebrospinal meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	4	-	-	-	-	-	-	-	-	-	1	-	1	1	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
107	Bronchopneumonia	M	30	-	-	-	3	3	1	2	-	6	4	3	7	8	2
		F	26	-	2	1	1	4	2	5	1	12	3	1	7	3	-
108, 109	Pneumonia	M	8	-	-	-	-	-	-	3	-	3	-	1	1	2	1
		F	5	-	-	-	1	1	-	1	-	2	-	-	-	2	1
117, 118	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	8	-	-	-	-	-	-	1	-	1	-	2	5	-	-
		F	8	-	-	-	-	-	-	1	3	4	1	1	2	-	-
122b	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	36	6	1	4	5	16	4	2	1	23	5	2	4	2	-
		F	28	11	1	1	2	15	3	2	-	20	3	-	3	-	2
158, 161b, c	Congenital debility, icterus, sclerema	M	3	-	-	-	1	1	-	-	1	2	-	1	-	-	-
		F	3	-	-	-	2	2	-	1	-	3	-	-	-	-	-
159	Premature birth	M	97	60	15	5	2	82	4	4	3	93	4	-	-	-	-
		F	56	32	7	-	5	44	5	1	3	53	3	-	-	-	-
160	Injuries at birth	M	40	18	3	5	6	32	4	1	-	37	2	1	-	-	-
		F	22	10	2	-	8	20	1	1	-	22	-	-	-	-	-
161a, d	Other diseases of early infancy	M	20	8	6	4	1	19	-	-	-	19	1	-	-	-	-
		F	14	8	1	3	-	12	1	-	-	13	-	1	-	-	-
172–198, 201–214	External causes	M	6	-	-	1	1	2	-	-	-	2	-	1	1	1	1
		F	6	-	-	-	-	-	-	-	1	1	1	1	3	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	16	-	-	-	1	1	1	-	-	2	3	1	7	1	2
		F	4	-	-	-	-	-	-	-	1	1	1	-	-	2	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33b

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.[2]	F	101	47	11	2	12	72	–	1	2	75	5	3	11	5	2
		M	62	25	8	–	9	42	–	–	2	44	3	2	8	3	2
		F	39	22	3	2	3	30	–	1	–	31	2	1	3	2	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	7	–	–	–	2	2	–	–	–	2	1	1	1	–	2
		F	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	12	3	1	–	1	5	–	–	2	7	2	–	2	1	–
		F	7	4	–	–	–	4	–	1	–	5	1	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	20	16	1	–	3	20	–	–	–	20	–	–	–	–	–
		F	18	11	2	2	3	18	–	–	–	18	–	–	–	–	–
160	Injuries at birth	M	6	2	3	–	1	6	–	–	–	6	–	–	–	–	–
		F	5	5	–	–	–	5	–	–	–	5	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	7	3	3	–	1	7	–	–	–	7	–	–	–	–	–
		F	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	5	–	–	–	1	1	–	–	–	1	–	–	3	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33c

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SPRINGFIELD.[2]	T	66	18	5	5	4	32	5	1	3	41	7	2	5	4	7
		M	37	9	4	3	2	18	3	1	2	24	4	1	4	2	2
		F	29	9	1	2	2	14	2	–	1	17	3	1	1	2	5
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
107	Bronchopneumonia	M	8	–	–	–	–	–	1	–	1	2	2	–	1	2	1
		F	6	–	–	–	2	2	1	–	–	3	–	1	1	–	1
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	1	1	–	–	2	1	–	–	3	–	–	1	–	–
		F	4	1	–	–	–	1	1	–	1	3	–	–	–	–	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	8	5	1	1	1	8	–	–	–	8	–	–	–	–	–
		F	13	7	1	2	–	10	–	–	–	10	3	–	–	–	–
160	Injuries at birth	M	4	2	–	–	1	3	–	–	1	4	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	5	–	2	2	–	4	–	–	–	4	1	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	2	1	–	–	–	1	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33d

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	CAMBRIDGE.[2]	T	83	31	1	3	7	42	5	-	1	48	3	4	12	13	3
		M	44	18	1	-	3	22	3	-	1	26	2	2	6	6	2
		F	39	13	-	3	4	20	2	-	-	22	1	2	6	7	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	1	-	1	-	-	-	1	-	-	1	-	-
107	Bronchopneumonia	M	12	-	-	-	-	-	1	-	-	1	1	2	4	2	2
		F	7	1	-	-	-	1	-	-	-	1	-	1	1	4	-
108, 109	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
122b	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	5	2	-	-	1	3	2	-	-	5	-	-	-	-	-
		F	7	3	-	-	3	6	-	-	-	6	-	-	1	-	-
158, 161b, c	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	13	11	1	-	-	12	-	-	1	13	-	-	-	-	-
		F	11	9	-	1	1	11	-	-	-	11	-	-	-	-	-
160	Injuries at birth	M	4	4	-	-	-	4	-	-	-	4	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
161a, d	Other diseases of early infancy	M	2	1	-	-	1	2	-	-	-	2	-	-	-	-	-
		F	2	-	-	1	-	1	1	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	2	-	-	-	1	1	-	-	-	1	-	-	-	1	-
		F	5	-	-	-	-	-	-	-	-	-	-	1	1	3	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33e

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.[2]	T	95	29	7	4	8	48	6	2	2	58	4	6	14	7	6
		M	53	18	4	2	4	28	2	2	-	32	3	3	7	6	2
		F	42	11	3	2	4	20	4	-	2	26	1	3	7	1	4
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	8	-	-	-	-	-	-	-	-	-	1	2	4	1	-
		F	10	-	-	-	2	2	1	-	1	4	-	1	2	1	2
108, 109	Pneumonia	M	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
		F	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
122b	Intestinal obstruction	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
157	Congenital malformations	M	9	3	2	-	-	5	-	2	-	7	-	-	2	-	-
		F	7	3	1	-	-	4	2	-	-	6	1	-	-	-	-
158, 161b, c	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
159	Premature birth	M	17	10	1	2	2	15	1	-	-	16	1	-	-	-	-
		F	11	7	1	1	1	10	-	-	1	11	-	-	-	-	-
160	Injuries at birth	M	4	3	-	-	1	4	-	-	-	4	-	-	-	-	-
		F	2	1	-	-	-	1	-	-	-	1	-	1	-	-	-
161a, d	Other diseases of early infancy	M	3	2	1	-	-	3	-	-	-	3	-	-	-	-	-
		F	3	-	1	1	1	3	-	-	-	3	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	5	-	-	-	1	1	1	-	-	2	1	-	-	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33f

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.[2]	T	47	10	6	-	5	21	5	1	1	28	2	4	7	5	1
		M	31	9	3	-	3	15	3	1	1	20	1	3	5	2	-
		F	16	1	3	-	2	6	2	-	-	8	1	1	2	3	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	7	-	-	-	-	-	-	-	-	-	1	1	4	1	-
		F	5	-	-	-	-	-	1	-	-	1	-	1	-	3	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	4	-	-	-	2	2	-	-	-	2	-	1	1	-	-
		F	2	-	-	-	1	1	1	-	-	2	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, Icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
159	Premature birth	M	9	4	2	-	-	6	1	1	1	9	-	-	-	-	-
		F	3	1	2	-	-	3	-	-	-	3	-	-	-	-	-
160	Injuries at birth	M	3	2	-	-	1	3	-	-	-	3	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	5	3	1	-	-	4	1	-	-	5	-	-	-	-	-
		F	2	-	1	-	1	2	-	-	-	2	-	-	-	-	-
172-198, 201-214	External causes	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33g

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LYNN.[2]	T	55	24	6	3	3	36	3	1	1	41	2	2	8	2	-
		M	28	14	4	3	2	23	1	-	-	24	-	1	3	-	-
		F	27	10	2	-	1	13	2	1	1	17	2	1	5	2	-
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	3	-	-	1	-	1	-	-	-	1	-	1	1	-	-
		F	4	-	-	-	-	-	1	-	-	1	-	-	1	2	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	4	2	-	-	-	2	1	-	-	3	-	-	1	-	-
		F	10	2	-	-	-	2	1	1	1	5	1	1	3	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	12	8	3	-	1	12	-	-	-	12	-	-	-	-	-
		F	9	7	1	-	1	9	-	-	-	9	-	-	-	-	-
160	Injuries at birth	M	3	1	-	1	1	3	-	-	-	3	-	-	-	-	-
		F	2	1	1	-	-	2	-	-	-	2	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	4	3	1	-	-	4	-	-	-	4	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33h

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.[2]	T	51	17	6	1	2	26	–	2	2	30	5	3	4	5	4
		M	30	10	2	1	2	15	–	1	1	17	3	2	1	4	3
		F	21	7	4	–	–	11	–	1	1	13	2	1	3	1	1
7	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	7	–	–	–	–	–	–	–	1	1	2	–	1	1	2
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	10	5	2	1	1	9	–	1	–	10	–	–	–	–	–
		F	8	6	2	–	–	8	–	–	–	8	–	–	–	–	–
160	Injuries at birth	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	5	–	–	–	1	1	–	–	–	1	1	2	–	–	1
		F	5	–	–	–	–	–	–	–	1	1	2	–	1	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 331

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.[2]	T	58	22	1	3	1	27	2	5	1	35	5	3	7	6	2
		M	32	14	1	2	–	17	1	2	–	20	3	–	5	3	1
		F	26	8	–	1	1	10	1	3	1	15	2	3	2	3	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	4	–	–	–	–	–	–	1	–	1	1	–	1	1	–
		F	5	–	–	–	1	1	–	1	–	2	1	1	–	–	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
122b	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F	7	2	–	–	–	2	1	2	–	5	1	1	–	–	–
158, 161b, c	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	14	12	1	–	–	13	1	–	–	14	–	–	–	–	–
		F	6	5	–	–	–	5	–	–	–	5	–	–	1	–	–
160	Injuries at birth	M	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
		F	3	1	–	1	–	2	–	–	1	3	–	–	–	–	–
161a, d	Other diseases of early infancy	M	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
199, 200	Unknown or ill-defined diseases	M	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33j

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.[2]	T	52	20	4	2	4	30	1	–	1	32	4	1	10	2	3
		M	32	14	2	2	2	20	1	–	1	22	3	–	6	–	1
		F	20	6	2	–	2	10	–	–	–	10	1	1	4	2	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
107	Bronchopneumonia	M	4	–	–	–	1	1	–	–	–	1	1	–	2	–	–
		F	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	7	2	–	2	–	4	–	–	–	4	1	–	2	–	–
		F	3	1	–	–	–	1	–	–	–	1	–	–	1	–	1
158, 161b, c	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	7	7	–	–	–	7	–	–	–	7	–	–	–	–	–
		F	5	3	1	–	1	5	–	–	–	5	–	–	–	–	–
160	Injuries at birth	M	4	3	1	–	–	4	–	–	–	4	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
161a, d	Other diseases of early infancy	M	5	2	1	–	1	4	1	–	–	5	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33k

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	QUINCY.[2]	T	34	11	3	2	1	17	2	3	2	24	3	1	3	1	2
		M	20	7	1	1	1	10	1	1	1	13	2	1	2	1	1
		F	14	4	2	1	–	7	1	2	1	11	1	–	1	–	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–	–	1
108, 109	Pneumonia	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	–	–	–	–	–	1	–	–	1	1	–	–	–	–
		F	3	1	–	–	–	1	1	1	–	3	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	6	4	1	1	–	6	–	–	–	6	–	–	–	–	–
		F	4	3	1	–	–	4	–	–	–	4	–	–	–	–	–
160	Injuries at birth	M	3	2	–	–	1	3	–	–	–	3	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	1	1	–	–	–	1	–
		F	2	–	1	–	–	1	–	–	–	1	1	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 331

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEWTON.[2]	T	31	14	6	2	1	23	2	1	1	27	-	1	2	1	-
		M	20	11	3	1	-	15	1	1	-	17	-	1	2	-	-
		F	11	3	3	1	1	8	1	-	1	10	-	-	-	1	-
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122b	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	3	1	1	-	-	2	-	-	-	2	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 161b, c	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	9	7	2	-	-	9	-	-	-	9	-	-	-	-	-
		F	6	2	1	-	1	4	1	-	1	6	-	-	-	-	-
160	Injuries at birth	M	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
		F	2	-	2	-	-	2	-	-	-	2	-	-	-	-	-
161a, d	Other diseases of early infancy	M	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
		F	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33m

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.[2]	T	38	14	5	3	2	24	-	-	-	24	-	4	3	4	3
		M	23	9	3	2	2	16	-	-	-	16	-	2	2	1	2
		F	15	5	2	1	-	8	-	-	-	8	-	2	1	3	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	6	2	1	2	1	6	-	-	-	6	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	5	3	2	-	-	5	-	-	-	5	-	-	-	-	-
		F	5	3	1	1	-	5	-	-	-	5	-	-	-	-	-
160	Injuries at birth	M	3	2	-	-	1	3	-	-	-	3	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
172–198, 201–214	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33n

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MEDFORD.[2]	T	30	12	2	3	2	19	2	1	–	22	1	1	2	2	2
		M	16	6	1	2	1	10	1	–	–	11	1	–	1	1	2
		F	14	6	1	1	1	9	1	1	–	11	–	1	1	1	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F	3	–	–	–	1	1	1	–	–	2	–	1	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	5	1	1	–	7	–	–	–	7	–	–	–	–	–
		F	6	4	1	1	–	6	–	–	–	6	–	–	–	–	–
160	Injuries at birth	M	3	1	–	1	1	3	–	–	–	3	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33o

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MALDEN.[2]	T	28	6	5	2	5	18	2	–	1	21	2	2	1	1	1
		M	16	3	3	–	5	11	–	–	1	12	2	–	1	–	1
		F	12	3	2	2	–	7	2	–	–	9	–	2	–	1	–
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–	1	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	–	1	–	2	3	–	–	1	4	1	–	–	–	–
		F	2	–	1	1	–	2	–	–	–	2	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	3	1	–	3	7	–	–	–	7	–	–	–	–	–
		F	3	2	1	–	–	3	–	–	–	3	–	–	–	–	–
160	Injuries at birth	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33p

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HOLYOKE.[2]	T	18	8	2	1	3	14	1	-	-	15	-	-	2	1	-
		M	9	5	1	-	1	7	1	-	-	8	-	-	1	-	-
		F	9	3	1	1	2	7	-	-	-	7	-	-	1	1	-
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	-	1	2	-	-	-	2	-	-	1	1	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	2	1	-	-	-	1	1	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	5	3	1	-	1	5	-	-	-	5	-	-	-	-	-
		F	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
160	Injuries at birth	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33q

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1939.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROOKLINE (TOWN)[2]	T	7	5	-	-	1	6	-	-	-	6	-	-	1	-	-
		M	4	3	-	-	1	4	-	-	-	4	-	-	-	-	-
		F	3	2	-	-	-	2	-	-	-	2	-	-	1	-	-
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
160	Injuries at birth	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	2	1	-	-	1	2	-	-	-	2	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 34

Deaths[1] from Influenza, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935: 1939.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**230**	**21**	**35**	**74**	**39**	**23**	**3**	**2**	**2**	**6**	**7**	**9**	**9**
Adams	2	–	–	1	–	–	–	–	–	1	–	–	–
Amesbury	4	–	–	2	–	1	–	–	–	–	–	–	1
Andover	1	–	–	1	–	–	–	–	–	–	–	–	–
Arlington	1	–	–	–	–	–	–	–	–	–	1	–	–
Athol	3	–	–	1	2	–	–	–	–	–	–	–	–
Attleboro	3	1	–	1	1	–	–	–	–	–	–	–	–
Belmont	–	–	–	–	–	–	–	–	–	–	–	–	–
Beverly	1	–	–	–	–	–	–	–	–	1	–	–	–
Boston	28	2	4	16	1	2	–	–	–	–	2	–	1
Braintree	2	–	–	1	–	–	–	–	–	–	–	–	1
Brockton	11	1	1	3	2	–	–	–	2	1	–	–	1
Brookline	1	–	–	–	1	–	–	–	–	–	–	–	–
Cambridge	8	–	–	3	3	1	–	–	–	1	–	–	–
Chelsea	2	–	–	–	–	1	–	–	–	–	–	–	1
Chicopee	–	–	–	–	–	–	–	–	–	–	–	–	–
Clinton	–	–	–	–	–	–	–	–	–	–	–	–	–
Danvers	–	–	–	–	–	–	–	–	–	–	–	–	–
Dedham	2	–	–	2	–	–	–	–	–	–	–	–	–
Easthampton	–	–	–	–	–	–	–	–	–	–	–	–	–
Everett	1	–	–	–	1	–	–	–	–	–	–	–	–
Fairhaven	1	–	–	–	1	–	–	–	–	–	–	–	–
Fall River	6	2	–	2	1	1	–	–	–	–	–	–	–
Fitchburg	3	–	1	–	1	1	–	–	–	–	–	–	–
Framingham	1	–	–	1	–	–	–	–	–	–	–	–	–
Gardner	3	–	–	1	1	1	–	–	–	–	–	–	–
Gloucester	1	–	–	–	–	–	–	–	–	–	–	1	–
Greenfield	2	1	1	–	–	–	–	–	–	–	–	–	–
Haverhill	2	–	–	–	2	–	–	–	–	–	–	–	–
Holyoke	3	1	–	–	1	–	–	1	–	–	–	–	–
Lawrence	6	–	1	–	2	–	1	–	–	–	1	–	1
Leominster	2	–	–	1	1	–	–	–	–	–	–	–	–
Lexington	1	1	–	–	–	–	–	–	–	–	–	–	–
Lowell	7	–	1	2	2	2	–	–	–	–	–	–	–
Lynn	4	–	1	–	–	3	–	–	–	–	–	–	–
Malden	4	–	–	2	1	–	–	–	–	–	–	1	–
Marblehead	–	–	–	–	–	–	–	–	–	–	–	–	–
Marlborough	–	–	–	–	–	–	–	–	–	–	–	–	–
Medford	1	–	–	–	–	–	–	–	–	–	–	1	–
Melrose	2	–	–	–	1	–	–	1	–	–	–	–	–
Methuen	–	–	–	–	–	–	–	–	–	–	–	–	–
Milford	1	–	–	1	–	–	–	–	–	–	–	–	–
Milton	–	–	–	–	–	–	–	–	–	–	–	–	–
Natick	2	–	–	1	–	1	–	–	–	–	–	–	–
Needham	1	–	–	1	–	–	–	–	–	–	–	–	–
New Bedford	8	–	3	1	2	–	–	–	–	–	–	1	1
Newburyport	2	–	–	–	1	1	–	–	–	–	–	–	–
Newton	3	–	–	1	–	2	–	–	–	–	–	–	–
North Adams	1	–	–	1	–	–	–	–	–	–	–	–	–
North Attleborough	1	–	1	–	–	–	–	–	–	–	–	–	–
Northampton	1	–	1	–	–	–	–	–	–	–	–	–	–
Northbridge	–	–	–	–	–	–	–	–	–	–	–	–	–
Norwood	1	–	–	–	–	1	–	–	–	–	–	–	–
Peabody	2	1	–	1	–	–	–	–	–	–	–	–	–
Pittsfield	1	–	–	–	–	1	–	–	–	–	–	–	–
Plymouth	2	–	1	–	–	–	–	–	–	–	1	–	–
Quincy	4	–	–	3	1	–	–	–	–	–	–	–	–
Reading	–	–	–	–	–	–	–	–	–	–	–	–	–
Revere	1	1	–	–	–	–	–	–	–	–	–	–	–
Salem	1	–	–	1	–	–	–	–	–	–	–	–	–
Saugus	–	–	–	–	–	–	–	–	–	–	–	–	–
Somerville	3	–	–	2	–	–	–	–	–	–	–	1	–
Southbridge	2	–	–	–	1	1	–	–	–	–	–	–	–
Springfield	7	–	4	–	1	1	–	–	–	–	1	–	–
Stoneham	–	–	–	–	–	–	–	–	–	–	–	–	–
Swampscott	2	–	–	2	–	–	–	–	–	–	–	–	–
Taunton	2	–	1	–	1	–	–	–	–	–	–	–	–
Wakefield	2	–	–	1	–	–	–	–	–	–	–	1	–
Waltham	4	1	1	–	–	1	–	–	–	–	1	–	–
Watertown	–	–	–	–	–	–	–	–	–	–	–	–	–
Webster	2	1	–	–	–	–	–	–	–	1	–	–	–
Wellesley	–	–	–	–	–	–	–	–	–	–	–	–	–
West Springfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Westfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Weymouth	3	1	1	1	–	–	–	–	–	–	–	–	–
Winchester	–	–	–	–	–	–	–	–	–	–	–	–	–
Winthrop	–	–	–	–	–	–	–	–	–	–	–	–	–
Woburn	1	1	–	–	–	–	–	–	–	–	–	–	–
Worcester	5	–	1	2	–	–	–	–	–	–	–	2	–

[1]Allocated.

Table 35

Deaths[1] from Lobar Pneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935: 1939.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**1,211**	**191**	**186**	**225**	**154**	**93**	**55**	**28**	**27**	**36**	**55**	**67**	**94**
Adams	5	1	1	1	–	–	–	1	–	–	–	–	1
Amesbury	2	–	–	1	–	–	1	–	–	–	–	–	–
Andover	4	1	–	1	1	1	–	–	–	–	–	–	–
Arlington	9	–	1	2	1	1	2	–	–	–	–	1	1
Athol	7	2	–	1	1	1	–	–	–	–	–	2	–
Attleboro	9	3	2	1	–	–	1	1	–	–	–	1	–
Belmont	5	–	1	–	2	–	–	–	–	1	–	1	–
Beverly	5	1	1	1	1	1	–	–	–	–	–	–	–
Boston	283	45	34	55	42	24	13	4	5	5	16	16	24
Braintree	2	2	–	–	–	–	–	–	–	–	–	–	–
Brockton	17	2	2	4	1	1	2	1	–	–	1	–	3
Brookline	14	5	1	2	2	1	–	–	–	–	1	1	1
Cambridge	45	3	8	9	5	5	5	–	–	1	2	1	6
Chelsea	17	3	2	2	2	1	1	–	–	1	1	1	3
Chicopee	5	–	1	–	–	2	1	–	1	–	–	–	–
Clinton	4	–	1	2	–	1	–	–	–	–	–	–	–
Danvers	6	1	–	1	2	–	–	–	–	1	–	1	–
Dedham	5	1	1	1	–	1	1	–	–	–	–	–	–
Easthampton	–	–	–	–	–	–	–	–	–	–	–	–	–
Everett	19	2	2	4	4	1	–	–	–	2	1	–	3
Fairhaven	1	–	–	–	1	–	–	–	–	–	–	–	–
Fall River	24	7	4	1	–	–	2	–	–	3	1	3	3
Fitchburg	14	5	–	4	1	–	1	–	–	1	1	–	1
Framingham	4	1	–	–	–	1	–	–	1	–	–	–	1
Gardner	6	–	2	–	–	–	–	–	–	–	–	2	2
Gloucester	15	2	4	4	4	–	1	–	–	–	–	–	–
Greenfield	4	1	–	1	1	–	–	–	–	–	–	–	1
Haverhill	8	2	1	–	3	–	–	–	–	1	–	–	1
Holyoke	18	2	6	2	3	1	–	1	1	–	–	1	1
Lawrence	26	5	2	3	3	3	–	2	–	2	1	4	1
Leominster	10	2	3	1	–	1	–	1	–	–	–	–	2
Lexington	3	–	–	2	–	–	–	–	1	–	–	–	–
Lowell	23	3	1	3	3	1	2	1	–	2	3	1	3
Lynn	15	2	5	3	–	–	–	–	2	–	–	1	2
Malden	17	3	3	3	3	1	–	1	1	–	1	1	–
Marblehead	1	1	–	–	–	–	–	–	–	–	–	–	–
Marlborough	6	–	3	–	1	–	–	–	–	–	1	–	1
Medford	23	2	4	5	5	1	–	–	–	1	1	3	1
Melrose	8	2	–	1	1	1	–	–	–	–	–	1	2
Methuen	5	1	–	1	–	–	–	1	2	–	–	–	–
Milford	5	–	–	2	–	–	–	–	–	1	1	1	–
Milton	4	1	1	1	–	–	–	–	–	–	–	–	1
Natick	4	–	2	–	–	–	1	–	–	1	–	–	–
Needham	2	–	–	1	–	–	–	–	–	1	–	–	–
New Bedford	18	2	3	3	–	3	1	–	–	–	3	1	2
Newburyport	1	–	1	–	–	–	–	–	–	–	–	–	–
Newton	27	6	3	4	4	2	3	–	–	–	3	–	2
North Adams	6	1	1	4	–	–	–	–	–	–	–	–	–
North Attleborough	1	–	–	1	–	–	–	–	–	–	–	–	–
Northampton	2	–	1	–	–	1	–	–	–	–	–	–	–
Northbridge	2	–	–	–	–	–	1	1	–	–	–	–	–
Norwood	4	–	–	1	–	–	–	–	–	1	1	–	1
Peabody	8	2	1	2	–	1	–	–	1	–	–	1	–
Pittsfield	12	2	5	–	–	2	–	–	1	–	1	–	1
Plymouth	1	1	–	–	–	–	–	–	–	–	–	–	–
Quincy	15	3	4	3	3	–	–	–	–	–	1	–	1
Reading	2	–	–	1	–	–	–	–	–	–	–	1	–
Revere	8	3	1	1	1	–	–	–	1	–	–	–	1
Salem	10	2	3	1	1	1	–	1	–	–	–	1	–
Saugus	3	–	–	1	–	–	–	–	1	–	1	–	–
Somerville	34	4	6	6	4	3	–	2	2	–	1	4	2
Southbridge	4	1	–	1	2	–	–	–	–	–	–	–	–
Springfield	35	8	8	5	3	3	1	2	1	–	2	2	–
Stoneham	2	–	–	1	–	–	–	–	–	–	–	–	1
Swampscott	5	2	2	1	–	–	–	–	–	–	–	–	–
Taunton	9	1	1	2	2	1	1	–	–	–	–	–	1
Wakefield	5	3	–	1	–	1	–	–	–	–	–	–	–
Waltham	8	1	2	1	2	–	–	–	–	–	1	1	–
Watertown	7	1	1	1	1	–	1	–	1	–	–	–	1
Webster	3	–	–	1	–	1	–	–	1	–	–	–	–
Wellesley	3	–	1	1	–	–	–	–	–	1	–	–	–
West Springfield	3	–	–	3	–	–	–	–	–	–	–	–	–
Westfield	4	–	–	1	–	–	1	–	1	–	1	–	–
Weymouth	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchester	3	1	–	–	1	–	–	–	–	–	–	–	1
Winthrop	8	1	2	1	1	1	–	1	–	–	–	–	1
Woburn	5	2	2	–	–	–	–	–	–	–	–	–	1
Worcester	73	12	12	14	6	6	5	1	–	5	5	5	2

[1]Allocated.

Table 36

Deaths[1], from Bronchopneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1935: 1939.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**1,875**	**235**	**219**	**296**	**219**	**168**	**91**	**76**	**67**	**93**	**118**	**126**	**167**
Adams	4	–	1	–	–	–	1	–	1	–	1	–	–
Amesbury	6	–	1	1	–	–	1	1	–	–	1	–	1
Andover	5	–	1	–	1	1	–	–	–	1	1	–	–
Arlington	15	5	2	1	–	2	2	–	–	1	–	1	1
Athol	4	1	–	1	2	–	–	–	–	–	–	–	–
Attleboro	4	1	–	1	–	1	–	–	1	–	–	–	–
Belmont	7	1	–	1	2	–	–	–	–	1	–	–	2
Beverly	3	–	–	1	1	1	–	–	–	–	–	–	–
Boston	479	58	51	69	65	50	18	30	20	22	35	28	33
Braintree	3	–	–	1	1	–	–	–	–	–	–	1	–
Brockton	26	3	5	2	4	3	1	1	–	2	1	1	3
Brookline	13	2	3	1	1	3	1	–	–	–	1	–	1
Cambridge	65	8	13	10	5	8	6	–	2	2	3	1	7
Chelsea	27	2	4	4	3	1	1	–	1	2	1	3	5
Chicopee	9	2	–	2	1	1	–	–	–	–	–	2	1
Clinton	6	1	–	1	–	–	1	–	1	–	1	1	–
Danvers	6	–	–	2	–	–	–	–	–	2	2	–	–
Dedham	5	2	1	1	–	–	–	–	1	–	–	–	–
Easthampton	2	1	1	–	–	–	–	–	–	–	–	–	–
Everett	15	1	1	1	2	2	1	–	2	–	4	–	1
Fairhaven	5	2	–	–	–	1	–	–	–	–	–	1	1
Fall River	56	7	7	10	8	1	2	2	3	3	3	6	4
Fitchburg	11	1	1	2	–	1	–	–	1	–	1	2	2
Framingham	10	1	1	1	–	1	–	1	–	–	–	1	4
Gardner	5	–	1	1	–	1	–	1	–	–	–	–	1
Gloucester	5	–	1	1	1	–	–	1	–	–	–	–	1
Greenfield	8	1	–	–	–	3	–	–	–	2	–	1	1
Haverhill	19	2	2	4	6	2	–	–	–	–	–	1	2
Holyoke	25	4	1	2	3	5	3	1	1	1	–	1	3
Lawrence	26	2	2	5	4	1	1	3	1	–	1	–	6
Leominster	12	2	2	3	1	2	–	–	–	–	–	–	2
Lexington	8	1	–	2	2	–	–	–	–	–	1	1	1
Lowell	53	8	5	10	9	3	3	1	1	3	1	4	5
Lynn	44	1	6	3	2	6	2	2	4	4	4	5	5
Malden	20	2	–	6	2	2	3	1	–	–	3	–	1
Marblehead	1	–	–	–	–	–	–	1	–	–	–	–	–
Marlborough	7	–	1	2	1	1	1	–	–	–	–	–	1
Medford	21	3	3	3	2	1	–	1	1	4	–	2	1
Melrose	10	2	3	2	1	–	–	–	–	–	1	1	–
Methuen	6	1	–	–	–	–	2	–	1	1	1	–	–
Milford	9	2	1	2	–	–	1	1	–	–	1	1	–
Milton	6	1	1	2	–	1	–	–	–	–	–	1	–
Natick	5	1	–	–	1	–	–	–	–	–	1	2	–
Needham	3	–	–	–	–	–	–	1	–	1	–	–	1
New Bedford	59	7	7	8	8	5	2	1	3	2	4	7	5
Newburyport	12	2	–	3	1	1	1	–	1	–	–	2	1
Newton	21	2	3	4	2	–	1	1	2	1	2	1	2
North Adams	7	–	–	3	4	–	–	–	–	–	–	–	–
North Attleborough	3	2	1	–	–	–	–	–	–	–	–	–	–
Northampton	6	–	–	2	1	1	–	–	–	1	1	–	–
Northbridge	1	–	–	–	–	–	–	–	–	–	1	–	–
Norwood	5	3	–	–	–	2	–	–	–	–	–	–	–
Peabody	9	2	–	1	2	1	–	–	–	–	1	–	2
Pittsfield	12	2	1	1	1	1	2	1	–	–	3	–	–
Plymouth	4	1	2	–	–	–	–	–	–	–	–	1	–
Quincy	22	1	3	6	2	3	–	–	1	3	–	1	2
Reading	2	–	–	–	–	–	–	–	–	1	1	–	–
Revere	17	1	2	2	1	1	2	–	2	1	2	1	2
Salem	14	–	3	3	1	1	1	1	3	1	–	–	–
Saugus	6	1	1	–	3	–	1	–	–	–	–	–	–
Somerville	39	–	3	10	2	1	4	2	–	5	5	4	3
Southbridge	8	3	2	2	–	–	–	–	–	–	–	–	1
Springfield	50	6	8	8	5	5	2	3	1	3	3	2	4
Stoneham	3	1	1	1	–	–	–	–	–	–	–	–	–
Swampscott	4	1	–	2	–	–	–	–	–	–	–	1	–
Taunton	9	2	1	5	–	–	1	–	–	–	–	–	–
Wakefield	3	1	–	–	–	–	–	–	–	–	2	–	–
Waltham	17	1	2	1	2	2	2	2	–	1	–	3	1
Watertown	12	–	2	2	3	1	1	–	–	–	1	–	2
Webster	6	1	–	2	–	–	1	–	1	–	–	1	–
Wellesley	4	–	–	–	–	1	1	1	–	–	–	–	1
West Springfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Westfield	6	2	–	–	1	–	–	–	–	–	2	–	1
Weymouth	10	2	2	1	–	–	1	2	–	–	–	1	1
Winchester	6	1	1	3	1	–	–	–	–	–	–	–	–
Winthrop	5	–	2	–	1	–	–	–	–	–	1	–	1
Woburn	2	–	1	1	–	–	–	–	–	–	–	–	–
Worcester	83	10	10	11	9	7	2	3	4	5	4	9	9

[1]Allocated.

Maternal Mortality.

Table 37

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement*: 1915 to 1939.

Years.	Deaths. Total. 140-150.	Deaths. Puerperal septicemia. 140, 145.	Deaths. All others. 141-144, 146-150.	Death rates — per 100,000 population. Total.	Death rates — per 100,000 population. Puerperal septicemia.	Death rates — per 100,000 population. All others.	Death rates — per 100,000 female population. Total.	Death rates — per 100,000 female population. Puerperal septicemia.	Death rates — per 100,000 female population. All others.
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935[1]	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936[1]	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937[1]	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938[1]	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939[1]	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1

[1] Allocated.

Maternal Mortality.

Table 38

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1915 to 1939.

Years.	Per 10,000 confinements.[1] Total. 140-150.	Per 10,000 confinements.[1] Puerperal septicemia. 140, 145.	Per 10,000 confinements.[1] All others. 141-144,146-150.	Per 10,000 births.[2] Total. 140-150.	Per 10,000 births.[2] Puerperal septicemia. 140, 145.	Per 10,000 births.[2] All others. 141-144,146-150.	Per 10,000 live births. Total. 140-150.	Per 10,000 live births. Puerperal septicemia. 140, 145.	Per 10,000 live births. All Others. 141-144,146-150.	Per 10,000 confinements. 140-150. Three-year averages.	Per 10,000 confinements. 140-150. Five-year averages.
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41	58	58
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42	58	
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42		59
1929	62	20	42	59	19	40	61	20	41	59	
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42		
1932	53	14	39	52	14	38	54	14	40	57	
1933	60	16	44	59	16	43	61	16	45		54
1934	49	14	35	48	14	34	50	15	35		
1935[3]	51	16	35	50	16	34	52	17	35	48	
1936[3]	45	13	32	43	13	30	44	13	31		
1937[3]	40	11	29	40	11	29	41	11	30		
1938[3]	37	10	27	36	9	27	37	10	27	37	
1939[3]	33	10	23	33	10	23	33	10	23		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.
[3] Allocated.

Deaths Investigated by Medical Examiners.

Table 39

Deaths (inclusive of Stillbirths) investigated by Medical Examiners, by Cause of Death, in Each County: 1939.

Line No.	Cause of Death.	The State. Number.	The State. Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**All Causes.**	**10,353**	**100.0**	**95**	**225**	**796**	**7**	**1,063**	**103**	**1,073**	**182**	**2,104**	**8**	**688**	**316**	**2,523**	**1,170**
2	Violence.	3,204	30.9	47	107	241	1	354	51	249	67	607	2	193	142	742	401
3	*Suicide.*	586	5.7	13	23	51	–	83	13	44	10	108	1	38	27	115	60
4	Poisons (163)	55	.5	–	–	3	–	6	1	6	1	11	–	3	3	17	4
5	Asphyxia by poisonous gas (164)	170	1.6	6	11	16	–	33	4	15	2	35	–	9	9	17	13
6	Hanging (165)	137	1.3	4	5	10	–	16	6	6	2	34	–	13	5	24	12
7	Drowning (166)	47	.5	–	1	2	–	4	–	5	–	4	–	2	5	17	7
8	Firearms (167)	109	1.1	3	5	11	–	15	2	9	2	16	1	8	2	16	19
9	Cutting or piercing instruments (168)	26	.3	–	–	4	–	4	–	1	2	5	–	2	1	4	3
10	Other means	42	.4	–	1	5	–	5	–	2	1	3	–	1	2	20	2
11	*Homicide.*	66	.6	2	2	2	–	6	1	4	–	11	–	2	1	26	9
12	Infanticide (172)	4	–[1]	–	–	–	–	–	–	1	–	1	–	–	–	–	2
13	Firearms (173)	17	.1	2	1	–	–	–	–	–	–	5	–	1	1	5	2
14	Cutting (174)	7	.1	–	–	1	–	1	–	1	–	–	–	–	–	3	1
15	Other means (175)	38	.4	–	1	1	–	5	1	2	–	5	–	1	–	18	4
16	*Accident or Negligence.*	2,552	24.6	32	82	188	1	265	37	201	57	488	1	153	114	601	332
17	Asphyxia, other than drowning (178, 182)	121	1.2	1	5	17	1	7	2	8	1	32	–	7	6	20	14
18	Poisons (179)	38	.4	2	–	6	–	2	–	4	–	8	–	–	1	14	1
19	Burns and scalds (180, 181)	163	1.5	2	4	9	–	19	3	8	4	33	–	10	6	38	27
20	Drowning (183)	162	1.5	5	4	9	–	17	4	11	2	36	–	11	8	40	15
21	Firearms and other weapons (184)	16	.1	1	1	1	–	1	2	3	2	1	–	2	1	–	1
22	Falls, blows and falling bodies (186, 194b)	1,156	11.2	4	28	79	–	129	7	96	30	208	1	61	36	324	153
23	Weather agencies (190–192)	19	.2	–	–	–	–	4	1	2	1	2	–	1	2	4	2
24	Machinery (202–205)	23	.2	–	2	2	–	–	–	3	–	2	–	3	1	5	5
25	Public travel (railroads, vehicles, etc.) (206–214)	785	7.6	16	34	59	–	81	17	63	17	155	–	51	51	133	108
26	Other accidental causes	69	.7	1	4	6	–	5	1	3	–	11	–	7	2	23	6
27	Causes Not Due to Violence.	5,919	57.2	45	117	535	6	679	50	572	106	1,145	3	480	174	1,249	758
28	Natural causes	5,709	55.2	45	116	525	6	662	43	561	103	1,119	3	478	168	1,133	747
29	Alcoholism	185	1.8	–	–	8	–	13	5	10	1	22	–	2	4	114	6
30	Unknown or ill-defined causes	25	.2	–	1	2	–	4	2	1	2	4	–	–	2	2	5
31	Cremations	1,166	11.3	2	–	18	–	30	2	230	8	336	3	2	–	524	11
32	Stillbirths.	64	.6	1	1	2	–	–	–	22	1	16	–	13	–	8	–
33	**Autopsies.**																
34	Number	894	–	2	6	72	–	25	2	20	5	74	–	12	18	574	84

[1] Less than one-tenth of one per cent.

Table 40

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	9,187[1]	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,936	593	504	522	502	491	444	457	423	456	484	505	555
		F	3,251	316	294	331	276	219	230	249	231	264	267	270	304
	All Causes (exclusive of stillbirths).	T	9,123	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,895	592	500	514	497	489	443	452	420	453	483	503	549
		F	3,228	315	289	329	274	218	230	247	230	262	263	269	302
	Violence.	T	3,204	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,090	188	154	154	148	175	176	185	169	175	189	185	192
		F	1,114	108	93	101	99	70	88	95	96	93	91	85	95
	Suicide.	T	586	–	–	–	–	–	–	–	–	–	–	–	–
		M	437	35	35	28	37	52	31	39	41	35	41	45	18
		F	149	15	14	9	20	20	8	16	7	10	9	9	12
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	3	3	–	2	4	2	4	5	2	2	1	1
		F	26	1	3	4	4	4	–	1	1	1	1	1	5
163*a*	Arsenical group	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	1	–	–	–	–
		F	10	–	1	3	–	2	–	1	–	1	–	1	1
163*c*	Cresol compounds	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	1	–	–	–	–	–
		F	4	–	–	–	2	–	–	–	–	–	1	–	1
163*d*	Mercury compounds	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	2	–	1	–	–	–
		F	7	–	–	1	2	–	–	–	1	–	–	–	3
163*e*	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	Lye	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	Tobacco and derivatives	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*h*	Narcotic group	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*m*	Hydrocyanic acid and all cyanides except gases	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	1	2	1	–	2	1	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
163*o*	Carbolic acid and phenol	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	–	–	1	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
163*x*	Others	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	2	–	1	–	–
		F	3	–	2	–	–	1	–	–	–	–	–	–	–
164	Suicide by poisonous gas	T	170	–	–	–	–	–	–	–	–	–	–	–	–
		M	115	6	8	8	10	12	5	11	8	11	15	15	6
		F	55	6	4	3	5	10	5	5	2	5	4	4	2
165	Suicide by hanging or strangulation	T	137	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	9	11	10	8	18	7	10	9	7	8	10	6
		F	24	3	3	–	3	2	2	4	1	2	1	1	2
166	Suicide by drowning	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	4	2	1	3	3	3	5	2	1	3	1	1
		F	18	1	1	1	5	2	–	1	2	1	2	1	1
167	Suicide by firearms	T	109	–	–	–	–	–	–	–	–	–	–	–	–
		M	104	7	7	7	8	12	8	8	13	9	9	13	3
		F	5	1	–	–	–	1	1	–	1	–	–	1	–
168	Suicide by cutting or piercing instruments	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	2	–	4	3	3	1	1	2	1	2	–
		F	5	1	1	–	–	–	–	1	–	–	1	–	1
169	Suicide by jumping from high places	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	4	2	2	2	–	2	–	2	2	1	3	1
		F	12	2	1	1	2	–	–	4	–	1	–	–	1
170	Suicide by crushing	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	1	–	1	–	–
		F	2	–	–	–	1	–	–	–	–	–	–	1	–
171	Suicide by other means	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	2	–	1	–	–	1	–	–	–	–	–	–	–
	Homicide.	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	2	7	2	4	1	6	4	3	5	–	4	2
		F	26	2	2	1	4	2	3	–	4	1	3	2	2
172	Infanticide (murder of infants less than 1 year of age)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–

[1] Not including 1,166 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1939.

Detailed Int. List No.	AGE PERIODS. Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	61	98	96	65	68	98	281	396	812	1,160	1,401	1,022	378	-
	37	63	66	42	32	37	109	159	299	444	690	734	539	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20	98	96	65	68	98	281	396	812	1,160	1,401	1,022	378	-
	14	63	66	42	32	37	109	159	299	444	690	734	539	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	21	66	54	56	83	213	235	293	352	341	248	123	-
	2	18	42	32	25	22	57	69	98	113	153	233	250	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	7	52	74	82	98	75	37	10	-
	-	-	-	-	1	4	11	30	44	33	19	4	3	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163	-	-	-	-	-	1	3	6	6	6	5	2	-	-
	-	-	-	-	-	-	3	8	10	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163a	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163b	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	1	3	5	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163c	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163d	-	-	-	-	-	-	-	2	-	1	-	1	-	-
	-	-	-	-	-	-	1	1	2	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163e	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163f	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163g	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163h	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163m	-	-	-	-	-	-	1	2	1	2	3	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163o	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163x	-	-	-	-	-	1	-	-	1	1	-	1	-	-
	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	2	16	29	22	23	17	4	2	-
	-	-	-	-	-	2	5	14	12	12	6	2	2	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165	-	-	-	-	2	2	10	12	21	31	23	9	3	-
	-	-	-	-	1	1	1	4	9	5	2	-	1	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	1	4	6	6	7	3	2	-	-
	-	-	-	-	-	-	1	2	5	6	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
167	-	-	-	-	-	1	14	9	18	22	19	16	5	-
	-	-	-	-	-	1	-	-	1	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	3	4	5	7	2	-	-
	-	-	-	-	-	-	-	-	2	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169	-	-	-	-	-	-	5	7	3	4	-	2	-	-
	-	-	-	-	-	-	1	1	3	1	4	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	1	-	-	1	1	6	9	9	6	3	1	-
	1	1	-	-	1	1	6	4	6	2	3	1	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 40

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Deaths Due to Violence and Other and Months, and by Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
172a	Immediately after birth	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
172b	Others under 1 year	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
173	Homicide by firearms	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	2	1	-	-	2	2	-	4	-	-	-
		F	5	-	-	-	2	1	1	-	-	-	1	-	-
174	Homicide by cutting or piercing instruments	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-
		F	5	1	-	-	1	1	-	-	1	-	-	1	-
175	Homicide by other means	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	1	4	1	2	-	3	2	3	1	-	4	2
		F	15	1	2	1	-	-	2	-	3	1	2	1	2
	Accidental.	T	2,552	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,613	151	112	124	107	122	139	142	125	135	148	136	172
		F	939	91	77	91	75	48	77	79	85	82	79	74	81
176	Attack by venomous animals	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-
177	Poisoning by food	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	T	70	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	7	4	3	1	4	-	-	4	7	3	4	6
		F	27	7	1	3	2	2	-	-	-	4	3	3	2
179	Other acute accidental poisonings (gas excepted)	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	1	1	2	2	1	2	-	4	6	1	1	2
		F	15	-	2	-	2	-	3	1	1	-	4	-	2
180	Conflagration	T	41	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	3	3	2	-	-	-	1	1	1	3	7
		F	19	4	2	2	4	-	-	1	-	-	1	2	3
181	Accidental burns (conflagration excepted)	T	122	-	-	-	-	-	-	-	-	-	-	-	-
		M	76	6	5	6	9	7	6	5	4	8	4	7	9
		F	46	6	6	5	-	2	6	2	4	6	2	2	5
182	Accidental mechanical suffocation	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	2	2	3	3	3	1	4	-	1	2	3	7
		F	20	3	1	1	2	-	1	1	-	2	2	5	2
183	Accidental drowning	T	162	-	-	-	-	-	-	-	-	-	-	-	-
		M	141	8	4	7	7	15	24	24	20	9	6	5	12
		F	21	-	2	1	-	1	5	5	6	1	-	-	-
184	Accidental traumatism by firearms (wounds of war excepted)	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	1	2	1	1	2	1	-	-	2	1	4
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	1	1	2	-	1	1	1	-	1	-	-
		F	3	1	-	-	-	-	-	-	1	-	-	-	1
186	Accidental traumatism by fall, crushing, landslide	T	1,055	-	-	-	-	-	-	-	-	-	-	-	-
		M	487	51	38	47	34	37	47	34	32	44	44	33	46
		F	568	54	47	64	47	29	43	49	43	50	52	43	47
186a	Fall	T	1,055	-	-	-	-	-	-	-	-	-	-	-	-
		M	487	51	38	47	34	37	47	34	32	44	44	33	46
		F	568	54	47	64	47	29	43	49	43	50	52	43	47
186b	Crushing	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
187	Cataclysm	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
188	Injuries by animals	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	3	1	1	-	-	-	1	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	2	3	-	-	-	-	-	-	-	1	1	4
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Excessive heat	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	2	-	-	-	-	-
		F	2	-	-	-	-	-	-	2	-	-	-	-	-
192	Lightning	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	2	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	2	-	-	1	1	1	2	1	2	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1939.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
172a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-
172b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	6	2	1	-	-	-
	-	1	-	-	1	-	-	-	3	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	1	2	1	-	-	-	1	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	3	3	7	5	3	1	-
	-	-	-	-	-	-	4	3	3	2	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	21	65	54	54	75	160	155	202	245	260	208	112	-
	1	17	42	32	23	17	40	35	48	78	131	228	247	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	1	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	3	1	-	-	4	4	7	6	13	4	1	-
	-	-	1	-	-	2	2	2	3	2	7	7	1	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	5	-	-	-	1	5	6	3	3	-	-	-
	-	-	1	1	-	-	1	1	5	3	3	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	1	-	1	2	3	2	4	4	1	2	-
	-	-	2	1	-	1	2	2	2	5	1	1	2	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	13	2	2	4	5	10	11	9	7	9	4	-
	-	1	9	4	1	1	4	3	2	3	8	6	4	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	8	1	-	2	3	-	2	4	3	3	4	-	-
	-	13	2	-	-	-	2	-	1	1	-	-	1	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	19	15	19	13	19	16	14	13	11	2	-	-
	-	-	7	3	7	1	1	-	-	1	-	-	1	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	5	2	4	-	3	1	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	1	2	2	-	1	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	1	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	7	2	4	4	13	33	46	68	103	116	86	-
	-	2	2	2	1	-	1	3	13	35	84	194	231	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	7	2	4	4	13	33	46	68	103	116	86	-
	-	2	2	2	1	-	1	3	13	35	84	194	231	-
186b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	3	-	1	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	3	3	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	1	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	5	2	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 40

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
194	Other accidents	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	15	9	13	3	6	12	13	8	4	9	6	9
		F	29	2	–	–	–	5	5	4	6	3	–	1	3
194a	Foreign bodies	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	6	3	3	–	2	1	1	–	–	4	1	2
		F	12	2	–	–	–	1	–	2	4	1	–	1	1
194b	Others	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	84	9	6	10	3	4	11	12	8	4	5	5	7
		F	17	–	–	–	–	4	5	2	2	2	–	–	2
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Executions of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidental traumatism in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	–	–	2	1	2
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
204	Accidents from machinery used for recreation	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	3	1	–	1	1	1	1	2	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
207	Other railroad accidents	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	5	4	3	2	9	1	4	2	6	3	4	4
		F	4	–	2	1	–	–	–	–	1	–	–	–	–
208	Street car and automobile collisions	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209	Other street car accidents	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	2	2	–	–	–	–	–	–	–	–	1
		F	5	–	4	–	–	–	–	–	1	–	–	–	–
210	Automobile accidents	T	636	–	–	–	–	–	–	–	–	–	–	–	–
		M	472	47	25	25	30	34	24	41	28	39	59	62	58
		F	164	13	7	13	18	8	12	11	19	16	13	18	16
211	Motorcycle accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	1	2	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	2	3	1	3	2	–	5	–	1	–	–
		F	6	–	1	–	–	1	–	1	1	–	2	–	–
213	Water transportation accidents	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	1	4	–	1	1	8	8	5	7	3	1	–
		F	4	–	–	–	–	–	–	2	2	–	–	–	–
214	Air transportation accidents	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	5	–	3	–	2	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
	Causes not due to Violence	T	5,919	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,805	404	346	360	349	314	267	267	251	278	294	318	357
		F	2,114	207	196	228	175	148	142	152	134	169	172	184	207
	Stillbirths	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	1	4	8	5	2	1	5	3	3	1	2	6
		F	23	1	5	2	2	1	–	2	1	2	4	1	2

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1939.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over	Unknown.
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	9	3	3	5	5	6	8	15	30	14	7	2	-
	1	1	3	3	3	-	2	3	4	-	3	4	2	-
194a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	7	1	-	-	-	2	1	3	4	4	1	-	-
	-	1	-	2	-	-	2	3	3	-	1	-	-	-
194b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	2	3	5	5	4	7	12	26	10	6	2	-
	1	-	3	1	3	-	-	-	1	-	2	4	2	-
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	-	1	-	1	1	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	6	2	3	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	2	3	6	5	6	16	6	1	1	-
	-	-	-	1	1	-	1	1	-	-	-	-	-	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	1	2	-	-	1	-
	-	-	-	1	2	2	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	12	24	13	19	72	42	67	69	83	57	14	-
	-	-	15	13	7	7	21	16	16	27	23	15	4	-
211	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	2	-	-	-	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	3	3	-	2	-	4	3	-	2	-	-
	-	-	-	2	-	1	-	1	-	1	1	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	3	5	12	8	5	3	1	-	-	-
	-	-	-	1	-	2	-	1	-	-	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	4	2	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15	77	30	11	12	15	68	161	519	808	1,060	774	255	-
	12	45	24	10	7	15	52	90	201	331	537	501	289	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	41	-	-	-	-	-	-	-	-	-	-	-	-	-
	23	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 41

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1930 to 1939.

Line No.	Counties.	10 years, 1930 to 1939.			1939.		1938.		1937.		1936.	
		Views.	Autopsies.		Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
			Number.	Per cent.								
1	**The State.**	**91,665**	**7,833**	**8.5**	**10,353**	**894**	**10,238**	**1,002**	**10,069**	**1,024**	**9,788**	**907**
2	Barnstable .	882	19	2.2	95	2	100	1	92	2	108	1
3	Berkshire .	2,037	52	2.6	225	6	215	6	241	6	233	8
4	Bristol .	7,441	674	9.1	796	72	786	61	779	98	804	73
5	Dukes . .	106	6	5.7	7	–	15	–	9	–	11	1
6	Essex . .	8,879	365	4.1	1,063	25	962	46	967	41	873	43
7	Franklin .	850	17	2.0	103	2	83	2	93	1	97	1
8	Hampden .	9,063	218	2.4	1,073	20	1,038	21	1,044	26	1,011	21
9	Hampshire .	1,565	30	1.9	182	5	152	7	157	1	168	4
10	Middlesex .	19,126	797	4.2	2,104	74	2,114	93	2,041	102	2,019	94
11	Nantucket .	108	14	13.0	8	–	11	1	13	1	14	–
12	Norfolk .	6,580	165	2.5	688	12	684	25	638	11	683	12
13	Plymouth .	3,406	98	2.9	316	18	366	8	352	10	330	6
14	Suffolk .	21,700	4,434	20.4	2,523	574	2,532	650	2,573	614	2,434	531
15	Worcester	9,922	944	9.5	1,170	84	1,180	81	1,070	111	1,003	112

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1930 to 1939.

Line No.	1935.		1934.		1933.		1932.		1931.		1930.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	9,098	797	9,145	787	8,587	688	8,377	605	8,028	578	7,982	551
2	75	5	70	2	103	–	72	2	88	2	79	2
3	200	6	227	6	171	2	184	3	158	3	183	6
4	708	62	754	71	733	72	757	66	694	53	630	46
5	12	1	9	–	12	2	13	1	8	–	10	1
6	909	51	886	40	802	39	806	20	790	31	821	29
7	92	1	84	3	74	2	80	3	81	1	63	1
8	913	32	864	38	793	15	785	17	755	11	787	17
9	158	4	179	4	152	1	130	1	140	3	147	–
10	1,864	76	1,951	96	1,816	83	1,859	66	1,736	56	1,622	57
11	7	2	12	6	8	1	10	2	13	–	12	1
12	734	11	694	28	665	19	660	13	567	11	567	23
13	332	6	367	5	327	10	332	9	351	14	333	12
14	2,103	442	2,004	357	1,933	330	1,871	320	1,910	336	1,817	280
15	991	98	1,044	131	998	112	818	82	737	57	911	76

PART II. A.

BIRTH STATISTICS

PAGE

Introduction 210-213
Birth registration 210
Importance of birth records 210, 211
Records impounded 211
Allocation 211, 212
Live births 212
Birth rates 212
Changes in birth rate 212
Stillbirths 212
Birth rates, highest 212
Sex proportion at birth 212
Nativity of parents 213
Plural births 213
Natural increase 213
Statistical tables 214–231

INTRODUCTION.

Birth Registration.—Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. Probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,590,786 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records.—Records of birth are becoming more important every day. Government agencies as well as many other civil bureaus are demanding proof of citizenship through birth certificates. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance and Social Security and as proof of citizenship for defence purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an

* Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Adoptions.—Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded.—Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court.

Allocation.—Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible

and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births.—In the Commonwealth in 1939 there were 63,307 live births, registered, an increase of 182, or .3 per cent as compared with the number registered in 1938. There was an increase in 1939 of 1,630 or 3.5 per cent in the number of infants born to native parents; a decrease of 906, or 15.3 per cent to foreign-born parents; and also a decrease of 543, or 4.9 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1938. The allocated births numbered 62,575 for 1939.

Birth Rate.—In proportion to the total population, the total births registered were equivalent to a rate of 14.2 per 1,000 population, and is a decrease of .1 per 1,000 over that of 1938. This rate is also .1 per 1,000 above the average for the five years 1934 to 1938. The allocated births for 1939 dropped the birth rate to 14.1.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1939 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—The Legislature has enacted legislation (Chap. 100, Acts of 1936) defining stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than five months, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—". In the past there has been no statute defining a stillbirth, consequently many returns have been made which, under this definition, would not have been returned. As the statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made, there should be fewer returns of stillbirths.

Stillbirths allocated in 1939 number 1,765. The rate per 1,000 live births allocated was 27.7 in 1938; 28.5 in 1937; 29.7 in 1936; and 30.2 in 1935. The rate for 1939 is 28.2.

Birth Rates, Highest.—The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1939 are: Milford, 30.2; Winthrop, 28.4; Weymouth, 27.8; Norwood, 27.7; Attleboro, 27.4, and Brockton, 23.6.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Weymouth, 17.0; Everett, 16.7; Somerville, 16.4; Attleboro, 16.1; Southbridge, 16.1; Medford, 15.9; and Dedham, 15.9. Boston, which showed the highest registered rate (18.9) of any place in the State of over 100,000 population loses to Somerville (16.4) by the allocation of births.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1939 numbered 32,458 and those of females 30,849, corresponding to a ratio of 1,051 male births to 1,000 female births. Allocated births numbered 32,048 males and 30,527 females in 1939, with a ratio of 1,050 male to female births.

Nativity of Parents.—The number of registered births where both parents were native (47,862) exceeded the number of births where both parents were foreign-born (5,012) by 42,850, or 854.9 per cent in 1939. Children of mixed parents (one parent native and one parent foreign-born) numbered 10,432 in 1939 as compared with 10,975 in 1938. Allocated births numbered 47,233 children born of native parents, 4,977 of foreign parents and 10,364 of mixed parentage.

The proportion of children born of native parents declined from 1890 until 1910, since then, the proportion has steadily increased. In 1939 the proportion was 75.6 for registered births and 75.5 per cent for allocated births.

The proportion of children born of parents one of whom was native and the other foreign-born was 16.5 for the registered and 16.6 for the allocated births in 1939 as compared with 17.4 in 1938 for the registered births and 17.6 for the allocated births.

Plural Births.—In 1939 there were 657 cases of plural births (allocated), 651 cases of twins and 6 cases of triplets, or 10.4 pairs of twins per 1,000 live births (allocated), and one-tenth of one case of triplets.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1939 was 2.8 per 1,000 population for registered births and averaged 2.6 for the five years 1934 to 1938. The rate of increase was the same for allocated births.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 26.5 per cent in 1938; 19.0 in 1937; 18.9 in 1936; 25.3 in 1935; and 25.6 in 1934. The excess of registered births over registered deaths in 1939 was 12,400, or 24.4 per cent, while the increase of allocated births over allocated deaths was 12,283, or 24.4 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: **1939.**

COUNTIES AND MUNICIPALITIES.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown		
The State.	**63,307**	**32,458**	**30,849**	–	**47,862**	**5,012**	**10,432**	**1**	**4,446,868**	**14.2**
COUNTIES										
Barnstable	508	242	266	–	417	23	68	–	40,760	12.5
Berkshire	1,890	948	942	–	1,600	82	208	–	121,477	15.6
Bristol	5,383	2,716	2,667	–	4,112	336	935	–	368,241	14.6
Dukes	107	55	52	–	92	2	13	–	6,407	16.7
Essex	6,543	3,384	3,159	–	4,995	433	1,115	–	510,587	12.8
Franklin	612	316	296	–	559	6	47	–	52,398	11.7
Hampden	4,576	2,364	2,212	–	3,617	276	682	1	333,495	13.7
Hampshire	957	494	463	–	845	19	93	–	75,535	12.7
Middlesex	13,060	6,734	6,326	–	9,569	1,161	2,330	–	981,526	13.3
Nantucket	42	17	25	–	28	4	10	–	3,495	12.0
Norfolk	2,796	1,467	1,329	–	2,100	240	456	–	341,100	8.2
Plymouth	2,202	1,127	1,075	–	1,793	93	316	–	170,136	12.9
Suffolk	17,272	8,815	8,457	–	12,338	1,907	3,027	–	944,130	18.3
Worcester	7,359	3,779	3,580	–	5,797	430	1,132	–	499,655	14.7
MUNICIPALITIES										
Abington	7	1	6	–	7	–	–	–	5,696	1.2
Acton	5	3	2	–	4	–	1	–	2,781	1.8
Acushnet	157	73	84	–	132	5	20	–	3,951	39.7
Adams	184	101	83	–	164	5	15	–	13,011	14.1
Agawam	25	11	14	–	17	2	5	1	7,309	3.4
Alford	–	–	–	–	–	–	–	–	–	–
Amesbury	154	78	76	–	120	8	26	–	10,514	14.6
Amherst	12	6	6	–	12	–	–	–	7,029	1.7
Andover	31	18	13	–	25	1	5	–	11,085	2.8
Arlington	296	141	155	–	215	23	58	–	40,855	7.2
Ashburnham	10	7	3	–	9	–	1	–	2,051	4.9
Ashby	1	1	–	–	1	–	–	–	957	1.0
Ashfield	4	2	2	–	4	–	–	–	972	4.1
Ashland	4	1	3	–	3	–	1	–	2,589	1.5
Athol	74	43	31	–	53	5	16	–	10,821	6.8
ATTLEBORO	601	301	300	–	483	19	99	–	21,898	27.4
Auburn	10	8	2	–	9	–	1	–	6,902	1.4
Avon	7	4	3	–	4	1	2	–	2,362	3.0
Ayer	112	50	62	–	97	4	11	–	4,617	24.3
Barnstable	336	154	182	–	277	15	44	–	8,761	38.4
Barre	11	4	7	–	9	1	1	–	3,509	3.1
Becket	1	1	–	–	1	–	–	–	771	1.3
Bedford	2	1	1	–	1	–	1	–	3,736	.5
Belchertown	8	2	6	–	6	–	2	–	4,549	1.8
Bellingham	26	11	15	–	21	1	4	–	3,056	8.5
Belmont	19	7	12	–	14	2	3	–	27,752	.7
Berkley	7	4	3	–	6	1	–	–	1,191	5.9
Berlin	1	–	1	–	1	–	–	–	1,106	.9
Bernardston	6	3	3	–	6	–	–	–	1,051	5.7
BEVERLY	452	225	227	–	360	22	70	–	26,615	17.0
Billerica	38	20	18	–	31	1	6	–	7,379	5.1
Blackstone	45	15	30	–	34	3	8	–	4,588	9.8
Blandford	4	2	2	–	3	–	1	–	469	8.5
Bolton	–	–	–	–	–	–	–	–	–	–
BOSTON	16,100	8,205	7,895	–	11,495	1,800	2,805	–	852,316	18.9
Bourne	11	3	8	–	5	–	6	–	3,752	2.9
Boxborough	–	–	–	–	–	–	–	–	–	–
Boxford	5	2	3	–	4	–	1	–	796	6.3
Boylston	1	1	–	–	1	–	–	–	1,609	.6
Braintree	11	5	6	–	11	–	–	–	18,458	.6
Brewster	3	2	1	–	2	1	–	–	715	4.2
Bridgewater	25	7	18	–	7	–	18	–	9,336	2.7
Brimfield	4	4	–	–	4	–	–	–	900	4.4
BROCKTON	1,474	765	709	–	1,221	56	197	–	62,407	23.6
Brookfield	2	2	–	–	1	–	1	–	1,309	1.5
Brookline	170	88	82	–	113	25	32	–	52,999	3.2
Buckland	2	1	1	–	2	–	–	–	1,581	1.3
Burlington	9	4	5	–	7	–	2	–	2,546	3.5
CAMBRIDGE	2,162	1,106	1,056	–	1,525	238	399	–	122,274	17.7
Canton	25	17	8	–	16	3	6	–	7,153	3.5
Carlisle	1	–	1	–	1	–	–	–	796	1.3
Carver	6	4	2	–	2	–	4	–	1,726	3.5
Charlemont	3	2	1	–	2	1	–	–	1,020	2.9
Charlton	21	12	9	–	19	–	2	–	2,566	8.2
Chatham	4	4	–	–	4	–	–	–	2,163	1.8
Chelmsford	16	8	8	–	12	1	3	–	8,135	2.0
CHELSEA	595	303	292	–	420	64	111	–	42,673	13.9
Cheshire	12	6	6	–	10	–	2	–	1,660	7.2
Chester	5	4	1	–	5	–	–	–	1,362	3.7
Chesterfield	–	–	–	–	–	–	–	–	–	–
CHICOPEE	187	95	92	–	124	17	46	–	41,952	4.5

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: **1939.**

MUNICIPALITIES[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown		
Chilmark	–	–	–	–	–	–	–	–	–	–
Clarksburg	9	7	2	–	8	–	1	–	1,368	6.6
Clinton	247	123	124	–	203	8	36	–	12,373	20.0
Cohasset	71	46	25	–	56	4	11	–	3,731	19.0
Colrain	11	6	5	–	11	–	–	–	1,705	6.5
Concord	202	102	100	–	170	10	22	–	7,955	25.4
Conway	6	3	3	–	5	–	1	–	1,001	6.0
Cummington	3	2	1	–	3	–	–	–	686	4.4
Dalton	1	1	–	–	–	1	–	–	4,341	.2
Danvers	83	40	43	–	64	3	16	–	14,762	5.6
Dartmouth	52	24	28	–	35	11	6	–	10,034	5.2
Dedham	45	18	27	–	34	6	5	–	15,594	2.9
Deerfield	15	8	7	–	12	–	3	–	3,039	4.9
Dennis	10	4	6	–	8	1	1	–	2,195	4.6
Dighton	115	61	54	–	88	4	23	–	3,116	36.9
Douglas	6	4	2	–	5	–	1	–	2,597	2.3
Dover	1	–	1	–	–	–	1	–	1,408	.7
Dracut	66	34	32	–	47	3	16	–	6,500	10.2
Dudley	33	20	13	–	28	1	4	–	4,854	6.8
Dunstable	3	3	–	–	1	–	2	–	452	6.6
Duxbury	13	6	7	–	8	2	3	–	2,762	4.7
East Bridgewater	7	3	4	–	6	1	–	–	3,746	1.9
East Brookfield	6	3	3	–	5	–	1	–	963	6.2
East Longmeadow	6	2	4	–	4	–	2	–	3,420	1.8
Eastham	4	2	2	–	3	–	1	–	665	6.0
Easthampton	41	24	17	–	32	3	6	–	10,486	3.9
Easton	19	5	14	–	14	2	3	–	5,294	3.6
Edgartown	6	2	4	–	4	1	1	–	1,512	4.0
Egremont	–	–	–	–	–	–	–	–	–	–
Erving	5	4	1	–	5	–	–	–	1,302	3.8
Essex	1	–	1	–	1	–	–	–	1,505	.7
EVERETT	667	335	332	–	447	69	151	–	47,228	14.1
Fairhaven	62	27	35	–	49	4	9	–	11,056	5.6
FALL RIVER	2,051	1,038	1,013	–	1,604	109	338	–	119,441	17.2
Falmouth	59	30	29	–	44	6	9	–	8,157	7.2
FITCHBURG	692	344	348	–	523	36	133	–	42,655	16.2
Florida	3	1	2	–	3	–	–	–	497	6.0
Foxborough	17	10	7	–	13	–	4	–	6,293	2.7
Framingham	535	294	241	–	410	32	93	–	23,069	23.2
Franklin	47	27	20	–	35	6	6	–	7,937	5.9
Freetown	23	10	13	–	18	2	3	–	1,959	11.7
GARDNER	476	256	220	–	383	23	70	–	21,342	22.3
Gay Head	–	–	–	–	–	–	–	–	–	–
Georgetown	16	8	8	–	16	–	–	–	2,144	7.5
Gill	3	1	2	–	3	–	–	–	1,006	3.0
GLOUCESTER	373	190	183	–	283	26	64	–	24,164	15.4
Goshen	–	–	–	–	–	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–	–
Grafton	15	7	8	–	11	2	2	–	8,297	1.8
Granby	3	1	2	–	3	–	–	–	1,015	3.0
Granville	–	–	–	–	–	–	–	–	–	–
Great Barrington	157	70	87	–	137	5	15	–	6,779	23.2
Greenfield	294	165	129	–	274	2	18	–	16,285	18.1
Groton	40	23	17	–	28	1	11	–	2,626	15.2
Groveland	6	3	3	–	6	–	–	–	2,219	2.7
Hadley	14	9	5	–	14	–	–	–	2,738	5.1
Halifax	2	1	1	–	2	–	–	–	898	2.2
Hamilton	1	–	1	–	1	–	–	–	2,413	.4
Hampden	2	1	1	–	–	1	1	–	1,011	2.0
Hancock	3	1	2	–	3	–	–	–	452	6.6
Hanover	6	2	4	–	4	1	1	–	2,709	2.2
Hanson	5	2	3	–	1	1	3	–	2,633	1.9
Hardwick	10	4	6	–	8	1	1	–	2,379	4.2
Harvard	1	1	–	–	1	–	–	–	952	1.1
Harwich	14	8	6	–	11	–	3	–	2,416	5.8
Hatfield	4	1	3	–	1	1	2	–	2,433	1.6
HAVERHILL	658	334	324	–	560	22	76	–	50,280	13.1
Hawley	2	1	1	–	2	–	–	–	308	6.5
Heath	2	1	1	–	2	–	–	–	403	5.0
Hingham	10	5	5	–	7	–	3	–	7,967	1.3
Hinsdale	4	2	2	–	3	–	1	–	1,144	3.5
Holbrook	11	4	7	–	7	2	2	–	3,374	3.3
Holden	86	48	38	–	75	–	11	–	3,955	21.7
Holland	–	–	–	–	–	–	–	–	–	–
Holliston	9	3	6	–	7	–	2	–	2,979	3.0
HOLYOKE	998	523	475	–	799	48	151	–	56,139	17.8
Hopedale	3	1	2	–	2	1	–	–	3,160	.9
Hopkinton	–	–	–	–	–	–	–	–	–	–

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1939.

MUNICIPALITIES.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown	Native.	Foreign.	Mixed.	Unknown.		
Hubbardston	1	1	–	–	1	–	–	–	1,000	1.0
Hudson	15	11	4	–	13	2	–	–	8,520	1.8
Hull	8	5	3	–	6	1	1	–	3,159	2.5
Huntington	3	1	2	–	2	–	1	–	1,442	2.1
Ipswich	121	49	72	–	94	4	23	–	6,800	17.8
Kingston	9	5	4	–	7	–	2	–	2,808	3.2
Lakeville	7	5	2	–	7	–	–	–	1,443	4.9
Lancaster	4	3	1	–	3	–	1	–	2,590	1.5
Lanesborough	1	–	1	–	1	–	–	–	1,296	.8
LAWRENCE	1,275	669	606	–	902	113	260	–	88,412	14.4
Lee	16	12	4	–	7	5	4	–	4,286	3.7
Leicester	14	7	7	–	10	2	2	–	4,426	3.2
Lenox	3	3	–	–	3	–	–	–	2,706	1.1
LEOMINSTER	335	174	161	–	243	34	58	–	21,974	15.2
Leverett	2	–	2	–	2	–	–	–	772	2.6
Lexington	24	14	10	–	17	5	2	–	12,088	2.0
Leyden	–	–	–	–	–	–	–	–	–	–
Lincoln	1	1	–	–	1	–	–	–	1,649	.6
Littleton	5	4	1	–	4	–	1	–	1,606	3.1
Longmeadow	2	1	1	–	2	–	–	–	5,737	.3
LOWELL	1,850	949	901	–	1,510	72	268	–	100,114	18.5
Ludlow	272	146	126	–	213	14	45	–	8,569	31.7
Lunenburg	3	3	–	–	3	–	–	–	2,313	1.3
LYNN	1,460	782	678	–	1,070	127	263	–	100,909	14.5
Lynnfield	5	3	2	–	4	1	–	–	2,182	2.3
MALDEN	978	500	478	–	688	96	194	–	57,277	17.1
Manchester	1	–	1	–	1	–	–	–	2,509	.4
Mansfield	32	18	14	–	21	5	6	–	6,710	4.8
Marblehead	85	32	53	–	75	1	9	–	11,599	7.3
Marion	14	8	6	–	10	1	3	–	2,083	6.7
MARLBOROUGH	309	159	150	–	250	13	46	–	15,965	19.4
Marshfield	3	2	1	–	3	–	–	–	2,494	1.2
Mashpee	7	2	5	–	7	–	–	–	398	17.6
Mattapoisett	12	6	6	–	9	2	1	–	1,855	6.5
Maynard	30	16	14	–	21	6	3	–	7,107	4.2
Medfield	1	–	1	–	–	1	–	–	4,253	.2
MEDFORD	825	426	399	–	641	61	123	–	63,083	13.1
Medway	15	5	10	–	11	2	2	–	3,376	4.4
MELROSE	439	230	209	–	354	20	65	–	25,285	17.4
Mendon	–	–	–	–	–	–	–	–	–	–
Merrimac	5	2	3	–	4	–	1	–	2,209	2.3
Methuen	289	149	140	–	214	13	62	–	21,076	13.7
Middleborough	213	104	109	–	183	10	20	–	9,108	23.4
Middlefield	1	1	–	–	1	–	–	–	242	4.1
Middleton	10	5	5	–	6	–	4	–	2,223	4.5
Milford	461	227	234	–	363	18	80	–	15,261	30.2
Millbury	38	14	24	–	32	1	5	–	6,879	5.5
Millis	6	6	–	–	3	1	2	–	2,438	2.5
Millville	13	4	9	–	9	1	3	–	1,901	6.8
Milton	87	46	41	–	71	4	12	–	19,770	4.4
Monroe	–	–	–	–	–	–	–	–	–	–
Monson	8	2	6	–	8	–	–	–	5,452	1.5
Montague	196	89	107	–	177	2	17	–	7,967	24.6
Monterey	1	1	–	–	1	–	–	–	329	3.0
Montgomery	–	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–	–
Nahant	–	–	–	–	–	–	–	–	–	–
Nantucket	42	17	25	–	28	4	10	–	3,495	12.0
NATICK	241	131	110	–	181	16	44	–	15,156	15.9
Needham	89	49	40	–	68	6	15	–	12,759	7.0
New Ashford	–	–	–	–	–	–	–	–	–	–
NEW BEDFORD	1,582	818	764	–	1,130	134	318	–	110,022	14.4
New Braintree	4	2	2	–	2	–	2	–	463	8.6
New Marlborough	9	4	5	–	8	–	1	–	975	9.2
New Salem	–	–	–	–	–	–	–	–	–	–
Newbury	5	2	3	–	4	1	–	–	1,619	3.1
NEWBURYPORT	285	146	139	–	256	7	22	–	14,815	19.2
NEWTON	732	382	350	–	531	65	136	–	66,966	10.9
Norfolk	4	1	3	–	3	–	1	–	2,683	1.5
NORTH ADAMS	388	189	199	–	322	17	49	–	22,524	17.2
North Andover	21	11	10	–	15	–	6	–	7,353	2.9
North Attleborough	36	18	18	–	27	–	9	–	10,200	3.5
North Brookfield	14	5	9	–	13	–	1	–	3,348	4.2
North Reading	12	2	10	–	10	1	1	–	2,677	4.5
NORTHAMPTON	530	284	246	–	480	9	41	–	24,661	21.5
Northborough	10	6	4	–	9	–	1	–	2,817	3.5
Northbridge	239	127	112	–	177	18	44	–	11,395	21.0
Northfield	9	3	6	–	8	–	1	–	2,015	4.5

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1939.

MUNICIPALITIES.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated. June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown		
Norton	8	4	4	–	8	–	–	–	3,10	2 6
Norwell	3	3	–	–	3	–	–	–	1,801	1.7
Norwood	445	247	198	–	333	41	71	–	16,071	27.7
Oak Bluffs	97	52	45	–	85	1	11	–	1,959	49.5
Oakham	1	–	1	–	1	–	–	–	441	2.3
Orange	33	17	16	–	26	1	6	–	5,400	6.1
Orleans	3	1	2	–	3	–	–	–	1,652	1.8
Otis	2	1	1	–	2	–	–	–	460	4.3
Oxford	42	26	16	–	32	2	8	–	4,541	9.2
Palmer	110	48	62	–	97	–	13	–	9,437	11.7
Paxton	1	1	–	–	1	–	–	–	785	1.3
PEABODY	294	151	143	–	206	33	55	–	22,780	12.9
Pelham	2	2	–	–	2	–	–	–	550	3.6
Pembroke	–	–	–	–	–	–	–	–	–	–
Pepperell	44	30	14	–	41	1	2	–	3,080	14.3
Peru	–	–	–	–	–	–	–	–	–	–
Petersham	3	2	1	–	3	–	–	–	772	3.9
Phillipston	3	1	2	–	3	–	–	–	482	6.2
PITTSFIELD	1,043	522	521	–	881	49	113	–	47,516	22.0
Plainfield	1	–	1	–	1	–	–	–	357	2.8
Plainville	4	2	2	–	4	–	–	–	1,628	2.5
Plymouth	210	107	103	–	168	10	32	–	13,316	15.8
Plympton	5	4	1	–	4	–	1	–	602	8.3
Princeton	2	1	1	–	2	–	–	–	707	2.8
Provincetown	38	22	16	–	35	–	3	–	4,319	8.8
QUINCY	955	488	467	–	686	96	173	–	81,575	11.7
Randolph	21	10	11	–	14	3	4	–	8,552	2.5
Raynham	8	5	3	–	7	1	–	–	2,273	3.5
Reading	34	22	12	–	20	7	7	–	11,589	2.9
Rehoboth	18	7	11	–	11	1	6	–	2,934	6.1
REVERE	91	50	41	–	62	9	20	–	35,319	2.6
Richmond	2	1	1	–	2	–	–	–	671	3.0
Rochester	8	4	4	–	6	–	2	–	1,310	6.1
Rockland	17	5	12	–	16	1	–	–	8,236	2.1
Rockport	21	13	8	–	15	1	5	–	3,638	5.8
Rowe	2	1	1	–	2	–	–	–	277	7.2
Rowley	1	–	1	–	1	–	–	–	1,625	.6
Royalston	3	1	2	–	2	–	1	–	933	3.2
Russell	5	3	2	–	4	–	1	–	1,326	3.8
Rutland	5	2	3	–	3	–	2	–	2,406	2.1
SALEM	731	393	338	–	568	43	120	–	43,585	16.8
Salisbury	5	3	2	–	5	–	–	–	2,294	2.2
Sandisfield	1	–	1	–	1	–	–	–	525	1.9
Sandwich	1	–	1	–	1	–	–	–	1,586	.6
Saugus	26	12	14	–	17	2	7	–	15,432	1.7
Savoy	–	–	–	–	–	–	–	–	–	–
Scituate	9	6	3	–	4	1	4	–	4,537	2.0
Seekonk	26	9	17	–	21	1	4	–	5,243	5.0
Sharon	5	4	1	–	4	1	–	–	3,996	1.3
Sheffield	8	5	3	–	6	–	2	–	1,961	4.1
Shelburne	1	1	–	–	1	–	–	–	1,660	.6
Sherborn	–	–	–	–	–	–	–	–	–	–
Shirley	11	5	6	–	8	1	2	–	2,661	4.1
Shrewsbury	10	3	7	–	5	2	3	–	7,365	1.4
Shutesbury	1	1	–	–	–	–	1	–	255	3.9
Somerset	46	30	16	–	35	4	7	–	5,899	7.8
SOMERVILLE	1,292	691	601	–	800	213	279	–	100,773	12.8
South Hadley	3	1	2	–	2	1	–	–	6,897	.4
Southampton	3	1	2	–	1	1	1	–	976	3.1
Southborough	2	–	2	–	1	1	–	–	2,109	.9
Southbridge	289	144	145	–	221	17	51	–	17,228	16.8
Southwick	–	–	–	–	–	–	–	–	–	–
Spencer	44	26	18	–	38	–	6	–	6,692	6.6
SPRINGFIELD	2,555	1,317	1,238	–	2,003	176	376	–	149,642	17.1
Sterling	2	1	1	–	2	–	–	–	1,607	1.2
Stockbridge	7	2	5	–	6	–	1	–	2,072	3.4
Stoneham	300	159	141	–	222	29	49	–	11,580	25.9
Stoughton	73	41	32	–	55	13	5	–	8,737	8.4
Stow	–	–	–	–	–	–	–	–	–	–
Sturbridge	19	8	11	–	13	2	4	–	2,058	9.2
Sudbury	6	3	3	–	5	–	1	–	2,070	2.9
Sunderland	6	4	2	–	6	–	–	–	1,204	5.0
Sutton	18	11	7	–	14	–	4	–	2,656	6.8
Swampscott	112	58	54	–	88	4	20	–	10,607	10.6
Swansea	24	11	13	–	22	1	1	–	4,689	5.1
TAUNTON	493	239	254	–	383	30	80	–	37,503	13.1
Templeton	28	16	12	–	20	–	8	–	4,437	6.3

[1] Cities are printed in small CAPITALS. [2] Including nonresidents.

Table 42

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1939.

MUNICIPALITIES.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown	Native.	Foreign.	Mixed.	Unknown		
Tewksbury	11	7	4	–	8	1	2	–	7,486	1.5
State Infirmary	90	43	47	–	81	5	4	–	–	–
Tisbury	3	1	2	–	2	–	1	–	2,087	1.4
Tolland	–	–	–	–	–	–	–	–	–	–
Topsfield	3	2	1	–	2	1	–	–	1,232	2.4
Townsend	8	6	2	–	8	–	–	–	2,120	3.8
Truro	2	1	1	–	2	–	–	–	568	3.5
Tyngsborough	7	3	4	–	7	–	–	–	1,331	5.3
Tyringham	2	2	–	–	2	–	–	–	243	8.2
Upton	11	6	5	–	9	1	1	–	2,293	4.8
Uxbridge	41	24	17	–	31	6	4	–	6,500	6.3
Wakefield	61	39	22	–	37	9	15	–	16,660	3.7
Wales	–	–	–	–	–	–	–	–	–	–
Walpole	16	10	6	–	6	3	7	–	7,611	2.1
WALTHAM	826	409	417	–	533	98	195	–	41,798	19.8
Ware	322	155	167	–	279	4	39	–	8,051	40.0
Wareham	66	33	33	–	47	4	15	–	6,387	10.3
Warren	2	2	–	–	1	–	1	–	3,662	.5
Warwick	1	1	–	–	1	–	–	–	749	1.3
Washington	4	2	2	–	4	–	–	–	280	14.3
Watertown	42	21	21	–	25	9	8	–	36,692	1.1
Wayland	10	7	3	–	8	–	2	–	3,735	2.7
Webster	293	145	148	–	250	9	34	–	14,637	20.0
Wellesley	8	2	6	–	3	–	5	–	15,211	.5
Wellfleet	8	5	3	–	8	–	–	–	1,061	7.5
Wendell	5	1	4	–	5	–	–	–	439	11.4
Wenham	1	1	–	–	1	–	–	–	1,266	.8
West Boylston	3	1	2	–	3	–	–	–	2,200	1.4
West Bridgewater	10	5	5	–	7	–	3	–	3,496	2.9
West Brookfield	3	1	2	–	3	–	–	–	1,261	2.4
West Newbury	7	3	4	–	7	–	–	–	1,475	4.7
West Springfield	35	21	14	–	24	3	8	–	17,529	2.0
West Stockbridge	12	3	9	–	9	–	3	–	1,151	10.4
West Tisbury	1	–	1	–	1	–	–	–	293	3.4
Westborough	4	3	1	–	2	1	1	–	6,073	.7
WESTFIELD	353	179	174	–	306	15	32	–	18,788	18.8
Westford	17	12	5	–	11	3	3	–	3,967	4.3
Westhampton	2	2	–	–	2	–	–	–	434	4.6
Westminster	1	1	–	–	1	–	–	–	2,003	.5
Weston	–	–	–	–	–	–	–	–	–	–
Westport	23	14	9	–	18	2	3	–	4,355	5.3
Westwood	2	2	–	–	1	–	1	–	2,953	.7
Weymouth	627	322	305	–	523	21	83	–	22,568	27.8
Whately	3	1	2	–	3	–	–	–	1,133	2.6
Whitman	53	29	24	–	48	2	3	–	7,591	7.0
Wilbraham	5	5	–	–	4	–	1	–	3,207	1.6
Williamsburg	3	1	2	–	2	–	1	–	1,859	1.6
Williamstown	16	11	5	–	15	–	1	–	4,623	3.5
Wilmington	29	11	18	–	22	3	4	–	4,947	5.9
Winchendon	160	90	70	–	135	7	18	–	6,981	22.9
Winchester	313	147	166	–	248	22	43	–	13,989	22.4
Windsor	1	–	1	–	1	–	–	–	435	2.3
Winthrop	486	257	229	–	361	34	91	–	17,142	28.4
WOBURN	311	158	153	–	243	19	49	–	19,942	15.6
WORCESTER	3,483	1,787	1,696	–	2,756	227	500	–	190,471	18.3
Worthington	2	1	1	–	2	–	–	–	573	3.5
Wrentham	7	2	5	–	5	–	2	–	4,705	1.5
Yarmouth	8	4	4	–	7	–	1	–	2,376	3.4

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1939.

Counties and Municipalities.[1]	Total Number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent Nativity. Native.	Parent Nativity. Foreign.	Parent Nativity. Mixed.	Parent Nativity. Unknown.	Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
The State.	**62,575**	**32,048**	**30,527**	–	**47,233**	**4,977**	**10,364**	**1**	**4,446,868**	**14.1**
Counties.										
Barnstable	592	292	300	–	480	26	86	–	40,760	14.5
Berkshire	1,837	918	919	–	1,549	80	208	–	121,477	15.1
Bristol	5,147	2,588	2,559	–	3,926	328	893	–	368,241	14.0
Dukes	106	53	53	–	90	2	14	–	6,407	16.5
Essex	6,751	3,505	3,246	–	5,165	442	1,144	–	510,587	13.2
Franklin	666	343	323	–	613	7	46	–	52,398	12.7
Hampden	4,274	2,198	2,076	–	3,362	262	649	1	333,495	12.8
Hampshire	912	485	427	–	805	25	82	–	75,535	12.1
Middlesex	14,369	7,418	6,951	–	10,537	1,298	2,534	–	981,526	14.6
Nantucket	45	19	26	–	31	4	10	–	3,495	12.9
Norfolk	4,576	2,344	2,232	–	3,494	325	757	–	341,100	13.4
Plymouth	2,442	1,246	1,196	–	2,028	95	319	–	170,136	14.4
Suffolk	13,394	6,830	6,564	–	9,271	1,649	2,474	–	944,130	14.2
Worcester	7,464	3,809	3,655	–	5,882	434	1,148	–	499,655	14.9
Municipalities.										
Abington	82	39	43	–	75	2	5	–	5,696	14.4
Acton	43	19	24	–	36	2	5	–	2,781	15.5
Acushnet	52	25	27	–	38	2	12	–	3,951	13.2
Adams	170	97	73	–	150	5	15	–	13,011	13.1
Agawam	117	61	56	–	90	7	19	1	7,309	16.0
Alford	2	–	2	–	2	–	–	–	221	9.0
Amesbury	134	69	65	–	101	7	26	–	10,514	12.7
Amherst	83	43	40	–	80	–	3	–	7,029	11.8
Andover	142	79	63	–	118	6	18	–	11,085	12.8
Arlington	495	249	246	–	377	35	83	–	40,855	12.1
Ashburnham	43	24	19	–	38	1	4	–	2,051	21.0
Ashby	11	8	3	–	10	–	1	–	957	11.5
Ashfield	16	12	4	–	16	–	–	–	972	16.5
Ashland	34	21	13	–	27	3	4	–	2,589	13.1
Athol	183	91	92	–	141	9	33	–	10,821	16.9
Attleboro	353	188	165	–	285	12	56	–	21,898	16.1
Auburn	102	52	50	–	85	2	15	–	6,902	14.8
Avon	32	15	17	–	25	1	6	–	2,362	13.5
Ayer	71	35	36	–	62	2	7	–	4,617	15.4
Barnstable	162	80	82	–	124	12	26	–	8,761	18.5
Barre	54	28	26	–	46	1	7	–	3,509	15.4
Becket	5	2	3	–	4	–	1	–	771	6.5
Bedford	31	14	17	–	24	3	4	–	3,736	8.3
Belchertown	28	15	13	–	26	–	2	–	4,549	6.2
Bellingham	56	29	27	–	39	4	13	–	3,056	18.3
Belmont	302	151	151	–	232	25	45	–	27,752	10.9
Berkley	17	9	8	–	13	1	3	–	1,191	14.3
Berlin	16	7	9	–	14	–	2	–	1,106	14.5
Bernardston	15	8	7	–	15	–	–	–	1,051	14.3
Beverly	347	181	166	–	285	18	44	–	26,615	13.0
Billerica	134	68	66	–	113	5	16	–	7,379	18.2
Blackstone	80	35	45	–	61	6	13	–	4,588	17.4
Blandford	9	4	5	–	7	–	2	–	469	19.2
Bolton	7	3	4	–	4	–	3	–	739	9.5
Boston	11,965	6,107	5,858	–	8,264	1,516	2,185	–	852,316	14.0
Bourne	47	23	24	–	38	–	9	–	3,752	12.5
Boxborough	3	1	2	–	2	–	1	–	490	6.1
Boxford	10	6	4	–	8	–	2	–	796	12.6
Boylston	18	9	9	–	15	1	2	–	1,609	11.2
Braintree	255	131	124	–	215	7	33	–	18,458	13.8
Brewster	12	6	6	–	11	1	–	–	715	16.8
Bridgewater	85	38	47	–	74	4	7	–	9,336	9.1
Brimfield	14	9	5	–	14	–	–	–	900	15.6
Brockton	893	457	436	–	733	37	123	–	62,407	14.3
Brookfield	20	12	8	–	17	–	3	–	1,309	15.3
Brookline	520	263	257	–	374	49	97	–	52,999	9.8
Buckland	13	7	6	–	11	–	2	–	1,581	8.2
Burlington	30	17	13	–	24	1	5	–	2,546	11.8
Cambridge	1,832	942	890	–	1,269	225	338	–	122,274	15.0
Canton	100	61	39	–	76	7	17	–	7,153	14.0
Carlisle	12	6	6	–	10	–	2	–	796	15.1
Carver	18	10	8	–	13	–	5	–	1,726	10.4
Charlemont	15	7	8	–	13	1	1	–	1,020	14.7
Charlton	41	21	20	–	36	–	5	–	2,566	16.0
Chatham	31	14	17	–	27	–	4	–	2,163	14.3
Chelmsford	96	46	50	–	83	3	10	–	8,135	11.8
Chelsea	641	319	322	–	412	83	146	–	42,673	15.0
Cheshire	32	15	17	–	27	–	5	–	1,660	19.3
Chester	23	10	13	–	20	–	3	–	1,362	16.9
Chesterfield	11	7	4	–	11	–	–	–	469	23.5
Chicopee	558	276	282	–	432	28	98	–	41,952	13.3

[1] Cities are printed in small capitals.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1939.

Municipalities.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown	Native.	Foreign.	Mixed.	Unknown.		
Chilmark	1	–	1	–	1	–	–	–	253	4.0
Clarksburg	20	12	8	–	18	–	2	–	1,368	14.6
Clinton	183	87	96	–	149	8	26	–	12,373	14.8
Cohasset	42	28	14	–	36	–	6	–	3,731	11.3
Colrain	18	12	6	–	18	–	–	–	1,705	10.6
Concord	98	53	45	–	78	9	11	–	7,955	12.3
Conway	19	8	11	–	18	–	1	–	1,001	19.0
Cummington	11	6	5	–	9	–	2	–	686	16.0
Dalton	51	26	25	–	46	1	4	–	4,341	11.7
Danvers	151	71	80	–	121	4	26	–	14,762	10.2
Dartmouth	124	62	62	–	94	15	15	–	10,034	12.4
Dedham	248	105	143	–	196	14	38	–	15,594	15.9
Deerfield	33	18	15	–	29	1	3	–	3,039	10.9
Dennis	25	10	15	–	20	1	4	–	2,195	11.4
Dighton	39	19	20	–	30	4	5	–	3,116	12.5
Douglas	41	21	20	–	36	3	2	–	2,597	15.8
Dover	23	15	8	–	18	2	3	–	1,408	16.3
Dracut	117	63	54	–	96	3	18	–	6,500	18.0
Dudley	69	29	40	–	59	3	7	–	4,854	14.2
Dunstable	6	5	1	–	4	–	2	–	452	13.3
Duxbury	33	13	20	–	29	2	2	–	2,762	11.9
East Bridgewater	66	34	32	–	59	2	5	–	3,746	17.6
East Brookfield	14	7	7	–	12	–	2	–	963	14.5
East Longmeadow	38	21	17	–	29	–	9	–	3,420	11.1
Eastham	4	1	3	–	3	–	1	–	665	6.0
Easthampton	147	84	63	–	122	6	19	–	10,486	14.0
Easton	80	34	46	–	67	3	10	–	5,294	15.1
Edgartown	30	13	17	–	26	1	3	–	1,512	19.8
Egremont	7	3	4	–	6	–	1	–	623	11.2
Erving	16	8	8	–	15	–	1	–	1,302	12.3
Essex	25	8	17	–	21	–	4	–	1,505	16.6
Everett	791	399	392	–	529	82	180	–	47,228	16.7
Fairhaven	154	74	80	–	115	11	28	–	11,056	13.9
Fall River	1,699	856	843	–	1,303	95	301	–	119,441	14.2
Falmouth	120	67	53	–	88	8	24	–	8,157	14.7
Fitchburg	620	303	317	–	466	33	121	–	42,655	14.5
Florida	9	3	6	–	7	–	2	–	497	18.1
Foxborough	96	46	50	–	85	–	11	–	6,293	15.3
Framingham	344	173	171	–	259	21	64	–	23,069	14.9
Franklin	119	63	56	–	95	10	14	–	7,937	15.0
Freetown	37	18	19	–	32	2	3	–	1,959	18.9
Gardner	277	165	112	–	210	19	48	–	21,342	13.0
Gay Head	–	–	–	–	–	–	–	–	–	–
Georgetown	30	14	16	–	28	1	1	–	2,144	14.0
Gill	7	3	4	–	6	–	1	–	1,006	7.0
Gloucester	361	182	179	–	268	26	67	–	24,164	14.9
Goshen	4	1	3	–	4	–	–	–	266	15.0
Gosnold	1	–	1	–	1	–	–	–	137	7.3
Grafton	80	37	43	–	63	5	12	–	8,297	9.6
Granby	12	5	7	–	10	1	1	–	1,015	11.8
Granville	9	5	4	–	7	1	1	–	732	12.3
Great Barrington	85	42	43	–	74	4	7	–	6,779	12.5
Greenfield	219	116	103	–	204	3	12	–	16,285	13.4
Groton	41	22	19	–	30	–	11	–	2,626	15.6
Groveland	19	9	10	–	19	–	–	–	2,219	8.6
Hadley	41	24	17	–	38	1	2	–	2,738	15.0
Halifax	14	10	4	–	13	–	1	–	898	15.6
Hamilton	29	13	16	–	19	5	5	–	2,413	12.0
Hampden	23	16	7	–	20	1	2	–	1,011	22.7
Hancock	8	6	2	–	8	–	–	–	452	17.7
Hanover	35	16	19	–	28	1	6	–	2,709	12.9
Hanson	33	17	16	–	27	1	5	–	2,633	12.5
Hardwick	40	17	23	–	32	2	6	–	2,379	16.8
Harvard	14	8	6	–	13	–	1	–	952	14.7
Harwich	38	19	19	–	31	1	6	–	2,416	15.7
Hatfield	27	16	11	–	23	2	2	–	2,433	11.1
Haverhill	633	321	312	–	532	22	79	–	50,280	12.6
Hawley	3	1	2	–	3	–	–	–	308	9.7
Heath	3	1	2	–	3	–	–	–	403	7.4
Hingham	100	53	47	–	82	2	16	–	7,967	12.6
Hinsdale	21	12	9	–	20	–	1	–	1,144	18.4
Holbrook	52	27	25	–	39	2	11	–	3,374	15.4
Holden	75	46	29	–	60	–	15	–	3,955	19.0
Holland	1	–	1	–	1	–	–	–	260	3.8
Holliston	51	31	20	–	41	2	8	–	2,979	17.1
Holyoke	675	362	313	–	534	33	108	–	56,139	12.0
Hopedale	24	8	16	–	20	2	2	–	3,160	7.6
Hopkinton	36	21	15	–	28	1	7	–	2,666	13.5

[1] Cities are printed in small capitals.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1939.

Municipalities.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Hubbardston	16	13	3	–	14	–	1	–	1,000	18.0
Hudson	121	67	54	–	94	6	21	–	8,520	14.2
Hull	43	25	18	–	36	2	5	–	3,159	13.6
Huntington	19	11	8	–	16	–	3	–	1,442	13.2
Ipswich	94	41	53	–	69	2	23	–	6,800	13.8
Kingston	34	17	17	–	26	–	8	–	2,808	12.1
Lakeville	18	11	7	–	17	1	–	–	1,443	12.5
Lancaster	52	26	26	–	39	4	9	–	2,590	20.1
Lanesborough	24	12	12	–	22	–	2	–	1,296	18.5
Lawrence	1,131	590	541	–	794	105	232	–	88,412	12.8
Lee	82	39	43	–	69	7	6	–	4,286	19.1
Leicester	58	27	31	–	46	4	8	–	4,426	13.1
Lenox	45	17	28	–	38	3	4	–	2,706	16.6
Leominster	335	171	164	–	243	35	57	–	21,974	15.2
Leverett	10	5	5	–	10	–	–	–	772	13.0
Lexington	159	86	73	–	121	13	25	–	12,088	13.2
Leyden	4	2	2	–	4	–	–	–	253	15.8
Lincoln	20	9	11	–	18	1	1	–	1,649	12.1
Littleton	22	10	12	–	18	–	4	–	1,606	13.7
Longmeadow	45	19	26	–	40	1	4	–	5,737	7.8
Lowell	1,493	770	723	–	1,211	56	226	–	100,114	14.9
Ludlow	111	48	63	–	81	8	22	–	8,569	13.0
Lunenburg	29	15	14	–	24	1	4	–	2,313	12.5
Lynn	1,346	726	620	–	973	124	249	–	100,909	13.3
Lynnfield	34	14	20	–	25	4	5	–	2,182	15.6
Malden	809	408	401	–	565	88	156	–	57,277	14.1
Manchester	21	12	9	–	15	–	6	–	2,509	8.4
Mansfield	94	46	48	–	70	9	15	–	6,710	14.0
Marblehead	165	80	85	–	145	3	17	–	11,599	14.2
Marion	39	20	19	–	32	1	6	–	2,083	18.7
Marlborough	210	112	98	–	167	11	32	–	15,965	13.2
Marshfield	39	26	13	–	31	2	6	–	2,494	15.6
Mashpee	8	3	5	–	8	–	–	–	398	20.1
Mattapoisett	17	8	9	–	16	–	1	–	1,855	9.2
Maynard	95	53	42	–	75	6	14	–	7,107	13.4
Medfield	32	17	15	–	27	3	2	–	4,253	7.5
Medford	1,003	505	498	–	750	88	165	–	63,083	15.9
Medway	42	15	27	–	34	2	6	–	3,376	12.4
Melrose	292	146	146	–	246	8	38	–	25,285	11.5
Mendon	24	11	13	–	20	–	4	–	1,416	16.9
Merrimac	30	16	14	–	29	–	1	–	2,209	13.6
Methuen	266	138	128	–	194	16	56	–	21,076	12.6
Middleborough	138	63	75	–	118	6	14	–	9,108	15.2
Middlefield	2	1	1	–	2	–	–	–	242	8.3
Middleton	28	17	11	–	20	–	8	–	2,223	12.6
Milford	229	126	103	–	165	12	52	–	15,261	15.0
Millbury	108	54	54	–	89	1	18	–	6,879	15.7
Millis	27	18	9	–	20	1	6	–	2,438	11.1
Millville	23	10	13	–	18	1	4	–	1,901	12.1
Milton	227	122	105	–	174	17	36	–	19,770	11.5
Monroe	2	–	2	–	2	–	–	–	261	7.7
Monson	36	16	20	–	32	–	4	–	5,452	6.6
Montague	98	45	53	–	86	1	11	–	7,967	12.3
Monterey	6	3	3	–	5	–	1	–	329	18.2
Montgomery	4	–	4	–	4	–	–	–	206	19.4
Mount Washington	1	1	–	–	1	–	–	–	68	14.7
Nahant	22	9	13	–	17	–	5	–	1,834	12.0
Nantucket	45	19	26	–	31	4	10	–	3,495	12.9
Natick	216	116	100	–	158	15	43	–	15,156	14.3
Needham	147	80	67	–	113	9	25	–	12,759	11.5
New Ashford	1	–	1	–	–	–	1	–	112	8.9
New Bedford	1,400	716	684	–	1,000	124	276	–	110,022	12.7
New Braintree	9	5	4	–	6	–	3	–	463	19.4
New Marlborough	21	9	12	–	19	–	2	–	975	21.5
New Salem	2	1	1	–	2	–	–	–	470	4.3
Newbury	22	8	14	–	19	3	–	–	1,619	13.6
Newburyport	188	97	91	–	166	4	18	–	14,815	12.7
Newton	919	483	436	–	690	73	156	–	66,966	13.7
Norfolk	18	9	9	–	14	–	4	–	2,683	6.7
North Adams	335	160	175	–	272	15	48	–	22,524	14.9
North Andover	88	45	43	–	64	1	23	–	7,353	12.0
North Attleborough	155	73	82	–	121	5	29	–	10,206	15.2
North Brookfield	50	23	27	–	44	–	6	–	3,348	14.9
North Reading	46	20	26	–	37	4	5	–	2,677	17.2
Northampton	289	155	134	–	259	6	24	–	24,661	11.7
Northborough	35	16	19	–	32	1	2	–	2,817	12.4
Northbridge	157	80	77	–	110	11	36	–	11,395	13.8
Northfield	24	12	12	–	21	–	3	–	2,015	11.9

[1] Cities are printed in small capitals.

Table 43

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: **1939.**

Municipalities.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Norton	36	20	16	–	31	1	4	–	3,103	11.6
Norwell	31	14	17	–	26	–	5	–	1,801	17.2
Norwood	243	135	108	–	173	32	38	–	16,071	15.1
Oak Bluffs	31	21	10	–	27	1	3	–	1,959	15.8
Oakham	6	–	6	–	6	–	–	–	441	13.6
Orange	83	43	40	–	75	1	7	–	5,400	15.4
Orleans	17	11	6	–	16	–	1	–	1,652	10.3
Otis	4	3	1	–	4	–	–	–	460	8.7
Oxford	85	44	41	–	69	3	13	–	4,541	18.7
Palmer	126	57	69	–	108	1	17	–	9,437	13.4
Paxton	12	9	3	–	12	–	–	–	785	15.3
Peabody	325	167	158	–	218	40	67	–	22,780	14.3
Pelham	4	4	–	–	3	–	1	–	550	7.3
Pembroke	20	13	7	–	18	–	2	–	1,740	11.5
Pepperell	47	30	17	–	44	1	2	–	3,080	15.3
Peru	1	1	–	–	1	–	–	–	194	5.2
Petersham	13	6	7	–	11	1	1	–	772	16.8
Phillipston	8	5	3	–	8	–	–	–	482	16.6
Pittsfield	746	379	367	–	616	42	88	–	47,516	15.7
Plainfield	1	–	1	–	1	–	–	–	357	2.8
Plainville	23	9	14	–	18	1	4	–	1,628	14.1
Plymouth	174	89	85	–	136	10	28	–	13,316	13.1
Plympton	5	3	2	–	4	–	1	–	602	8.3
Princeton	7	4	3	–	7	–	–	–	707	9.9
Provincetown	48	25	23	–	43	2	3	–	4,319	11.1
Quincy	1,153	574	579	–	854	102	197	–	81,575	14.1
Randolph	110	60	50	–	86	6	18	–	8,552	12.9
Raynham	22	14	8	–	17	1	4	–	2,273	9.7
Reading	150	86	64	–	110	16	24	–	11,589	12.9
Rehoboth	49	18	31	–	37	3	9	–	2,934	16.7
Revere	535	269	266	–	392	38	105	–	35,319	15.1
Richmond	7	2	5	–	5	–	2	–	671	10.4
Rochester	23	12	11	–	19	–	4	–	1,310	17.6
Rockland	119	57	62	–	112	3	4	–	8,236	14.4
Rockport	49	28	21	–	42	1	6	–	3,638	13.5
Rowe	3	2	1	–	3	–	–	–	277	10.8
Rowley	26	12	14	–	21	–	5	–	1,625	16.0
Royalston	12	5	7	–	11	–	1	–	933	12.9
Russell	14	6	8	–	11	–	3	–	1,326	10.6
Rutland	20	8	12	–	16	1	3	–	2,406	8.3
Salem	592	310	282	–	462	36	94	–	43,585	13.6
Salisbury	39	21	18	–	37	–	2	–	2,294	17.0
Sandisfield	4	1	3	–	3	–	1	–	525	7.6
Sandwich	20	8	12	–	19	–	1	–	1,586	12.6
Saugus	206	113	93	–	162	9	35	–	15,432	13.3
Savoy	–	–	–	–	–	–	–	–	–	–
Scituate	67	38	29	–	52	5	10	–	4,537	14.8
Seekonk	65	27	38	–	53	1	11	–	5,243	12.4
Sharon	41	24	17	–	34	2	5	–	3,996	10.3
Sheffield	31	12	19	–	26	–	5	–	1,961	15.8
Shelburne	21	11	10	–	20	–	1	–	1,660	12.7
Sherborn	13	9	4	–	12	–	1	–	1,043	12.5
Shirley	33	15	18	–	27	1	5	–	2,661	12.4
Shrewsbury	107	53	54	–	84	8	15	–	7,365	14.5
Shutesbury	2	1	1	–	1	–	1	–	255	7.8
Somerset	88	54	34	–	73	4	11	–	5,899	14.9
Somerville	1,656	871	785	–	1,065	257	334	–	100,773	16.4
South Hadley	75	33	42	–	65	5	5	–	6,897	10.9
Southampton	15	7	8	–	12	1	2	–	976	15.4
Southborough	24	12	12	–	19	2	3	–	2,109	11.4
Southbridge	278	137	141	–	212	16	50	–	17,228	16.1
Southwick	18	8	10	–	16	–	2	–	1,616	11.1
Spencer	103	56	47	–	88	–	15	–	6,692	15.4
Springfield	1,930	1,000	930	–	1,480	159	291	–	149,642	12.9
Sterling	30	18	12	–	25	2	3	–	1,607	18.7
Stockbridge	26	12	14	–	23	–	3	–	2,072	12.5
Stoneham	165	74	91	–	134	9	22	–	11,580	14.2
Stoughton	155	76	79	–	118	8	29	–	8,737	17.7
Stow	14	7	7	–	13	–	1	–	1,235	11.3
Sturbridge	36	18	18	–	29	1	6	–	2,058	17.5
Sudbury	29	14	15	–	23	1	5	–	2,070	14.0
Sunderland	15	7	8	–	13	–	2	–	1,204	12.5
Sutton	50	30	20	–	44	–	6	–	2,656	18.8
Swampscott	126	69	57	–	109	4	13	–	10,607	11.9
Swansea	67	30	37	–	62	3	2	–	4,689	14.3
Taunton	550	271	279	–	428	30	92	–	37,503	14.7
Templeton	87	41	46	–	73	2	12	–	4,437	19.6

[1] Cities are printed in small capitals.

Table 43

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: **1939.**

MUNICIPALITIES.[1]	Total Number.	Sex.			Parent Nativity.				Population (Estimated, June 30, 1939.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Tewksbury	65	29	36	–	52	3	10	–	7,486	8.7
State Infirmary	–	–	–	–	–	–	–	–	–	–
Tisbury	37	17	20	–	30	–	7	–	2,087	17.7
Tolland	1	–	1	–	1	–	–	–	147	6.8
Tospfield	25	11	14	–	19	1	5	–	1,232	20.3
Townsend	33	19	14	–	31	–	2	–	2,120	15.6
Truro	5	2	3	–	4	–	1	–	568	8.8
Tyngsborough	23	15	8	–	22	–	1	–	1,331	17.3
Tyringham	5	4	1	–	5	–	–	–	243	20.6
Upton	44	22	22	–	39	1	4	–	2,293	19.2
Uxbridge	113	59	54	–	88		18	–	6,500	17.4
Wakefield	227	131	96	–	171	19	37	–	16,660	13.6
Wales	4	1	3	–	4	–	–	–	403	9.9
Walpole	112	62	50	–	77	10	25	–	7,611	14.7
WALTHAM	632	312	320	–	417	70	145	–	41,798	15.1
Ware	111	56	55	–	95	3	13	–	8,051	13.8
Wareham	145	68	77	–	106	10	29	–	6,387	22.7
Warren	39	18	21	–	31	1	7	–	3,662	10.6
Warwick	6	4	2	–	6	–	–	–	749	8.0
Washington	4	2	2	–	4	–	–	–	280	14.3
Watertown	541	275	266	–	345	82	114	–	36,692	14.7
Wayland	65	38	27	–	51	1	13	–	3,735	17.4
Webster	235	126	109	–	201	4	30	–	14,637	16.1
Wellesley	227	109	118	–	174	12	41	–	15,211	14.9
Wellfleet	15	5	10	–	15	–	–	–	1,061	14.1
Wendell	8	3	5	–	8	–	–	–	439	18.2
Wenham	21	13	8	–	19	–	2	–	1,266	16.6
West Boylston	17	9	8	–	15	–	2	–	2,200	7.7
West Bridgewater	42	21	21	–	34	–	8	–	3,496	12.0
West Brookfield	24	11	13	–	23	–	1	–	1,261	19.0
West Newbury	26	15	11	–	26	–	–	–	1,475	17.6
West Springfield	221	114	107	–	177	10	34	–	17,529	12.6
West Stockbridge	26	13	13	–	19	2	5	–	1,151	22.6
West Tisbury	6	2	4	–	5	–	1	–	293	20 5
Westborough	59	32	27	–	55	–	4	–	6,073	9.7
WESTFIELD	249	133	116	–	213	12	24	–	18,788	13.3
Westford	59	31	28	–	41	7	11	–	3,967	14.9
Westhampton	4	2	2	–	4	–	–	–	434	9.2
Westminster	22	11	11	–	18	–	4	–	2,003	11.0
Weston	38	25	13	–	32	1	5	–	4,334	8.8
Westport	66	34	32	–	57	2	7	–	4,355	15.2
Westwood	56	37	19	–	49	1	6	–	2,953	19.0
Weymouth	383	194	189	–	303	22	58	–	22,568	17.0
Whately	11	6	5	–	11	–	–	–	1,133	9.7
Whitman	129	74	55	–	112	4	13	–	7,591	17.0
Wilbraham	48	32	16	–	41	1	6	–	3,207	15.0
Williamsburg	23	12	11	–	20	–	3	–	1,859	12.4
Williamstown	53	28	25	–	50	1	2	–	4,623	11.5
Wilmington	105	56	49	–	86	8	11	–	4,947	21.2
Winchendon	121	71	50	–	100	5	16	–	6,981	17.3
Winchester	200	102	98	–	154	11	35	–	13,989	14.3
Windsor	5	2	3	–	5	–	–	–	435	11.5
Winthrop	253	135	118	–	203	12	38	–	17,142	14.8
WOBURN	291	150	141	–	223	20	48	–	19,942	14.6
WORCESTER	2,784	1,417	1,367	–	2,168	215	401	–	190,471	14.6
Worthington	5	3	2	–	5	–	–	–	573	8.7
Wrentham	37	20	17	–	28	1	8	–	4,705	7.9
Yarmouth	40	18	22	–	33	1	6	–	2,376	16.8

[1] Cities are printed in small capitals.

Table 44

Allocated Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1939.

Counties and Cities having over 50,000 Inhabitants in 1935. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**62,575**	**5,214**	**4,817**	**5,503**	**5,199**	**5,109**	**5,360**	**5,613**	**5,674**	**5,296**	**5,203**	**4,859**	**4,728**
Average daily number of births	171	168	172	178	173	165	179	181	183	177	168	162	153
Counties.													
Middlesex	14,369	1,169	1,125	1,287	1,213	1,155	1,230	1,295	1,283	1,189	1,228	1,101	1,094
Suffolk	13,394	1,151	1,013	1,185	1,063	1,117	1,178	1,217	1,350	1,119	1,091	1,005	905
Essex	6,751	606	552	594	538	575	578	612	550	549	518	562	517
Worcester	7,464	584	578	660	644	603	592	663	671	662	628	580	599
Bristol	5,147	441	391	455	399	387	452	463	437	447	436	422	417
Hampden	4,274	336	312	366	326	342	407	399	384	357	333	349	363
Norfolk	4,576	365	360	389	404	384	378	404	425	418	390	333	326
Plymouth	2,442	214	165	223	226	202	213	203	205	201	209	189	192
Berkshire	1,837	158	144	149	187	132	152	163	158	153	161	138	142
Hampshire	912	73	73	70	79	77	70	85	79	87	86	69	64
Franklin	666	54	49	58	58	58	44	56	63	55	73	49	49
Barnstable	592	50	45	48	55	51	50	49	55	52	39	48	50
Dukes	106	10	7	12	3	22	14	3	10	5	7	7	6
Nantucket	45	3	3	7	4	4	2	1	4	2	4	7	4
Cities over 100,000													
Boston	11,965	1,025	903	1,044	958	995	1,044	1,104	1,227	991	972	904	798
Worcester	2,784	207	220	258	240	227	228	236	248	262	248	198	212
Springfield	1,930	158	129	165	136	145	196	173	169	178	141	173	167
Cambridge	1,832	149	177	167	158	147	148	143	160	155	176	120	132
Fall River	1,699	154	122	145	133	112	160	162	150	150	139	145	127
New Bedford	1,400	119	112	117	110	115	126	109	110	124	122	102	134
Lynn	1,346	116	104	136	89	119	106	131	105	120	106	117	97
Somerville	1,656	156	106	142	141	137	140	152	145	132	139	141	125
Lowell	1,493	123	123	142	119	111	136	131	141	127	118	105	117
Cities 50,000 to 100,000													
Lawrence	1,131	114	101	84	78	94	100	108	96	83	88	95	90
Quincy	1,153	84	95	103	106	98	111	98	105	108	85	80	80
Newton	919	70	60	73	87	61	73	90	96	81	78	81	69
Brockton	893	75	74	88	70	67	66	75	85	81	69	70	73
Medford	1,003	73	62	87	87	90	100	101	85	79	79	70	90
Malden	809	56	67	68	75	59	80	75	64	79	80	52	54
Holyoke	675	52	57	61	43	52	63	81	56	48	50	50	62
Brookline (town)	520	43	44	50	48	51	51	44	44	35	44	31	35

Table 45

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1939.

COUNTIES AND MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
The State.	**1,302**	**668**	**634**	**18**	**8**	**10**	**1,765**	**949**	**816**
COUNTIES									
Barnstable	12	5	7	–	–	–	22	12	10
Berkshire	28	11	17	3	–	3	55	30	25
Bristol	84	44	40	–	–	–	175	96	79
Dukes	8	5	3	–	–	–	3	1	2
Essex	166	83	83	–	–	–	232	131	101
Franklin	12	6	6	–	–	–	20	12	8
Hampden	98	38	60	–	–	–	125	64	61
Hampshire	10	5	5	–	–	–	28	15	13
Middlesex	300	163	137	3	1	2	396	194	202
Nantucket	–	–	–	–	–	–	2	1	1
Norfolk	98	51	47	6	2	4	107	62	45
Plymouth	56	29	27	–	–	–	62	35	27
Suffolk	286	148	138	3	2	1	362	185	177
Worcester	144	80	64	3	3	–	176	111	65
MUNICIPALITIES									
Abington	4	2	2	–	–	–	3	2	1
Acton	–	–	–	–	–	–	4	2	2
Acushnet	–	–	–	–	–	–	1	1	–
Adams	–	–	–	–	–	–	5	3	2
Agawam	–	–	–	–	–	–	2	–	2
Alford	–	–	–	–	–	–	–	–	–
Amesbury	6	6	–	–	–	–	5	4	1
Amherst	2	2	–	–	–	–	2	1	1
Andover	2	2	–	–	–	–	6	2	4
Arlington	12	5	7	–	–	–	15	7	8
Ashburnham	–	–	–	–	–	–	–	–	–
Ashby	2	2	–	–	–	–	–	–	–
Ashfield	2	2	–	–	–	–	–	–	–
Ashland	–	–	–	–	–	–	–	–	–
Athol	2	2	–	–	–	–	2	1	1
ATTLEBORO	–	–	–	–	–	–	2	1	1
Auburn	–	–	–	–	–	–	3	1	2
Avon	–	–	–	–	–	–	2	–	2
Ayer	–	–	–	–	–	–	2	–	2
Barnstable	6	1	5	–	–	–	6	2	4
Barre	–	–	–	–	–	–	2	2	–
Becket	–	–	–	–	–	–	–	–	–
Bedford	2	–	2	–	–	–	–	–	–
Belchertown	–	–	–	–	–	–	–	–	–
Bellingham	–	–	–	–	–	–	2	1	1
Belmont	2	1	1	–	–	–	2	2	–
Berkley	–	–	–	–	–	–	–	–	–
Berlin	–	–	–	–	–	–	1	–	1
Bernardston	–	–	–	–	–	–	–	–	–
BEVERLY	10	5	5	–	–	–	11	5	6
Billerica	–	–	–	–	–	–	1	1	–
Blackstone	–	–	–	–	–	–	1	1	–
Blandford	–	–	–	–	–	–	–	–	–
Bolton	–	–	–	–	–	–	–	–	–
BOSTON	248	129	119	3	2	1	336	173	163
Bourne	–	–	–	–	–	–	2	1	1
Boxborough	–	–	–	–	–	–	–	–	–
Boxford	–	–	–	–	–	–	2	2	–
Boylston	–	–	–	–	–	–	–	–	–
Braintree	8	6	2	–	–	–	4	3	1
Brewster	–	–	–	–	–	–	1	1	–
Bridgewater	6	2	4	–	–	–	1	1	–
Brimfield	–	–	–	–	–	–	1	1	–
BROCKTON	20	9	11	–	–	–	24	11	13
Brookfield	–	–	–	–	–	–	1	1	–
Brookline	14	9	5	–	–	–	9	7	2
Buckland	–	–	–	–	–	–	–	–	–
Burlington	–	–	–	–	–	–	–	–	–
CAMBRIDGE	36	19	17	–	–	–	60	30	30
Canton	–	–	–	–	–	–	1	–	1
Carlisle	–	–	–	–	–	–	–		–
Carver	–	–	–	–	–	–	1	1	–
Charlemont	–	–	–	–	–	–	–	–	–
Charlton	4	2	2	–	–	–	3	3	–
Chatham	–	–	–	–	–	–	–	–	–
Chelmsford	2	2	–	–	–	–	–	–	–
CHELSEA	8	5	3	–	–	–	8	6	2
Cheshire	–	–	–	–	–	–	–	–	–
Chester	2	–	2	–	–	–	1	–	1
Chesterfield	–	–	–	–	–	–	–	–	–
CHICOPEE	14	8	6	–	–	–	17	13	4

[1] Cities are printed in small CAPITALS. [2] Allocated.

Table 45

Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1939.

Municipalities.[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	4	3	1	–	–	–	5	3	2
Cohasset	2	2	–	–	–	–	–	–	–
Colrain	–	–	–	–	–	–	1	1	–
Concord	2	–	2	–	–	–	–	–	–
Conway	–	–	–	–	–	–	–	–	–
Cummington	–	–	–	–	–	–	2	1	1
Dalton	–	–	–	–	–	–	–	–	–
Danvers	8	2	6	–	–	–	8	2	6
Dartmouth	–	–	–	–	–	–	2	1	1
Dedham	2	2	–	–	–	–	9	5	4
Deerfield	–	–	–	–	–	–	–	–	–
Dennis	2	2	–	–	–	–	3	2	1
Dighton	–	–	–	–	–	–	1	–	1
Douglas	2	2	–	–	–	–	2	1	1
Dover	2	2	–	–	–	–	–	–	–
Dracut	–	–	–	–	–	–	–	–	–
Dudley	2	2	–	–	–	–	1	1	–
Dunstable	–	–	–	–	–	–	–	–	–
Duxbury	–	–	–	–	–	–	2	2	–
East Bridgewater	–	–	–	–	–	–	2	1	1
East Brookfield	2	2	–	–	–	–	–	–	–
East Longmeadow	–	–	–	–	–	–	–	–	–
Eastham	–	–	–	–	–	–	–	–	–
Easthampton	2	2	–	–	–	–	4	4	–
Easton	–	–	–	–	–	–	1	–	1
Edgartown	2	1	1	–	–	–	–	–	–
Egremont	–	–	–	–	–	–	–	–	–
Erving	–	–	–	–	–	–	–	–	–
Essex	2	1	1	–	–	–	1	–	1
Everett	26	15	11	–	–	–	15	7	8
Fairhaven	2	2	–	–	–	–	7	4	3
Fall River	38	21	17	–	–	–	69	38	31
Falmouth	2	1	1	–	–	–	4	3	1
Fitchburg	14	6	8	–	–	–	20	12	8
Florida	–	–	–	–	–	–	–	–	–
Foxborough	–	–	–	–	–	–	2	2	–
Framingham	8	6	2	–	–	–	10	4	6
Franklin	–	–	–	–	–	–	2	–	2
Freetown	2	–	2	–	–	–	1	–	1
Gardner	2	1	1	–	–	–	9	7	2
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	–	–	–	–	–	–	1	1	–
Gill	–	–	–	–	–	–	–	–	–
Gloucester	4	3	1	–	–	–	11	6	5
Goshen	–	–	–	–	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	–	–	–	–	–	–	3	3	–
Granby	–	–	–	–	–	–	–	–	–
Granville	–	–	–	–	–	–	2	–	2
Great Barrington	2	–	2	–	–	–	1	1	–
Greenfield	2	–	2	–	–	–	6	2	4
Groton	–	–	–	–	–	–	1	1	–
Groveland	–	–	–	–	–	–	1	1	–
Hadley	–	–	–	–	–	–	2	–	2
Halifax	–	–	–	–	–	–	1	–	1
Hamilton	–	–	–	–	–	–	2	1	1
Hampden	–	–	–	–	–	–	–	–	–
Hancock	–	–	–	–	–	–	–	–	–
Hanover	–	–	–	–	–	–	–	–	–
Hanson	–	–	–	–	–	–	2	1	1
Hardwick	–	–	–	–	–	–	1	–	1
Harvard	–	–	–	–	–	–	–	–	–
Harwich	–	–	–	–	–	–	1	1	–
Hatfield	–	–	–	–	–	–	–	–	–
Haverhill	14	4	10	–	–	–	17	11	6
Hawley	–	–	–	–	–	–	–	–	–
Heath	–	–	–	–	–	–	–	–	–
Hingham	–	–	–	–	–	–	1	1	–
Hinsdale	–	–	–	–	–	–	2	2	–
Holbrook	2	2	–	3	1	2	1	–	1
Holden	4	4	–	3	3	–	2	–	2
Holland	–	–	–	–	–	–	–	–	–
Holliston	–	–	–	–	–	–	1	–	1
Holyoke	12	7	5	–	–	–	19	15	4
Hopedale	–	–	–	–	–	–	–	–	–
Hopkinton	–	–	–	–	–	–	1	1	–

[1] Cities are printed in small capitals. [2] Allocated

Table 45

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1939.

MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Hubbardston	–	–	–	–	–	–	1	1	–
Hudson	4	3	1	–	–	–	–	–	–
Hull	–	–	–	–	–	–	1	–	1
Huntington	–	–	–	–	–	–	2	–	2
Ipswich	4	3	1	–	–	–	2	2	–
Kingston	2	1	1	–	–	–	1	–	1
Lakeville	–	–	–	–	–	–	3	3	–
Lancaster	2	2	–	–	–	–	–	–	–
Lanesborough	–	–	–	–	–	–	–	–	–
LAWRENCE	32	14	18	–	–	–	49	22	27
Lee	–	–	–	–	–	–	2	1	1
Leicester	–	–	–	–	–	–	–	–	–
Lenox	–	–	–	3	–	3	1	1	–
LEOMINSTER	8	6	2	–	–	–	10	4	6
Leverett	–	–	–	–	–	–	1	1	–
Lexington	8	6	2	–	–	–	2	2	–
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	–	–	–	–	–	–	2	1	1
Littleton	–	–	–	–	–	–	–	–	–
Longmeadow	2	2	–	–	–	–	–	–	–
LOWELL	38	19	19	–	–	–	50	25	25
Ludlow	4	1	3	–	–	–	3	2	1
Lunenburg	–	–	–	–	–	–	–	–	–
LYNN	22	8	14	–	–	–	37	23	14
Lynnfield	–	–	–	–	–	–	1	–	1
MALDEN	14	4	10	–	–	–	32	14	18
Manchester	–	–	–	–	–	–	4	3	1
Mansfield	2	1	1	–	–	–	1	1	–
Marblehead	2	1	1	–	–	–	4	2	2
Marion	–	–	–	–	–	–	–	–	–
MARLBOROUGH	–	–	–	–	–	–	6	2	4
Marshfield	–	–	–	–	–	–	–	–	–
Mashpee	–	–	–	–	–	–	2	1	1
Mattapoisett	–	–	–	–	–	–	1	1	–
Maynard	–	–	–	–	–	–	2	2	–
Medfield	–	–	–	–	–	–	–	–	–
MEDFORD	34	15	19	–	–	–	32	16	16
Medway	2	–	2	–	–	–	1	1	–
MELROSE	–	–	–	–	–	–	9	4	5
Mendon	–	–	–	–	–	–	–	–	–
Merrimac	–	–	–	–	–	–	–	–	–
Methuen	12	6	6	–	–	–	10	7	3
Middleborough	8	5	3	–	–	–	1	–	1
Middlefield	–	–	–	–	–	–	–	–	–
Middleton	4	4	–	–	–	–	2	1	1
Milford	6	2	4	–	–	–	2	1	1
Millbury	2	2	–	–	–	–	7	5	2
Millis	–	–	–	–	–	–	1	1	–
Millville	–	–	–	–	–	–	–	–	–
Milton	6	3	3	–	–	–	1	1	–
Monroe	–	–	–	–	–	–	–	–	–
Monson	4	–	4	–	–	–	2	1	1
Montague	2	–	2	–	–	–	3	3	–
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	2	–	2	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	2	–	2	–	–	–	4	4	–
Nantucket	–	–	–	–	–	–	2	1	1
Natick	4	2	2	–	–	–	4	1	3
Needham	2	1	1	–	–	–	3	2	1
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	26	14	12	–	–	–	54	30	24
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	–	–	–	–	–	–	1	–	1
New Salem	–	–	–	–	–	–	–	–	–
Newbury	–	–	–	–	–	–	2	2	–
NEWBURYPORT	8	4	4	–	–	–	3	2	1
NEWTON	22	13	9	–	–	–	20	11	9
Norfolk	–	–	–	–	–	–	–	–	–
NORTH ADAMS	8	4	4	–	–	–	7	4	3
North Andover	2	1	1	–	–	–	4	3	1
North Attleborough	2	–	2	–	–	–	6	4	2
North Brookfield	–	–	–	–	–	–	–	–	–
North Reading	2	1	1	–	–	–	1	–	1
NORTHAMPTON	4	1	3	–	–	–	7	4	3
Northborough	–	–	–	–	–	–	1	1	–
Northbridge	2	1	1	–	–	–	3	3	–
Northfield	–	–	–	–	–	–	1	–	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1939.

Municipalities.[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Norton	–	–	–	–	–	–	2	1	1
Norwell	–	–	–	–	–	–	–	–	–
Norwood	4	2	2	–	–	–	9	5	4
Oak Bluffs	–	–	–	–	–	–	1	1	–
Oakham	–	–	–	–	–	–	–	–	–
Orange	6	4	2	–	–	–	6	3	3
Orleans	–	–	–	–	–	–	2	1	1
Otis	–	–	–	–	–	–	–	–	–
Oxford	–	–	–	–	–	–	1	1	–
Palmer	–	–	–	–	–	–	4	1	3
Paxton	–	–	–	–	–	–	–	–	–
Peabody	4	3	1	–	–	–	12	8	4
Pelham	–	–	–	–	–	–	–	–	–
Pembroke	–	–	–	–	–	–	1	–	1
Pepperell	–	–	–	–	–	–	–	–	–
Peru	–	–	–	–	–	–	–	–	–
Petersham	–	–	–	–	–	–	–	–	–
Phillipston	–	–	–	–	–	–	1	–	1
Pittsfield	16	5	11	–	–	–	32	18	14
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	–	–	–	–	–	–	1	–	1
Plymouth	6	2	4	–	–	–	4	3	1
Plympton	–	–	–	–	–	–	–	–	–
Princeton	–	–	–	–	–	–	–	–	–
Provincetown	2	1	1	–	–	–	–	–	–
Quincy	22	11	11	3	1	2	27	14	13
Randolph	2	1	1	–	–	–	5	4	1
Raynham	–	–	–	–	–	–	1	1	–
Reading	–	–	–	–	–	–	4	1	3
Rehoboth	–	–	–	–	–	–	3	1	2
Revere	16	5	11	–	–	–	14	6	8
Richmond	–	–	–	–	–	–	–	–	–
Rochester	–	–	–	–	–	–	2	2	–
Rockland	2	1	1	–	–	–	6	3	3
Rockport	2	2	–	–	–	–	–	–	–
Rowe	–	–	–	–	–	–	1	1	–
Rowley	–	–	–	–	–	–	–	–	–
Royalston	–	–	–	–	–	–	–	–	–
Russell	–	–	–	–	–	–	–	–	–
Rutland	–	–	–	–	–	–	1	–	1
Salem	14	9	5	–	–	–	19	7	12
Salisbury	–	–	–	–	–	–	2	2	–
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	–	–	–	–	–	–	1	–	1
Saugus	6	4	2	–	–	–	5	3	2
Savoy	–	–	–	–	–	–	–	–	–
Scituate	–	–	–	–	–	–	–	–	–
Seekonk	2	–	2	–	–	–	1	–	1
Sharon	6	2	4	–	–	–	1	–	1
Sheffield	–	–	–	–	–	–	–	–	–
Shelburne	–	–	–	–	–	–	1	1	–
Sherborn	–	–	–	–	–	–	–	–	–
Shirley	–	–	–	–	–	–	1	–	1
Shrewsbury	2	1	1	–	–	–	1	–	1
Shutesbury	–	–	–	–	–	–	–	–	–
Somerset	2	2	–	–	–	–	–	–	–
Somerville	26	15	11	3	1	2	53	31	22
South Hadley	–	–	–	–	–	–	3	3	–
Southampton	–	–	–	–	–	–	–	–	–
Southborough	2	1	1	–	–	–	1	–	1
Southbridge	6	4	2	–	–	–	12	7	5
Southwick	–	–	–	–	–	–	2	1	1
Spencer	2	–	2	–	–	–	–	–	–
Springfield	54	20	34	–	–	–	57	26	31
Sterling	–	–	–	–	–	–	–	–	–
Stockbridge	–	–	–	–	–	–	–	–	–
Stoneham	4	2	2	–	–	–	3	–	3
Stoughton	4	1	3	–	–	–	3	2	1
Stow	–	–	–	–	–	–	–	–	–
Sturbridge	2	–	2	–	–	–	2	1	1
Sudbury	–	–	–	–	–	–	–	–	–
Sunderland	–	–	–	–	–	–	–	–	–
Sutton	–	–	–	–	–	–	1	–	1
Swampscott	4	–	4	–	–	–	5	4	1
Swansea	2	–	2	–	–	–	3	1	2
Taunton	4	2	2	–	–	–	19	11	8
Templeton	10	5	5	–	–	–	2	1	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1939.

Municipalities[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Tewksbury	–	–	–	–	–	–	–	–	–
State Infirmary	–	–			–	–	–	–	–
Tisbury	6	4	2		–	–	2	–	2
Tolland	–	–	–		–	–	–	–	–
Topsfield	2	1	1	–	–	–	1	1	–
Townsend	–	–	–		–	–	2	–	2
Truro	–	–	–	–	–	–	–	–	–
Tyngsborough	–	–	–		–	–	–	–	–
Tyringham	2	2	–		–	–	–	–	–
Upton	–	–	–		–	–	1	–	1
Uxbridge	2	1	1	–		–	3	2	1
Wakefield	2	2	–		–	–	8	2	6
Wales	–	–	–	–	–	–	–	–	–
Walpole	10	4	6		–	–	1	–	1
Waltham	16	11	5	–	–	–	24	13	11
Ware	2	–	2				4	1	3
Wareham	2	2	–	–	–	–	4	3	1
Warren	–	–	–	–	–	–	–	–	–
Warwick	–	–	–		–	–	–	–	–
Washington	–	–	–		–	–	–	–	–
Watertown	20	10	10	–	–	–	8	3	5
Wayland	2	2	–	–		–	–	–	–
Webster	2	1	1	–	–	–	1	1	–
Wellesley	4	–	4	–	–	–	7	5	2
Wellfleet	–	–	–	–	–	–	–	–	–
Wendell	–	–	–	–	–	–	–	–	–
Wenham	–	–	–	–	–	–	1	–	1
West Boylston	–	–	–	–	–	–	–	–	–
West Bridgewater	2	2	–	–	–	–	–	–	–
West Brookfield	–	–	–	–	–	–	–	–	–
West Newbury	–	–	–	–	–	–	–	–	–
West Springfield	2	–	2	–	–	–	7	2	5
West Stockbridge	–	–	–	–	–	–	–	–	–
West Tisbury	–	–	–	–	–	–	–	–	–
Westborough	–	–	–	–	–	–	2	1	1
Westfield	2	–	2	–	–	–	6	1	5
Westford	–	–	–	–	–	–	1	1	–
Westhampton	–	–	–	–	–	–	–	–	–
Westminster	–	–	–	–	–	–	–	–	–
Weston	2	1	1	–	–	–	4	3	1
Westport	2	2	–	–	–	–	1	1	–
Westwood	2	2	–	–	–	–	1	1	–
Weymouth	4	1	3	–	–	–	13	7	6
Whately	–	–	–	–	–	–	–	–	–
Whitman	4	3	1	–	–	–	1	–	1
Wilbraham	–	–	–		–	–	2	1	1
Williamsburg	–	–	–	–	–	–	2	1	1
Williamstown	–	–	–		–	–	4	–	4
Wilmington	2	2	–		–	–	3	1	2
Winchendon	2	2	–		–	–	2	1	1
Winchester	2	2	–		–	–	4	2	2
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	14	9	5	–	–	–	4	–	4
Woburn	6	3	3	–	–	–	9	4	5
Worcester	58	28	30	–	–	–	65	45	20
Worthington	–	–	–	–	–	–	–	–	–
Wrentham	–	–	–	–	–	–	1	1	–
Yarmouth	–	–	–	–	–	–	–	–	–

[1] Cities are printed in small capitals. [2] Allocated.

Table 46

LIVE BIRTHS[1] AND BIRTH RATES[1] FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1935: 1915 TO 1939.

Years.	The State.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
	LIVE BIRTHS									
1915	93,155	19,713	4,504	3,099	3,910	2,610	3,533	–	2,108	2,944
1916	93,487	19,604	4,941	3,281	3,690	2,691	3,497	–	2,205	3,289
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	2,176	3,289
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	2,143	3,279
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	1,935	3,064
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	2,024	3,154
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	2,064	3,157
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	2,057	2,923
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	1,964	2,902
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	2,077	3,011
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	1,972	2,705
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	1,887	2,466
1927	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	1,903	2,404
1928	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	1,912	2,177
1929	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	1,866	1,968
1930	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,813	1,999
1931	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,588	1,812
1932	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,559	1,932
1933	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,477	1,734
1934	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,493	1,740
1935	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	1,341	1,468
1936	61,184	12,117	2,688	2,044	1,669	1,742	1,545	1,658	1,218	1,552
1937	61,272	12,101	2,862	1,971	1,690	1,784	1,472	1,636	1,297	1,427
1938	62,382	11,943	2,822	1,989	1,709	1,822	1,467	1,719	1,385	1,496
1939	62,575	11,965	2,784	1,930	1,699	1,832	1,400	1,656	1,346	1,493
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1915 TO 1935.									
1915	25.2	26.4	27.7	30.1	31.3	24.0	32.2	–	22.0	27.3
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	20.4	28.0
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	19.1	24.5
1930	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	17.7	19.9
1935	14 3[1]	15.1	14.8	13.9	15.2	15.7	13.6	16.2	13.3	14.7

[1] Allocated for 1935, 1936, 1937, 1938 and 1939.

Table 47

LIVE BIRTHS BY SEX AND PARENT NATIVITY: 1915 TO 1939.

Years.	Population.	SEX.					PARENT NATIVITY.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,170,560[1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927	4,191,644[1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928	4,212,728[1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929	4,233,812[1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15
1935	4,350,910	62,416[2]	32,117	30,299	–	1,060	41,837	8,565	12,009	5
1936	4,382,896	61,184[2]	31,290	29,894	–	1,047	42,512	7,681	10,987	4
1937	4,404,220	61,272[2]	31,623	29,649	–	1,067	43,497	6,472	11,299	4
1938	4,425,544	62,382[2]	31,852	30,530	–	1,043	45,645	5,767	10,970	–
1939	4,446,868	62,575[2]	32,048	30,527	–	1,050	47,233	4,977	10,364	1

[1] Revised figures. [2] Allocated.

Table 48

Years.	Live Births: 1915 to 1939.					Stillbirths: 1915 to 1939.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males to 1,000 females.
1915 . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . .	24.8	37,121	9.9	942	13	3,300		1,916	1,334	50	1,436
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779	36	2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332	37	1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548		1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997		1,675	1,313	9	1,276
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969		1,606	1,356	7	1,184
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821	35	1,605	1,207	9	1,330
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540		1,414	1,123	3	1,259
1930 . .	17.3	24,187	5.7	783	15	2,597		1,442	1,148	7	1,256
1931 . .	16.2	20,642	4.8	731	13	2,440		1,350	1,079	11	1,251
1932 . .	15.9	18,987	4.4	735	6	2,350		1,317	1,025	8	1,285
1933 . .	14.7	12,625	2.9	645	4	2,173	33	1,206	959	8	1,257
1934 . .	14.7	13,007	3.0	635	7	1,997		1,108	889	–	1,246
1935 . .	14.3[4]	12,782	2.9	612	5	1,886		1,000	885	1	1,130
1936 . .	14.0[4]	9,749	2.3	634	8	1,816		980	835	1	1,174
1937 . .	13.9[4]	9,533	2.2	622	2	1,744	–	987	757	–	1,304
1938 . .	14.1[4]	13,097	3.0	621	6	1,730	–	922	808	–	1,141
1939 . .	14.1[4]	12,283	2.8	651	6	1,765	–	949	816	–	1,163

[1] Exclusive of stillbirths [2] There was one case of quadruplets in 1926. [3] Revised rate.
[4] Allocated

PART II. B.
MARRIAGE STATISTICS

PAGE
Introduction 232, 233
Marriage registration 232
Source of data 232
Solemnization 232, 233
Accuracy 233
Purpose, marriage requirements 233
Statistical tables 234–245

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1939, inclusive, there have been 5,062,520 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

When Massachusetts residents go into another state to be married and return to live in this Commonwealth they are required within seven days after their return to file a declaration of their marriage with the clerk of the town where either of them resided at the time of their marriage. A penalty is provided by statute for non-compliance with the law.

Since laws of various States now provide for blood tests as a requirement before marriage there have been many marriages of non-residents in Massachusetts. Table 61 in this report shows the number of marriages and the states of residence of persons coming into this State to be married during 1939.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Statistical Tables

Table 49

Counties and Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1939. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1939. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**38,784**	**31,913**	**1,527**	**2,243**	**3,101**	**18,372**	**2,318**	**9,660**	**8,434**
Counties.									
Barnstable	382	345	3	10	24	132	47	60	143
Berkshire	1,372	1,218	22	52	80	484	69	250	569
Bristol	4,184	3,511	128	200	345	2,204	165	829	986
Dukes	55	49	1	1	4	14	6	17	18
Essex	4,088	3,401	142	240	305	1,928	306	1,070	784
Franklin	438	411	3	6	18	124	32	123	159
Hampden	2,907	2,461	88	152	206	1,389	173	813	532
Hampshire	618	556	8	23	31	207	35	222	154
Middlesex	7,666	6,192	357	498	619	2,925	502	2,406	1,833
Nantucket	28	22	–	1	5	14	6	3	5
Norfolk	2,846	2,343	113	174	216	934	202	882	828
Plymouth	1,495	1,319	26	55	95	643	112	396	344
Suffolk	8,232	6,287	511	589	845	5,009	419	1,508	1,296
Worcester	4,473	3,798	125	242	308	2,365	244	1,081	783
Municipalities.[1]									
Abington	41	35	–	3	3	10	4	18	9
Acton	20	16	–	1	3	4	5	3	8
Acushnet	34	31	2	–	1	13	3	14	4
Adams	126	116	3	3	4	75	3	31	17
Agawam	71	65	–	1	5	14	3	24	30
Alford	3	3	–	–	–	–	–	–	3
Amesbury	98	84	–	9	5	38	7	25	28
Amherst	47	42	–	2	3	18	4	13	12
Andover	76	66	2	6	2	20	8	30	18
Arlington	221	170	12	14	25	57	14	102	48
Ashburnham	12	12	–	–	–	5	1	1	5
Ashby	20	18	–	1	1	3	3	1	13
Ashfield	2	2	–	–	–	1	–	1	–
Ashland	15	13	–	1	1	8	1	6	–
Athol	117	102	4	5	6	61	7	30	19
Attleboro	224	188	4	11	21	89	19	61	55
Auburn	80	69	6	1	4	11	7	22	40
Avon	16	15	–	1	–	4	3	6	3
Ayer	37	33	3	–	1	14	3	8	12
Barnstable	112	107	1	1	3	38	18	20	36
Barre	39	32	–	–	7	20	4	10	5
Becket	5	4	1	–	–	–	–	1	4
Bedford	16	15	–	1	–	4	1	5	6
Belchertown	37	35	–	2	–	5	3	7	22
Bellingham	40	32	–	4	4	8	3	17	12
Belmont	194	157	15	15	7	35	15	84	60
Berkley	6	6	–	–	–	3	1	–	2
Berlin	4	2	–	1	1	1	–	1	2
Bernardston	17	17	–	–	–	2	1	1	13
Beverly	185	162	5	10	8	80	15	65	25
Billerica	57	50	1	2	4	17	5	16	19
Blackstone	48	36	1	4	7	11	2	21	14
Blandford	9	8	–	–	1	1	–	2	6
Bolton	4	3	–	1	–	1	–	2	1
Boston	7,359	5,599	466	537	757	4,656	378	1,280	1,045
Bourne	25	24	1	–	–	6	2	8	9
Boxborough	3	3	–	–	–	1	–	1	1
Boxford	4	4	–	–	–	1	1	–	2
Boylston	11	10	–	–	1	2	2	5	2
Braintree	120	101	4	7	8	45	12	37	26
Brewster	7	7	–	–	–	1	1	1	4
Bridgewater	55	50	1	1	3	21	6	19	9
Brimfield	6	6	–	–	–	1	1	2	2
Brockton	574	509	11	18	36	354	35	130	55
Brookfield	21	19	1	–	1	7	4	2	8
Brookline	673	511	45	48	69	122	37	189	325
Buckland	10	10	–	–	–	1	–	4	5
Burlington	7	6	–	–	1	2	–	2	3
Cambridge	1,004	753	72	72	107	402	86	286	230
Canton	46	37	1	2	6	20	5	19	2
Carlisle	2	2	–	–	–	–	1	–	1
Carver	9	8	1	–	–	2	–	4	3
Charlemont	1	1	–	–	–	–	1	–	–
Charlton	11	10	–	–	1	3	1	6	1
Chatham	12	11	–	–	1	5	1	1	5
Chelmsford	59	56	1	2	–	9	5	18	27
Chelsea	322	237	30	19	36	166	19	81	56
Cheshire	19	18	–	1	–	1	1	7	10
Chester	4	4	–	–	–	1	–	2	1
Chesterfield	4	4	–	–	–	1	–	1	2
Chicopee	339	275	13	24	27	164	16	131	28
Chilmark	2	1	–	–	1	–	1	1	–

[1] Cities are printed in small capitals.

Table 49

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1939. Nativity.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1939.			
	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	117	104	3	5	5	52	10	35	20
Cohasset	32	24	1	3	4	7	3	7	15
Colrain	7	7	–	–	–	–	1	1	5
Concord	67	63	1	2	1	13	3	28	23
Conway	4	4	–	–	–	1	–	3	–
Cummington	5	5	–	–	–	–	–	–	5
Dalton	36	33	–	–	3	10	3	11	12
Danvers	78	70	–	3	5	30	7	28	13
Dartmouth	53	49	1	–	3	14	4	17	18
Dedham	123	108	6	7	2	43	7	40	33
Deerfield	53	47	1	1	4	5	4	17	27
Dennis	7	7	–	–	–	4	1	1	1
Dighton	38	32	1	2	3	9	2	13	14
Douglas	30	28	–	2	–	13	1	11	5
Dover	7	5	1	–	1	–	1	3	3
Dracut	55	47	–	4	4	13	7	15	20
Dudley	15	11	–	4	–	3	2	–	10
Dunstable	19	19	–	–	–	1	1	1	16
Duxbury	18	16	1	1	–	4	–	6	8
East Bridgewater	27	27	–	–	–	7	5	10	5
East Brookfield	8	6	–	1	1	1	–	1	6
East Longmeadow	32	29	–	–	3	7	1	14	10
Eastham	3	3	–	–	–	1	1	1	–
Easthampton	105	90	1	6	8	42	7	42	14
Easton	38	34	–	1	3	11	1	15	11
Edgartown	16	14	–	1	1	4	1	4	7
Egremont	15	14	–	1	–	–	1	1	13
Erving	6	6	–	–	–	2	–	1	3
Essex	10	8	–	1	1	1	2	5	2
EVERETT	421	315	19	30	57	158	26	115	122
Fairhaven	67	51	5	2	9	26	8	22	11
FALL RIVER	1,292	1,104	40	57	91	904	26	259	103
Falmouth	83	67	1	6	9	42	10	9	22
FITCHBURG	376	296	20	28	32	210	16	111	39
Florida	2	2	–	–	–	1	–	–	1
Foxborough	36	35	–	–	1	8	1	11	16
Framingham	204	177	3	8	16	98	14	61	31
Franklin	63	57	1	2	3	23	7	12	21
Freetown	10	9	–	–	1	1	2	2	5
GARDNER	150	113	9	13	15	85	10	43	12
Gay Head	1	1	–	–	–	–	–	1	–
Georgetown	22	22	–	–	–	6	2	2	12
Gill	1	1	–	–	–	–	1	–	–
GLOUCESTER	183	148	6	13	16	127	17	27	12
Goshen	4	4	–	–	–	–	–	4	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	65	57	–	4	4	23	1	23	18
Granby	5	5	–	–	–	1	–	2	2
Granville	11	9	–	1	1	1	4	2	4
Great Barrington	107	90	3	5	9	15	6	18	68
Greenfield	138	126	–	2	10	59	13	38	28
Groton	39	36	1	1	1	9	3	12	15
Groveland	11	9	–	–	2	2	–	5	4
Hadley	25	24	–	–	1	6	1	14	4
Halifax	19	17	–	2	–	1	1	4	13
Hamilton	23	22	–	–	1	5	2	8	8
Hampden	2	2	–	–	–	–	–	1	1
Hancock	–	–	–	–	–	–	–	–	–
Hanover	16	16	–	–	–	1	1	3	11
Hanson	6	6	–	–	–	4	1	–	1
Hardwick	27	24	–	1	2	8	1	15	3
Harvard	6	6	–	–	–	–	–	2	4
Harwich	34	34	–	–	–	8	6	3	17
Hatfield	23	21	–	–	2	4	3	16	–
HAVERHILL	346	303	9	13	21	208	19	78	41
Hawley	–	–	–	–	–	–	–	–	–
Heath	2	2	–	–	–	1	–	–	1
Hingham	59	55	1	–	3	6	3	27	23
Hinsdale	29	25	1	2	1	2	–	2	25
Holbrook	20	18	–	–	2	5	3	9	3
Holden	24	22	1	–	1	9	2	12	1
Holland	–	–	–	–	–	–	–	–	–
Holliston	53	45	2	2	4	7	2	13	31
HOLYOKE	467	384	17	39	27	225	27	173	42
Hopedale	12	11	–	1	–	4	–	4	4
Hopkinton	19	16	–	1	2	10	2	5	2
Hubbardston	6	5	–	1	–	2	1	1	2

[1] Cities are printed in small capitals.

Table 49

Municipalities	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1939. Nativity.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1939.			
	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Hudson	55	48	3	2	2	21	3	21	10
Hull	33	27	2	–	4	10	3	7	13
Huntington	23	19	–	–	4	5	1	7	10
Ipswich	76	56	3	5	12	21	3	23	29
Kingston	40	36	1	–	3	4	6	8	22
Lakeville	17	13	–	1	3	6	–	3	8
Lancaster	27	23	1	2	1	12	3	7	5
Lanesborough	20	20	–	–	–	2	1	5	12
LAWRENCE	890	734	37	47	72	500	69	174	147
Lee	46	39	1	1	5	10	3	16	17
Leicester	27	24	–	1	2	11	–	10	6
Lenox	31	28	–	2	1	6	1	13	11
LEOMINSTER	157	130	3	11	13	85	6	52	14
Leverett	7	6	–	–	1	2	1	2	2
Lexington	72	60	2	4	6	17	5	32	18
Leyden	1	1	–	–	–	–	–	–	1
Lincoln	8	8	–	–	–	–	1	2	5
Littleton	21	16	3	1	1	3	1	1	16
Longmeadow	31	29	–	1	1	2	5	10	14
LOWELL	980	823	41	50	66	579	46	201	154
Ludlow	36	32	1	1	2	14	1	10	11
Lunenburg	11	8	–	1	2	–	–	2	9
LYNN	827	661	38	52	76	482	52	184	109
Lynnfield	8	8	–	–	–	4	1	1	2
MALDEN	445	354	26	24	41	177	25	137	106
Manchester	13	11	–	1	1	4	–	7	2
Mansfield	64	53	–	3	8	25	4	21	14
Marblehead	54	47	2	4	1	22	4	20	8
Marion	12	9	1	1	1	1	2	2	7
MARLBOROUGH	123	108	1	5	9	59	6	35	23
Marshfield	20	15	–	2	3	4	1	6	9
Mashpee	5	4	–	–	1	1	–	1	3
Mattapoisett	14	14	–	–	–	6	–	5	3
Maynard	59	52	3	2	2	21	4	19	15
Medfield	17	14	–	2	1	9	3	3	2
MEDFORD	388	326	16	24	22	117	25	147	99
Medway	33	29	–	2	2	11	2	10	10
MELROSE	185	157	5	13	10	61	13	74	37
Mendon	–	–	–	–	–	–	–	–	–
Merrimac	35	33	–	–	2	3	2	3	27
Methuen	151	116	2	12	21	40	10	48	53
Middleborough	89	79	3	1	6	29	7	27	26
Middlefield	1	1	–	–	–	–	–	–	1
Middleton	4	3	–	–	1	1	–	–	3
Milford	162	143	6	5	8	85	6	48	23
Millbury	72	56	1	7	8	26	3	19	24
Millis	28	22	4	1	1	2	–	5	21
Millville	22	18	1	–	3	7	1	14	–
Milton	124	107	4	6	7	20	7	59	38
Monroe	–	–	–	–	–	–	–	–	–
Monson	41	37	–	1	3	8	2	15	16
Montague	77	75	1	–	1	26	8	26	17
Monterey	8	8	–	–	–	–	–	1	7
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	19	14	4	–	1	5	–	7	7
Nantucket	28	22	–	1	5	14	6	3	5
Natick	102	86	5	6	5	38	13	32	19
Needham	94	81	4	2	7	30	9	44	11
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	1,151	893	57	77	124	786	48	196	121
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	2	2	–	–	–	–	–	–	2
New Salem	4	4	–	–	–	–	–	1	3
Newbury	14	14	–	–	–	3	1	2	8
NEWBURYPORT	102	93	2	4	3	37	8	24	33
NEWTON	554	476	18	36	24	154	32	216	152
Norfolk	7	7	–	–	–	2	–	–	5
NORTH ADAMS	223	194	1	12	16	128	14	57	24
North Andover	54	47	2	3	2	12	4	29	9
North Attleborough	128	110	5	7	6	31	15	38	44
North Brookfield	38	34	–	1	3	15	2	13	8
North Reading	15	11	–	1	3	8	1	3	3
NORTHAMPTON	172	160	3	5	4	73	7	62	30
Northborough	15	13	–	1	1	3	2	3	7
Northbridge	81	70	1	2	8	37	5	28	11
Northfield	25	25	–	–	–	6	1	2	16
Norton	58	48	–	1	9	15	1	9	33

[1] Cities are printed in small CAPITALS.

Table 49

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1939. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1939. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Norwell	13	13	–	–	–	3	1	3	6
Norwood	119	96	4	6	13	53	3	44	19
Oak Bluffs	16	15	–	–	1	4	1	4	7
Oakham	4	3	–	1	–	2	–	1	1
Orange	46	41	1	3	1	13	–	20	13
Orleans	19	15	–	3	1	4	1	3	11
Otis	19	18	–	–	1	2	1	3	13
Oxford	45	42	–	3	–	24	1	9	11
Palmer	109	101	–	2	6	33	7	29	40
Paxton	4	3	–	–	1	1	–	2	1
PEABODY	146	114	10	8	14	42	18	69	17
Pelham	3	2	–	–	1	1	–	–	2
Pembroke	10	7	–	1	2	2	–	3	5
Pepperell	59	51	2	1	5	9	6	8	36
Peru	3	3	–	–	–	1	–	1	1
Petersham	4	4	–	–	–	1	1	–	2
Phillipston	2	2	–	–	–	1	–	–	1
PITTSFIELD	411	362	8	14	27	213	25	62	111
Plainfield	1	1	–	–	–	1	–	–	–
Plainville	17	16	–	1	–	1	2	5	9
Plymouth	137	124	1	3	9	66	11	23	37
Plympton	2	2	–	–	–	–	1	–	1
Princeton	5	5	–	–	–	–	–	2	3
Provincetown	37	31	–	–	6	17	4	5	11
QUINCY	622	500	24	46	52	333	47	170	72
Randolph	57	52	1	3	1	20	5	15	17
Raynham	7	7	–	–	–	1	1	–	5
Reading	100	85	–	8	7	30	8	27	35
Rehoboth	37	31	–	2	4	3	3	4	27
REVERE	428	352	11	23	42	138	21	100	169
Richmond	5	4	–	–	1	–	1	2	2
Rochester	8	8	–	–	–	3	1	3	1
Rockland	75	65	–	5	5	23	9	33	10
Rockport	31	29	–	1	1	9	8	6	8
Rowe	–	–	–	–	–	–	–	–	–
Rowley	4	4	–	–	–	2	–	1	1
Royalston	3	3	–	–	–	–	1	1	1
Russell	10	9	–	–	1	2	1	2	5
Rutland	12	9	2	1	–	9	1	1	1
SALEM	376	309	14	30	23	160	29	121	66
Salisbury	39	33	–	5	1	6	1	–	32
Sandisfield	50	44	–	–	6	–	–	1	49
Sandwich	16	13	–	–	3	4	–	1	11
Saugus	101	84	–	8	9	36	8	44	13
Savoy	1	1	–	–	–	1	–	–	–
Scituate	31	26	1	3	1	12	–	8	11
Seekonk	426	382	2	13	29	17	3	26	380
Sharon	59	46	4	4	5	9	1	14	35
Sheffield	39	38	–	1	–	5	4	4	26
Shelburne	15	14	–	–	1	1	–	2	12
Sherborn	3	2	–	1	–	–	1	–	2
Shirley	23	19	1	–	3	9	–	10	4
Shrewsbury	44	38	–	2	4	8	2	24	10
Shutesbury	4	4	–	–	–	–	–	1	3
Somerset	43	37	1	2	3	16	1	16	10
SOMERVILLE	705	509	48	74	74	318	40	245	102
South Hadley	53	42	2	5	4	11	3	14	25
Southampton	2	2	–	–	–	–	–	–	2
Southborough	19	13	–	1	5	5	3	7	4
Southbridge	206	178	3	12	13	124	4	42	36
Southwick	14	13	1	–	–	–	–	4	10
Spencer	43	41	–	1	1	23	1	14	5
SPRINGFIELD	1,340	1,118	48	63	111	792	83	304	161
Sterling	9	8	–	1	–	–	1	1	7
Stockbridge	19	15	1	2	1	2	–	5	12
Stoneham	90	76	1	3	10	28	4	32	26
Stoughton	68	64	1	2	1	26	5	27	10
Stow	8	6	–	–	2	3	1	2	2
Sturbridge	14	14	–	–	–	–	3	2	9
Sudbury	8	7	1	–	–	1	–	4	3
Sunderland	8	8	–	–	–	2	–	1	5
Sutton	18	16	–	2	–	5	1	6	6
Swampscott	83	70	5	4	4	16	4	30	33
Swansea	51	45	2	1	3	7	6	23	15
TAUNTON	414	364	7	18	25	218	17	86	93
Templeton	43	42	–	–	1	9	2	16	16
Tewksbury	29	25	1	–	3	12	1	6	10
Tisbury	17	15	1	–	1	6	3	7	1

[1] Cities are printed in small capitals

Table 49

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1939. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1939. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	5	5	–	–	–	1	1	1	2
Townsend	20	17	–	1	2	3	–	1	16
Truro	3	3	–	–	–	1	1	–	1
Tyngsborough	68	62	1	2	3	10	–	2	56
Tyringham	4	4	–	–	–	–	1	–	3
Upton	16	15	–	–	1	7	3	5	1
Uxbridge	69	57	4	7	1	24	6	24	15
Wakefield	120	101	5	8	6	37	8	44	31
Wales	13	12	–	1	–	2	–	3	8
Walpole	56	51	–	1	4	15	4	22	15
WALTHAM	324	244	15	31	34	167	20	97	40
Ware	79	72	2	2	3	35	5	32	7
Wareham	81	65	1	6	9	43	6	9	23
Warren	23	22	–	–	1	11	–	9	3
Warwick	8	8	–	–	–	2	1	1	4
Washington	–	–	–	–	–	–	–	–	–
Watertown	221	158	16	25	22	77	20	83	41
Wayland	35	26	2	2	5	8	3	11	13
Webster	207	187	3	6	11	71	18	45	73
Wellesley	99	86	2	7	4	24	10	35	30
Wellfleet	7	7	–	–	–	–	1	2	4
Wendell	–	–	–	–	–	–	–	–	–
Wenham	11	10	–	1	–	1	3	1	6
West Boylston	18	16	–	2	–	5	1	5	7
West Bridgewater	15	10	–	3	2	3	1	7	4
West Brookfield	4	4	–	–	–	–	–	2	2
West Newbury	9	8	1	–	–	3	–	2	4
West Springfield	134	114	3	8	9	48	10	40	36
West Stockbridge	110	95	3	7	5	–	2	1	107
West Tisbury	3	3	–	–	–	–	–	–	3
Westborough	28	22	–	5	1	10	1	6	11
WESTFIELD	231	207	5	10	9	73	10	43	105
Westford	35	30	1	3	1	14	1	15	5
Westhampton	3	3	–	–	–	–	–	2	1
Westminster	10	6	–	4	–	2	1	–	7
Weston	29	24	2	2	1	2	2	17	8
Westport	43	37	1	3	2	15	–	7	21
Westwood	24	20	1	3	–	5	3	11	5
Weymouth	193	163	5	12	13	81	15	62	35
Whately	2	2	–	–	–	–	–	1	1
Whitman	74	67	1	4	2	18	7	28	21
Wilbraham	7	7	–	–	–	1	2	2	2
Williamsburg	23	21	–	1	1	3	1	6	13
Williamstown	39	38	–	1	–	10	2	8	19
Wilmington	44	37	1	3	3	13	3	16	12
Winchendon	88	82	1	2	3	27	6	19	36
Winchester	101	82	6	4	9	21	7	41	32
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	123	99	4	10	10	49	1	47	26
WOBURN	105	96	1	5	3	43	5	43	14
WORCESTER	1,740	1,469	54	89	128	1,183	87	284	186
Worthington	3	3	–	–	–	1	–	–	2
Wrentham	53	46	–	2	5	8	4	6	35
Yarmouth	12	12	–	–	–	–	–	4	8

[1] Cities are printed in small capitals.

Table 50

MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1939.

AGE AT MARRIAGE.	Both sexes.	MALES.				FEMALES.			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced
The State									
13 Years and Over	**77,568**	**38,784**	**34,345**	**2,220**	**2,219**	**38,784**	**34,769**	**1,575**	**2,440**
Under 20 years .	6,732	967	965	1	1	5,765	5,755	2	8
20 to 29 years .	50,758	25,570	25,076	127	367	25,188	24,156	169	863
30 to 39 years .	13,689	8,269	6,908	407	954	5,420	4,062	373	985
40 to 49 years .	3,940	2,369	1,125	613	631	1,571	617	506	448
50 to 59 years .	1,634	1,021	209	604	208	613	143	361	109
60 to 69 years .	665	465	55	362	48	200	32	144	24
70 to 79 years .	142	116	6	101	9	26	4	19	3
80 years and over .	8	7	1	5	1	1	–	1	–

Table 51 — Marriages, by Months in Counties

Line No.	Months.	The State. Total number.	The State. Average daily number.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex
1	The Year	38,784	105	382	1,372	4,184	55	4,088	438	2,907	618	7,666
2	January	1,921	62	23	66	215	2	193	16	134	19	359
3	February	2,226	80	15	72	286	–	215	16	154	33	409
4	March	1,114	36	15	43	108	2	98	7	66	11	222
5	April	3,289	110	32	102	354	6	383	20	258	48	669
6	May	2,695	87	30	109	328	5	275	37	248	54	486
7	June	5,320	177	52	185	490	7	540	56	361	63	1,144
8	July	3,628	117	40	147	451	10	328	47	255	55	732
9	August	3,095	100	38	118	292	3	373	44	221	64	582
10	September	5,039	168	46	166	589	8	563	68	399	87	1,000
11	October	4,206	136	39	146	400	5	477	47	324	68	853
12	November	3,824	127	30	154	450	1	391	61	338	85	708
13	December	2,427	78	22	64	221	6	252	19	149	31	492

Table 52 — Marriages in Each County

Line No.	Counties and Sex.	All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**38,784**	–	–	–	**14**	**39**	**252**	**662**	**13,331**
2	**Brides**	**38,784**	–	**6**	**42**	**271**	**731**	**2,103**	**2,612**	**16,184**
	Barnstable:									
3	Grooms	382	–	–	–	–	1	4	7	137
4	Brides	382	–	–	4	5	13	29	38	131
	Berkshire:									
5	Grooms	1,372	–	–	–	–	3	3	24	521
6	Brides	1,372	–	–	2	14	34	97	120	550
	Bristol:									
7	Grooms	4,184	–	–	–	1	6	37	94	1,676
8	Brides	4,184	–	1	5	33	98	313	369	1,829
	Dukes:									
9	Grooms	55	–	–	–	–	–	1	1	24
10	Brides	55	–	–	–	–	–	9	3	25
	Essex:									
11	Grooms	4,088	–	–	–	3	4	30	72	1,452
12	Brides	4,088	–	–	5	33	68	239	264	1,707
	Franklin:									
13	Grooms	438	–	–	–	–	1	6	8	173
14	Brides	438	–	–	2	2	14	33	35	195
	Hampden:									
15	Grooms	2,907	–	–	–	2	–	16	40	996
16	Brides	2,907	–	2	1	21	58	140	208	1,271
	Hampshire:									
17	Grooms	618	–	–	–	–	–	5	4	243
18	Brides	618	–	1	1	6	17	40	46	276
	Middlesex:									
19	Grooms	7,666	–	–	–	1	8	49	126	2,479
20	Brides	7,666	–	–	5	40	119	386	450	3,112
	Nantucket:									
21	Grooms	28	–	–	–	–	–	–	1	8
22	Brides	28	–	–	–	–	1	3	1	11
	Norfolk:									
23	Grooms	2,846	–	–	–	1	1	11	39	913
24	Brides	2,846	–	–	3	14	35	103	173	1,198
	Plymouth:									
25	Grooms	1,495	–	–	–	–	3	12	27	538
26	Brides	1,495	–	–	1	12	42	74	97	626
	Suffolk:									
27	Grooms	8,232	–	–	–	5	10	43	130	2,406
28	Brides	8,232	–	1	7	47	129	342	446	3,280
	Worcester:									
29	Grooms	4,473	–	–	–	1	2	35	89	1,765
30	Brides	4,473	–	1	6	44	103	295	362	1,973

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1939.

Line No.	Counties — Con.					Cities having over 100,000 inhabitants.								
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell.
1	28	2,846	1,495	8,232	4,473	7,359	1,740	1,340	1,004	1,292	1,151	827	705	980
2	–	138	67	501	188	451	74	56	55	58	54	35	36	52
3	3	141	72	594	216	522	80	71	68	87	78	44	34	50
4	–	83	54	295	110	268	55	37	28	26	20	13	21	19
5	1	228	134	692	362	620	128	119	93	113	103	75	69	99
6	1	184	100	483	355	422	119	106	60	120	74	48	46	79
7	4	459	191	1,190	578	1,075	231	163	158	158	138	118	110	125
8	4	226	147	721	465	648	179	116	81	137	138	69	65	80
9	3	232	120	640	365	572	149	114	73	86	76	96	60	50
10	5	343	201	961	603	850	220	167	120	190	174	106	82	132
11	4	349	162	880	442	787	188	168	117	114	105	95	78	107
12	1	233	145	700	527	617	205	149	97	144	131	73	66	112
13	2	230	102	575	262	527	112	74	54	59	60	55	38	75

BY SEX AND AGE: 1939.

Line No.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	12,239	5,560	2,709	1,429	940	612	409	282	183	83	33	7
2	9,004	3,750	1,670	937	634	393	220	135	65	24	2	1
3	103	57	26	12	9	7	7	3	6	2	1	–
4	67	44	15	12	9	4	4	7	–	–	–	–
5	376	182	105	53	37	32	13	9	8	3	2	1
6	287	115	50	42	29	13	11	5	2	1	–	–
7	1,275	501	228	127	76	62	46	30	16	7	1	1
8	855	299	152	81	58	41	25	14	9	2	–	–
9	9	11	2	2	3	–	1	1	–	–	–	–
10	8	3	3	3	–	1	–	–	–	–	–	–
11	1,283	593	258	132	111	66	27	25	21	9	1	1
12	965	396	173	90	70	39	17	8	9	4	–	1
13	135	50	23	11	9	9	3	5	3	1	1	–
14	92	30	4	9	4	8	5	2	2	1	–	–
15	968	407	184	95	80	45	38	20	9	6	1	–
16	644	253	115	78	53	29	19	12	2	1	–	–
17	210	71	35	17	7	12	5	5	2	–	1	1
18	136	43	15	13	8	8	3	4	1	–	–	–
19	2,457	1,187	570	296	174	118	83	58	37	17	6	–
20	1,907	818	346	194	127	84	35	22	13	7	1	–
21	6	2	7	2	–	1	–	–	1	–	–	–
22	3	4	2	1	2	–	–	–	–	–	–	–
23	914	490	207	101	66	36	26	17	13	7	3	1
24	726	296	146	62	43	23	12	8	2	2	–	–
25	450	192	97	59	41	29	16	13	11	4	3	–
26	335	128	74	39	27	14	14	5	5	1	1	–
27	2,658	1,322	695	368	224	145	92	64	44	16	8	2
28	2,096	922	411	221	142	88	49	32	14	5	–	–
29	1,395	495	272	154	103	50	52	32	12	11	5	–
30	883	399	164	92	62	41	26	16	6	–	–	–

Table 53 — MARRIAGES, BY SEX AND AGE: 1939.

Age of Grooms.	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES.														
All Ages.	38,784	5,765	16,184	9,004	3,759	1,670	937	634	393	220	135	65	24	2	1
Under 20	967	715	237	14	1	–	–	–	–	–	–	–	–	–	–
20 to 24	13,331	3,844	8,108	1,243	114	16	4	–	1	–	–	–	1	–	–
25 to 29	12,239	976	6,039	4,340	754	104	20	4	1	–	1	–	–	–	–
30 to 34	5,560	165	1,334	2,256	1,414	314	56	14	3	3	–	–	1	–	–
35 to 39	2,709	43	320	766	837	528	158	40	9	7	1	–	–	–	–
40 to 44	1,429	15	99	268	391	304	241	77	23	9	–	1	1	–	–
45 to 49	940	3	31	78	155	222	214	176	44	10	4	–	3	–	–
50 to 54	612	4	10	25	60	99	131	136	114	27	4	1	1	–	–
55 to 59	409	–	3	5	15	55	60	93	87	65	21	5	–	–	–
60 to 64	282	–	1	7	5	20	35	51	56	46	42	17	2	–	–
65 to 69	183	–	1	1	3	4	11	32	35	29	41	20	6	–	–
70 to 74	83	–	1	1	1	2	6	7	15	14	15	15	5	1	–
75 to 79	33	–	–	–	–	2	1	3	4	9	6	3	4	1	–
80 and over	7	–	–	–	–	–	–	1	1	1	–	3	–	–	1

Table 54 — FIRST MARRIAGES, BY SEX AND AGE: 1939.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES (MAIDS).														
All Ages.	32,358	5,646	15,307	7,686	2,530	805	238	89	25	16	8	6	2	–	–
Under 20	960	713	237	9	1	–	–	–	–	–	–	–	–	–	–
20 to 24	13,012	3,817	7,974	1,137	73	9	1	–	–	–	–	–	1	–	–
25 to 29	11,264	935	5,711	3,968	583	61	6	–	–	–	–	–	–	–	–
30 to 34	4,484	138	1,110	1,895	1,113	198	22	6	–	2	–	–	–	–	–
35 to 39	1,690	29	221	517	538	302	68	11	2	2	–	–	–	–	–
40 to 44	582	12	39	125	170	133	80	19	2	1	–	1	–	–	–
45 to 49	221	1	13	26	40	68	41	28	3	1	–	–	–	–	–
50 to 54	78	1	1	4	11	21	15	12	11	1	1	–	–	–	–
55 to 59	36	–	1	4	1	11	1	9	6	2	1	–	–	–	–
60 to 64	20	–	–	1	–	2	4	3	–	5	3	2	–	–	–
65 to 69	8	–	–	–	–	–	–	1	1	2	3	1	–	–	–
70 to 74	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
75 to 79	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
80 and over	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 55 — FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1939.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES (WIDOWS).[1]														
All Ages.	1,987	10	268	538	482	281	183	117	58	29	15	2	4	–	–
Under 20	5	1	–	4	–	–	–	–	–	–	–	–	–	–	–
20 to 24	233	6	88	92	37	6	3	–	1	–	–	–	–	–	–
25 to 29	567	2	128	248	131	38	14	4	1	–	1	–	–	–	–
30 to 34	420	–	42	120	152	75	23	4	2	1	–	–	1	–	–
35 to 39	314	1	9	53	93	83	46	19	6	4	–	–	–	–	–
40 to 44	197	–	–	20	45	47	44	24	11	5	–	–	1	–	–
45 to 49	125	–	1	1	16	17	34	42	9	2	2	–	1	–	–
50 to 54	68	–	–	–	8	10	14	15	15	6	–	–	–	–	–
55 to 59	27	–	–	–	–	4	1	4	8	7	3	–	–	–	–
60 to 64	21	–	–	–	–	1	3	3	4	2	6	2	–	–	–
65 to 69	6	–	–	–	–	–	–	1	1	1	3	–	–	–	–
70 to 74	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–
75 to 79	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 56 — REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1939.

Age of Grooms (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**2,411**	**109**	**555**	**608**	**453**	**274**	**177**	**113**	**75**	**27**	**9**	**9**	**2**	–	–
Under 20	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
20 to 24	75	21	43	8	2	1	–	–	–	–	–	–	–	–	–
25 to 29	338	39	179	94	24	2	–	–	–	–	–	–	–	–	–
30 to 34	497	27	169	188	88	21	3	–	1	–	–	–	–	–	–
35 to 39	457	13	80	156	125	69	10	4	–	–	–	–	–	–	–
40 to 44	357	3	54	95	105	53	38	9	–	–	–	–	–	–	–
45 to 49	272	2	17	42	62	67	49	27	5	1	–	–	–	–	–
50 to 54	169	3	9	17	30	27	34	27	20	2	–	–	–	–	–
55 to 59	97	–	1	–	10	21	24	19	16	6	–	–	–	–	–
60 to 64	74	–	1	5	3	10	13	13	15	10	3	1	–	–	–
65 to 69	38	–	1	1	3	2	4	8	9	2	5	3	–	–	–
70 to 74	20	–	1	1	1	–	2	3	4	3	–	4	1	–	–
75 to 79	12	–	–	–	–	1	–	2	4	3	1	–	1	–	–
80 and over	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–

[1] Includes divorced.

Table 57 — REMARRIAGES OF BOTH PARTIES, BY AGE: 1939.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All Ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**2,028**	–	**54**	**172**	**285**	**310**	**339**	**315**	**235**	**148**	**103**	**48**	**16**	**2**	**1**
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	11	–	3	6	2	–	–	–	–	–	–	–	–	–	–
25 to 29	70	–	21	30	16	3	–	–	–	–	–	–	–	–	–
30 to 34	159	–	13	53	61	20	8	4	–	–	–	–	–	–	–
35 to 39	248	–	10	40	81	74	34	6	1	1	1	–	–	–	–
40 to 44	293	–	6	28	71	71	79	25	10	3	–	–	–	–	–
45 to 49	322	–	–	9	37	70	90	79	27	6	2	–	2	–	–
50 to 54	297	–	–	4	11	41	68	82	68	18	3	1	1	–	–
55 to 59	249	–	1	1	4	19	34	61	57	50	17	5	–	–	–
60 to 64	167	–	–	1	2	7	15	32	37	29	30	12	2	–	–
65 to 69	131	–	–	–	–	2	7	22	24	24	30	16	6	–	–
70 to 74	59	–	–	–	–	2	4	3	11	10	15	10	3	1	–
75 to 79	19	–	–	–	–	1	–	1	–	6	5	3	2	1	–
80 and over	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1

[1] Includes divorced.

Table 58 — FIRST MARRIAGES AND REMARRIAGES: 1939.

Grooms.	Brides. Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total Number	38,784	34,769	3,714	276	23	2
First marriage	34,345	32,358	1,885	96	6	–
Second marriage	4,112	2,289	1,665	145	13	–
Third marriage	317	120	157	35	3	2
Fourth marriage	10	2	7	–	1	–
Fifth marriage	–	–	–	–	–	–

Table 59

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1915 TO 1939.

Years.	Total Number.	Rates — persons married per 1,000 population. Annual.	Rates — persons married per 1,000 population. Five-year averages.	Nativity — percentages. Bride and groom — both — Native.	Nativity — percentages. Bride and groom — both — Foreign.	Nativity — percentages. Native groom and foreign bride.	Nativity — percentages. Foreign groom and native bride.
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2		47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3		55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4		80.4	4.7	5.8	9.1
1939	38,784	17.4		82.3	3.9	5.8	8.0

Table 60

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1935: 1915 TO 1939.

Years.	The State.	Cities having over 100,000 inhabitants in 1935. Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell.
1915	31,301	8,141	1,408	828	986	1,121	1,118	–	–	1,035
1916	34,386	8,552	1,687	1,062	1,113	1,163	1,207	–	–	1,166
1917	37,945	9,191	1,836	1,265	1,243	1,297	1,451	–	–	1,280
1918	29,163	7,396	1,325	1,081	1,111	973	1,102	–	–	1,091
1919	34,329	8,122	1,569	1,257	1,132	1,296	1,248	–	–	1,206
1920	38,048	8,545	1,811	1,403	1,271	1,372	1,565	–	–	1,238
1921	33,590	8,241	1,466	1,136	1,051	1,221	1,211	–	–	996
1922	32,683	7,816	1,414	1,104	1,070	1,350	1,176	–	–	895
1923	35,200	8,243	1,505	1,181	1,164	1,340	1,255	–	–	1,004
1924	32,080	7,688	1,375	1,148	1,093	1,114	978	–	–	880
1925	31,238	7,263	1,420	1,080	1,015	1,052	1,028	808	–	843
1926	30,584	7,151	1,287	1,024	1,062	1,027	912	879	–	795
1927	30,408	6,944	1,240	904	963	1,106	842	848	–	771
1928	29,082	6,691	1,195	1,012	986	848	659	827	–	737
1929	30,568	6,828	1,378	1,044	1,039	925	860	878	–	767
1930	27,431	6,238	1,122	983	1,008	831	698	747	666	648
1931	26,296	5,863	1,027	787	948	937	660	606	638	625
1932	22,817	5,193	840	659	769	769	528	558	492	582
1933	25,949	5,366	989	769	823	961	740	638	539	678
1934	30,241	6,288	1,318	991	958	1,085	912	729	621	739
1935	30,019	6,114	1,317	986	886	944	814	703	580	748
1936	31,985	6,415	1,447	997	977	1,060	984	718	628	850
1937	33,652	6,682	1,547	1,169	941	1,112	980	882	633	825
1938	31,904	6,299	1,390	1,161	887	1,017	842	715	630	795
1939	38,784	7,359	1,740	1,340	1,004	1,292	1,151	827	705	980
	Marriage Rates — Persons married per 1,000 Population, Census Years 1910 to 1935.									
1910	18.2	22.1	19.1	20.3	20.8	22.6	18.8	19.9	–	17.8
1915	17.0	21.8	17.3	16.1	18.0	20.4	19.2	17.4	–	18.1
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	22.0	–	23.2
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	15.7	–	15.3
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	14.6	12.8	12.9
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	13.9	11.5	14.9

Table 61

States.	Marriages of Non-Residents Classified by Residence of Groom and Bride in each State: 1939.			
	Groom and Bride Residents.	Groom a Resident.	Bride a Resident.	Total Marriages of Non-Residents.
Total	**2,108**	**4,849**	**2,381**	**5,122**
Alabama	–	5	2	7
Arizona	–	3	1	4
Arkansas	–	4	–	4
California	5	45	13	53
Colorado	–	5	–	5
Connecticut	403	799	429	825
Delaware	–	6	1	7
District of Columbia	3	27	6	30
Florida	7	34	13	40
Georgia	–	7	4	11
Idaho	–	1	2	3
Illinois	3	45	11	53
Indiana	5	16	5	16
Iowa	–	9	1	10
Kansas	–	4	–	4
Kentucky	–	5	2	7
Louisiana	1	8	1	8
Maine	82	245	101	264
Maryland	2	40	6	44
Michigan	4	49	8	53
Minnesota	3	13	8	18
Mississippi	1	2	1	2
Missouri	2	17	2	17
Montana	–	1	1	2
Nebraska	–	3	–	3
New Hampshire	381	654	404	677
New Jersey	25	164	37	176
New York	409	985	457	1,033
North Carolina	1	11	2	12
Ohio	7	67	15	75
Oklahoma	1	5	1	5
Oregon	1	8	1	8
Pennsylvania	25	126	42	143
Rhode Island	691	1,158	728	1,195
South Carolina	1	7	1	7
South Dakota	–	2	1	3
Tennessee	–	11	2	13
Texas	–	17	1	18
Utah	–	–	1	1
Vermont	29	99	36	106
Virginia	–	26	1	27
Washington	–	6	2	8
West Virginia	–	8	–	8
Wisconsin	4	12	7	15
Wyoming	–	5	–	5
Other Countries	12	85	24	97

PART II. C.
DIVORCE STATISTICS

	PAGE
Introduction	246, 247
Causes for divorce	246
Source of data	246
Applications for divorce	246
Contested cases	246
Number of divorces	246
Divorce rates	246, 247
Party to which granted	247
Divorces classified by causes	247
Annulment classified as divorce	247
Duration of marriages	247
Statistical tables	248-266

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1915 to 1939 the highest proportion of applications being granted in 1937 and 1939 (89.9 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 85 per cent of all applications were granted, .5 per cent were refused, and 14.5 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1915 to 1939, only 21.5 per cent were contested. In 1939, of the 4,919 applications for divorce, only 1,334, or 27.1 per cent, were contested, and of the 4,425 divorces granted, 1,050 or 23.7 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (24.3 per cent) than for those granted to the husband (21.8 per cent).

Number of Divorces. — Divorces granted in 1939 numbered 4,425 a decrease of 174, or 3.8 per cent less than the number granted in 1938, and 160 more than the average number granted for the five year period 1934 to 1938.

Divorce Rates. — The number of divorces granted per 100,000 population was 99.5, as compared with 103.9 in 1938, 106.4 in 1937, 98.4 in 1936 and 93.8 in 1935.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 66, page 261, for the census years 1910 to 1935. In this table the number of divorces shown for the census years 1910 to 1935 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole

Party to Which Granted. — Over two-thirds (74 per cent) of the total number of divorces in the period 1915 to 1939 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 70.1 per cent in 1918, and 77.8 in 1939, as compared with 74 per cent for the entire period of 1915 to 1939.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five-year period 1915 to 1939, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 43.8 per cent of all the divorces granted in the period 1915 to 1939, for 38.9 per cent of all those granted to the husband in this period, and for 61.1 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1915 to 1939, are shown in Table 68, page 264.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 1,182 cases, or 1.3 per cent of the total number of divorces granted during the period 1915 to 1939, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.2 years in 1928 and 11.1 years in 1918. The average number of years the libellants were married in 1939 was 10.7.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1939, 55.4 per cent made application for divorce before they had been married ten years, as compared with 55.5 in 1938, 53.1 in 1937, 54.2 in 1936, 55.5 in 1935, and 55.2 for the twenty-five year period 1915 to 1939.

Table 62

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1939.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	**4,919**[1]	**1,648**	**2,807**	**163**	**160**	**114**	**7**	**20**	**119**
Husband	1,264	656	448	119	38	–	3	–	51
Wife	3,655	992	2,359	44	122	114	4	20	68
Granted	4,425	1,549	2,460	139	145	107	5	20	105
Husband	983	583	271	98	29	–	2	–	43
Wife	3,442	966	2,189	41	116	107	3	20	62
Refused	4	2	2	–	–	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Dismissed	490	97	345	24	15	7	2	–	14
Husband	278	71	176	21	9	–	1	–	8
Wife	212	26	169	3	6	7	1	–	6
Contested	1,334	266	963	53	32	19	1	–	27
Husband	401	131	212	44	13	–	1	–	17
Wife	933	135	751	9	19	19	–	–	10
Not contested	3,585	1,382	1,844	110	128	95	6	20	92
Husband	863	525	236	75	25	–	2	–	34
Wife	2,722	857	1,608	35	103	95	4	20	58
DURATION OF MARRIAGE.									
Less than 6 months	47	–	45	–	–	–	2	–	20
Husband	13	–	13	–	–	–	–	–	8
Wife	34	–	32	–	–	–	2	–	12
6 to 11 months	101	–	91	2	1	6	–	1	10
Husband	25	–	23	2	–	–	–	–	4
Wife	76	–	68	–	1	6	–	1	6
1 to 4 years	1,180	147	875	53	42	50	4	9	49
Husband	256	69	133	40	12	–	2	–	18
Wife	924	78	742	13	30	50	2	9	31
5 to 9 years	1,398	478	796	51	40	27	1	5	20
Husband	347	198	110	33	5	–	1	–	8
Wife	1,051	280	686	18	35	27	–	5	12
10 to 19 years	1,509	655	731	44	52	22	–	5	16
Husband	402	239	111	34	18	–	–	–	10
Wife	1,107	416	620	10	34	22	–	5	6
20 to 29 years	558	295	223	10	22	8	–	–	4
Husband	174	119	44	8	3	–	–	–	3
Wife	384	176	179	2	19	8	–	–	1
30 years and over	125	73	45	3	3	1	–	–	–
Husband	46	31	13	2	–	–	–	–	–
Wife	79	42	32	1	3	1	–	–	–
Unknown	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.7	14.0	9.0	8.9	11.2	7.3	2.4	6.5	3.7

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	6,635
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	1,880
Number of libels for divorce filed during the year 1939	5,917
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	4,478
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	4,458
Number of cases finally determined in 1939	5,708
Number of petitions for annulment in 1939	130

[1] Twenty-two libels were received from the Superior Court; five thousand, six hundred and eighty-seven from the Probate Court. Two libels transferred. One decree revoked. Three decrees vacated. Seven libels discontinued. Seven hundred and seventy-six libels and eleven petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	62[1]	16	39	2	–	3	2	–	2
Husband	17	7	7	2	–	–	1	–	1
Wife	45	9	32	–	–	3	1	–	1
Granted	56	16	34	1	–	3	2	–	1
Husband	15	7	6	1	–	–	1	–	–
Wife	41	9	28	–	–	3	1	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	6	–	5	1	–	–	–	–	1
Husband	2	–	1	1	–	–	–	–	1
Wife	4	–	4	–	–	–	–	–	–
Contested	20	2	17	1	–	–	–	–	1
Husband	6	1	4	1	–	–	–	–	1
Wife	14	1	13	–	–	–	–	–	–
Not contested	42	14	22	1	–	3	2	–	1
Husband	11	6	3	1	–	–	1	–	–
Wife	31	8	19	–	–	3	1	–	1
DURATION OF MARRIAGE.									
Less than 6 months	1	–	–	–	–	–	1	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	–	–	–	–	1	–	–
6 to 11 months	1	–	1	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	1
1 to 4 years	12	1	9	1	–	1	–	–	1
Husband	4	1	2	1	–	–	–	–	1
Wife	8	–	7	–	–	1	–	–	–
5 to 9 years	21	7	13	–	–	–	1	–	–
Husband	5	4	–	–	–	–	1	–	–
Wife	16	3	13	–	–	–	–	–	–
10 to 19 years	21	5	14	1	–	1	–	–	–
Husband	6	2	3	1	–	–	–	–	–
Wife	15	3	11	–	–	1	–	–	–
20 to 29 years	4	2	1	–	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	2	1	–	–	1	–	–	–
30 years and over	2	1	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	14.4	9.3	6.4	–	11.8	4.0	–	1.4

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	90
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	28
Number of libels for divorce filed during the year 1939	86
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	67
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	57
Number of cases finally determined in 1939	78
Number of petitions for annulment in 1939	3

[1] No libels were received from the Superior Court; seventy-eight libels from the Probate Court. Decree vacated. Fifteen libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 62b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	178[1]	56	97	2	7	14	1	1	4
Husband	43	22	18	2	1	–	–	–	2
Wife	135	34	79	–	6	14	1	1	2
Granted	155	52	82	1	6	13	–	1	4
Husband	31	18	12	1	–	–	–	–	2
Wife	124	34	70	–	6	13	–	1	2
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	23	4	15	1	1	1	1	–	–
Husband	12	4	6	1	1	–	–	–	–
Wife	11	–	9	–	–	1	1	–	–
Contested	5	1	4	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Not contested	173	55	93	2	7	14	1	1	4
Husband	41	22	16	2	1	–	–	–	2
Wife	132	33	77	–	6	14	1	1	2
DURATION OF MARRIAGE.									
Less than 6 months	3	–	2	–	–	–	1	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	1	–	–	–	1	–	–
6 to 11 months	6	–	4	–	–	1	–	1	1
Husband	–	–	–	–	–	–	–	–	–
Wife	6	–	4	–	–	1	–	1	1
1 to 4 years	47	4	34	1	2	6	–	–	3
Husband	10	3	6	1	–	–	–	–	2
Wife	37	1	28	–	2	6	–	–	1
5 to 9 years	48	18	25	–	–	5	–	–	–
Husband	12	7	5	–	–	–	–	–	–
Wife	36	11	20	–	–	5	–	–	–
10 to 19 years	43	19	21	1	2	–	–	–	–
Husband	12	6	4	1	1	–	–	–	–
Wife	31	13	17	–	1	–	–	–	–
20 to 29 years	18	8	8	–	1	1	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	15	6	7	–	1	1	–	–	–
30 years and over	13	7	3	–	2	1	–	–	–
Husband	5	4	1	–	–	–	–	–	–
Wife	8	3	2	–	2	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.0	15.2	8.7	7.0	19.4	7.8	.1	.7	3.1

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	187
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	90
Number of libels for divorce filed during the year 1939	214
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	171
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	155
Number of cases finally determined in 1939	202
Number of petitions for annulment in 1939	4

[1] No libels were received from the Superior Court; two hundred and two from the Probate Court Twenty-four libels dismissed under Rule 43 of the Probate Court.

Table 62c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	364[1]	146	169	22	12	13	1	1	3
Husband	107	71	19	17	–	–	–	–	3
Wife	257	75	150	5	12	13	1	1	–
Granted	326	132	149	18	12	13	1	1	2
Husband	82	58	11	13	–	–	–	–	2
Wife	244	74	138	5	12	13	1	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	38	14	20	4	–	–	–	–	1
Husband	25	13	8	4	–	–	–	–	1
Wife	13	1	12	–	–	–	–	–	–
Contested	25	9	11	4	1	–	–	–	1
Husband	14	7	3	4	–	–	–	–	1
Wife	11	2	8	–	1	–	–	–	–
Not contested	339	137	158	18	11	13	1	1	2
Husband	93	64	16	13	–	–	–	–	2
Wife	246	73	142	5	11	13	1	1	–
DURATION OF MARRIAGE.									
Less than 6 months	3	–	3	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	1
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
1 to 4 years	84	10	55	7	5	6	1	–	2
Husband	20	6	9	5	–	–	–	–	2
Wife	64	4	46	2	5	6	1	–	–
5 to 9 years	103	46	47	2	3	4	–	1	–
Husband	28	22	5	1	–	–	–	–	–
Wife	75	24	42	1	3	4	–	1	–
10 to 19 years	112	58	41	7	3	3	–	–	–
Husband	31	24	1	6	–	–	–	–	–
Wife	81	34	40	1	3	3	–	–	–
20 to 29 years	52	27	19	5	1	–	–	–	–
Husband	24	17	3	4	–	–	–	–	–
Wife	28	10	16	1	1	–	–	–	–
30 years and over	7	5	1	1	–	–	–	–	–
Husband	3	2	–	1	–	–	–	–	–
Wife	4	3	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.2	14.1	9.2	12.7	9.1	5.9	2.1	9.7	.8

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	434
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	136
Number of libels for divorce filed during the year 1939	446
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	344
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	328
Number of cases finally determined in 1939	409
Number of petitions for annulment in 1939	3

[1] No libels were received from the Superior Court; four hundred and nine from the Probate Court. Forty-five libels dismissed under Rule 43 of the Probate Court.

Table 62d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	11[1]	2	8	–	–	1	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	9	1	7	–	–	1	–	–	–
Granted	11	2	8	–	–	1	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	9	1	7	–	–	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Not contested	10	2	7	–	–	1	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	8	1	6	–	–	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
5 to 9 years	4	1	3	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
10 to 19 years	5	1	3	–	–	1	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	4	1	2	–	–	1	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.4	11.8	7.8	–	–	17.4	–	–	–

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	9
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	3
Number of libels for divorce filed during the year 1939	15
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	12
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	11
Number of cases finally determined in 1939	12
Number of petitions for annulment in 1939	–

[1] No libels were received from the Superior Court; twelve libels from the Probate Court. One libel dismissed under Rule 43 of the Probate Court.

Table 62e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	511[1]	224	234	25	18	6	1	3	9
Husband	131	91	16	18	5	–	1	–	5
Wife	380	133	218	7	13	6	–	3	4
Granted	473	207	217	23	17	6	–	3	9
Husband	107	78	9	16	4	–	–	–	5
Wife	366	129	208	7	13	6	–	3	4
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	38	17	17	2	1	–	1	–	–
Husband	24	13	7	2	1	–	1	–	–
Wife	14	4	10	–	–	–	–	–	–
Contested	47	18	23	3	2	–	1	–	3
Husband	23	14	4	2	2	–	1	–	2
Wife	24	4	19	1	–	–	–	–	1
Not contested	464	206	211	22	16	6	–	3	6
Husband	108	77	12	16	3	–	–	–	3
Wife	356	129	199	6	13	6	–	3	3
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	5
Husband	–	–	–	–	–	–	–	–	3
Wife	–	–	–	–	–	–	–	–	2
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	104	15	70	9	5	3	1	1	3
Husband	24	8	5	7	3	–	1	–	1
Wife	80	7	65	2	2	3	–	1	2
5 to 9 years	162	66	83	7	4	1	–	1	–
Husband	44	34	6	4	–	–	–	–	–
Wife	118	32	77	3	4	1	–	1	–
10 to 19 years	174	91	63	9	8	2	–	1	1
Husband	43	31	3	7	2	–	–	–	1
Wife	131	60	60	2	6	2	–	1	–
20 to 29 years	57	43	14	–	–	–	–	–	–
Husband	17	15	2	–	–	–	–	–	–
Wife	40	28	12	–	–	–	–	–	–
30 years and over	13	9	3	–	1	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	10	6	3	–	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	13.7	8.8	7.5	8.5	6.5	1.0	7.0	2.5

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	710
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	214
Number of libels for divorce filed during the year 1939	624
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	503
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	473
Number of cases finally determined in 1939	581
Number of petitions for annulment in 1939	13

[1] No libels were received from the Superior Court; five hundred and eighty-one from the Probate Court. One decree vacated. Sixty-nine libels and four petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	40[1]	12	20	2	3	2	–	1	1
Husband	8	4	1	2	1	–	–	–	1
Wife	32	8	19	–	2	2	–	1	–
Granted	37	12	18	2	2	2	–	1	1
Husband	7	4	1	2	–	–	–	–	1
Wife	30	8	17	–	2	2	–	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	3	–	2	–	1	–	–	–	–
Husband	1	–	–	–	1	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	40	12	20	2	3	2	–	1	1
Husband	8	4	1	2	1	–	–	–	1
Wife	32	8	19	–	2	2	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	9	1	5	–	1	1	–	1	1
Husband	2	1	–	–	1	–	–	–	1
Wife	7	–	5	–	–	1	–	1	–
5 to 9 years	11	5	3	1	1	1	–	–	–
Husband	3	1	1	1	–	–	–	–	–
Wife	8	4	2	–	1	1	–	–	–
10 to 19 years	7	1	5	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	6	1	5	–	–	–	–	–	–
20 to 29 years	8	4	3	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	7	3	3	–	1	–	–	–	–
30 years and over	3	1	2	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.8	16.8	12.2	10.5	11.2	5.7	–	2.3	2.9

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	64
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	17
Number of libels for divorce filed during the year 1939	49
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	40
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	36
Number of cases finally determined in 1939	49
Number of petitions for annulment in 1939	1

[1] No libels were received from the Superior Court; forty-nine from the Probate Court. Nine libels dismissed under Rule 43 of the Probate Court.

Table 62g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	393[1]	135	207	22	27	2	–	–	8
Husband	121	60	37	15	9	–	–	–	1
Wife	272	75	170	7	18	2	–	–	7
Granted	354	135	180	18	20	1	–	–	8
Husband	98	60	22	11	5	–	–	–	1
Wife	256	75	158	7	15	1	–	–	7
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	39	–	27	4	7	1	–	–	–
Husband	23	–	15	4	4	–	–	–	–
Wife	16	–	12	–	3	1	–	–	–
Contested	133	30	85	10	7	1	–	–	3
Husband	42	12	19	7	4	–	–	–	–
Wife	91	18	66	3	3	1	–	–	3
Not contested	260	105	122	12	20	1	–	–	5
Husband	79	48	18	8	5	–	–	–	1
Wife	181	57	104	4	15	1	–	–	4
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	1
6 to 11 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	77	8	55	7	5	2	–	–	6
Husband	17	4	8	4	1	–	–	–	–
Wife	60	4	47	3	4	2	–	–	6
5 to 9 years	97	30	56	8	3	–	–	–	1
Husband	34	16	12	6	–	–	–	–	1
Wife	63	14	44	2	3	–	–	–	–
10 to 19 years	148	64	65	6	13	–	–	–	–
Husband	47	26	9	5	7	–	–	–	–
Wife	101	38	56	1	6	–	–	–	–
20 to 29 years	56	25	24	1	6	–	–	–	–
Husband	18	11	6	–	1	–	–	–	–
Wife	38	14	18	1	5	–	–	–	–
30 years and over	11	8	3	–	–	–	–	–	–
Husband	4	3	1	–	–	–	–	–	–
Wife	7	5	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.9	14.9	10.0	8.7	14.3	2.5	–	–	2.4

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	657
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	150
Number of libels for divorce filed during the year 1939	348
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	450
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	362
Number of cases finally determined in 1939	449
Number of petitions for annulment in 1939	10

[1] Eight libels were received from the Superior Court; four hundred and forty-one from the Probate Court. Fifty-six libels and two petitions for annullment dismissed under Rule 43 of the Probate Court.

Table 62h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	47[1]	25	15	3	4	–	–	–	1
Husband	17	12	3	2	–	–	–	–	1
Wife	30	13	12	1	4	–	–	–	–
Granted	40	24	10	2	4	–	–	–	1
Husband	14	12	–	2	–	–	–	–	1
Wife	26	12	10	–	4	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	7	1	5	1	–	–	–	–	–
Husband	3	–	3	–	–	–	–	–	–
Wife	4	1	2	1	–	–	–	–	–
Contested	11	2	8	1	–	–	–	–	–
Husband	3	1	1	1	–	–	–	–	–
Wife	8	1	7	–	–	–	–	–	–
Not contested	36	23	7	2	4	–	–	–	1
Husband	14	11	2	1	–	–	–	–	1
Wife	22	12	5	1	4	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	15	6	7	–	2	–	–	–	–
Husband	5	4	1	–	–	–	–	–	–
Wife	10	2	6	–	2	–	–	–	–
5 to 9 years	13	9	1	3	–	–	–	–	–
Husband	7	4	1	2	–	–	–	–	–
Wife	6	5	–	1	–	–	–	–	–
10 to 19 years	13	7	4	–	2	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	12	6	4	–	2	–	–	–	–
20 to 29 years	2	2	–	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	3	1	2	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	11.4	9.9	8.0	8.4	–	–	–	.4

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	57
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	19
Number of libels for divorce filed during the year 1939	48
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	36
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	41
Number of cases finally determined in 1939	51
Number of petitions for annulment in 1939	1

[1] No libels were received from the Superior Court; fifty-one from the Probate Court. Four libels dismissed under Rule 43 of the Probate Court.

Table 62i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	989[1]	318	621	23	19	1	2	5	15
Husband	249	122	105	18	3	–	1	–	4
Wife	740	196	516	5	16	1	1	5	11
Granted	878	288	543	20	19	1	2	5	14
Husband	183	101	61	17	3	–	1	–	4
Wife	695	187	482	3	16	1	1	5	10
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	111	30	78	3	–	–	–	–	1
Husband	66	21	44	1	–	–	–	–	–
Wife	45	9	34	2	–	–	–	–	1
Contested	354	75	267	7	4	1	–	–	4
Husband	99	41	53	5	–	–	–	–	3
Wife	255	34	214	2	4	1	–	–	1
Not contested	635	243	354	16	15	–	2	5	11
Husband	150	81	52	13	3	–	1	–	1
Wife	485	162	302	3	12	–	1	5	10
DURATION OF MARRIAGE,									
Less than 6 months	11	–	11	–	–	–	–	–	1
Husband	2	–	2	–	–	–	–	–	1
Wife	9	–	9	–	–	–	–	–	–
6 to 11 months	24	–	24	–	–	–	–	–	1
Husband	6	–	6	–	–	–	–	–	1
Wife	18	–	18	–	–	–	–	–	–
1 to 4 years	231	29	186	7	5	–	2	2	5
Husband	46	10	29	6	–	–	1	–	–
Wife	185	19	157	1	5	–	1	2	5
5 to 9 years	291	95	182	6	7	–	–	1	5
Husband	66	33	26	5	2	–	–	–	1
Wife	225	62	156	1	5	–	–	1	4
10 to 19 years	326	131	176	9	7	1	–	2	2
Husband	96	56	33	6	1	–	–	–	1
Wife	230	75	143	3	6	1	–	2	1
20 to 29 years	88	55	32	1	–	–	–	–	1
Husband	29	22	6	1	–	–	–	–	–
Wife	59	33	26	–	–	–	–	–	1
30 years and over	17	8	9	–	–	–	–	–	–
Husband	3	1	2	–	–	–	–	–	–
Wife	14	7	7	–	–	–	–	–	–
Unknown	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.3	13.6	8.7	8.9	8.9	12.4	2.8	8.6	6.5

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	1,247
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	315
Number of libels for divorce filed during the year 1939	1,255
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	908
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	878
Number of cases finally determined in 1939	1,165
Number of petitions for annulment in 1939	19

[1] Four libels were received from the Superior Court; one thousand, one hundred and sixty-one from the Probate Court. Two libels transferred. One libel discontinued. One hundred and seventy-three libels and four petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	3[1]	2	1	–	–	–	–	–	1
Husband	2	2	–	–	–	–	–	–	1
Wife	1	–	1	–	–	–	–	–	–
Granted	2	2	–	–	–	–	–	–	1
Husband	2	2	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	3	2	1	–	–	–	–	–	1
Husband	2	2	–	–	–	–	–	–	1
Wife	1	–	1	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
5 to 9 years	2	2	–	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	–	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	6.0	7.0	4.0	–	–	–	–	–	13.0

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	2
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	3
Number of libels for divorce filed during the year 1939	5
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	4
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	4
Number of cases finally determined in 1939	3
Number of petitions for annulment in 1939	1

[1] No libels were received from the Superior Court; four libels from the Probate Court.

Table 62k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	385[1]	84	280	7	6	7	–	1	14
Husband	93	32	54	5	2	–	–	–	6
Wife	292	52	226	2	4	7	–	1	8
Granted	339	80	238	7	6	7	–	1	11
Husband	68	31	30	5	2	–	–	–	3
Wife	271	49	208	2	4	7	–	1	8
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	46	4	42	–	–	–	–	–	3
Husband	25	1	24	–	–	–	–	–	3
Wife	21	3	18	–	–	–	–	–	–
Contested	184	26	153	2	1	2	–	–	5
Husband	48	9	37	2	–	–	–	–	2
Wife	136	17	116	–	1	2	–	–	3
Not contested	201	58	127	5	5	5	–	1	9
Husband	45	23	17	3	2	–	–	–	4
Wife	156	35	110	2	3	5	–	1	5
DURATION OF MARRIAGE.									
Less than 6 months	4	–	4	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	1
6 to 11 months	6	–	5	–	–	1	–	–	2
Husband	2	–	2	–	–	–	–	–	–
Wife	4	–	3	–	–	1	–	–	2
1 to 4 years	99	8	84	1	1	4	–	1	4
Husband	25	7	17	1	–	–	–	–	1
Wife	74	1	67	–	1	4	–	1	3
5 to 9 years	96	19	69	5	2	1	–	–	4
Husband	22	9	9	3	1	–	–	–	2
Wife	74	10	60	2	1	1	–	–	2
10 to 19 years	116	34	80	–	1	1	–	–	2
Husband	27	9	17	–	1	–	–	–	2
Wife	89	25	63	–	–	1	–	–	–
20 to 29 years	55	19	34	–	2	–	–	–	1
Husband	15	7	8	–	–	–	–	–	1
Wife	40	12	26	–	2	–	–	–	–
30 years and over	9	4	4	1	–	–	–	–	–
Husband	2	–	1	1	–	–	–	–	–
Wife	7	4	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	15.0	10.1	10.4	13.7	4.7	–	3.5	5.6

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	391
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	147
Number of libels for divorce filed during the year 1939	449
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	387
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	339
Number of cases finally determined in 1939	433
Number of petitions for annulment in 1939	14

[1] No libels were received from the Superior Court; four hundred and thirty-three from the Probate Court. Forty-eight libels dismissed under Rule 43 of the Probate Court.

Table 621

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	181[1]	68	100	4	4	5	–	–	2
Husband	40	22	15	3	–	–	–	–	1
Wife	141	46	85	1	4	5	–	–	1
Granted	160	64	84	4	3	5	–	–	2
Husband	30	20	7	3	–	–	–	–	1
Wife	130	44	77	1	3	5	–	–	1
Refused	2	1	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Dismissed	19	3	15	–	1	–	–	–	–
Husband	9	1	8	–	–	–	–	–	–
Wife	10	2	7	–	1	–	–	–	–
Contested	27	7	17	1	–	2	–	–	1
Husband	5	2	2	1	–	–	–	–	–
Wife	22	5	15	–	–	2	–	–	1
Not contested	154	61	83	3	4	3	–	–	1
Husband	35	20	13	2	–	–	–	–	1
Wife	119	41	70	1	4	3	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	6	–	6	–	–	–	–	–	1
Husband	3	–	3	–	–	–	–	–	1
Wife	3	–	3	–	–	–	–	–	–
1 to 4 years	38	6	28	1	1	2	–	–	1
Husband	9	3	5	1	–	–	–	–	–
Wife	29	3	23	–	1	2	–	–	1
5 to 9 years	49	19	26	2	1	1	–	–	–
Husband	12	8	3	1	–	–	–	–	–
Wife	37	11	23	1	1	1	–	–	–
10 to 19 years	60	30	27	1	1	1	–	–	–
Husband	13	10	2	1	–	–	–	–	–
Wife	47	20	25	–	1	1	–	–	–
20 to 29 years	22	11	9	–	1	1	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	21	10	9	–	1	1	–	–	–
30 years and over	5	2	3	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	13.7	9.5	6.9	12.1	9.6	–	–	1.1

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	246
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	63
Number of libels for divorce filed during the year 1939	257
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	196
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	163
Number of cases finally determined in 1939	212
Number of petitions for annulment in 1939	2

[1] Seven libels were received from the Superior Court; two hundred and five from the Probate Court. Thirty-one libels dismissed under Rule 43 of the Probate Court.

Table 62m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	1,234[1]	402	706	34	38	48	–	6	42
Husband	298	135	128	24	11	–	–	–	18
Wife	936	267	578	10	27	48	–	6	24
Granted	1,124	386	622	30	36	44	–	6	34
Husband	232	123	79	20	10	–	–	–	15
Wife	892	263	543	10	26	44	–	6	19
Refused	2	1	1	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	108	15	83	4	2	4	–	–	8
Husband	64	11	48	4	1	–	–	–	3
Wife	44	4	35	–	1	4	–	–	5
Contested	323	58	233	15	9	8	–	–	7
Husband	106	25	64	14	3	–	–	–	6
Wife	217	33	169	1	6	8	–	–	1
Not contested	911	344	473	19	29	40	–	6	35
Husband	192	110	64	10	8	–	–	–	12
Wife	719	234	409	9	21	40	–	6	23
DURATION OF MARRIAGE.									
Less than 6 months	17	–	17	–	–	–	–	–	7
Husband	7	–	7	–	–	–	–	–	1
Wife	10	–	10	–	–	–	–	–	6
6 to 11 months	38	–	32	2	1	3	–	–	1
Husband	9	–	7	2	–	–	–	–	1
Wife	29	–	25	–	1	3	–	–	–
1 to 4 years	320	47	227	12	9	23	–	2	17
Husband	62	14	35	8	5	–	–	–	7
Wife	258	33	192	4	4	23	–	2	10
5 to 9 years	363	123	204	12	13	9	–	2	6
Husband	80	39	32	8	1	–	–	–	2
Wife	283	84	172	4	12	9	–	2	4
10 to 19 years	343	153	165	6	9	8	–	2	9
Husband	88	48	32	4	4	–	–	–	5
Wife	255	105	133	2	5	8	–	2	4
20 to 29 years	129	62	54	2	6	5	–	–	2
Husband	39	24	12	2	1	–	–	–	2
Wife	90	38	42	–	5	5	–	–	–
30 years and over	24	17	7	–	–	–	–	–	–
Husband	13	10	3	–	–	–	–	–	–
Wife	11	7	4	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.0	13.4	8.4	7.7	10.2	7.1	–	7.5	3.2

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	1,925
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	463
Number of libels for divorce filed during the year 1939	1,495
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	1,103
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	1,124
Number of cases finally determined in 1939	1,459
Number of petitions for annulment in 1939	42

[1] One libel was received from the Superior Court. One thousand, four hundred and fifty-eight from the Probate Court. Two hundred and twenty-five libels dismissed under Rule 43 of the Probate Court.

Table 62n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1939.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	521[1]	158	310	17	22	12	–	2	17
Husband	136	75	44	11	6	–	–	–	7
Wife	385	83	266	6	16	12	–	2	10
Granted	470	149	275	13	20	11	–	2	17
Husband	112	68	32	7	5	–	–	–	7
Wife	358	81	243	6	15	11	–	2	10
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	51	9	35	4	2	1	–	–	–
Husband	24	7	12	4	1	–	–	–	–
Wife	27	2	23	–	1	1	–	–	–
Contested	204	38	144	9	8	5	–	–	2
Husband	53	19	23	7	4	–	–	–	2
Wife	151	19	121	2	4	5	–	–	–
Not contested	317	120	166	8	14	7	–	2	15
Husband	83	56	21	4	2	–	–	–	5
Wife	234	64	145	4	12	7	–	2	10
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	3
Husband	–	–	–	–	–	–	–	–	1
Wife	2	–	2	–	–	–	–	–	2
6 to 11 months	14	–	13	–	–	1	–	–	3
Husband	4	–	4	–	–	–	–	–	1
Wife	10	–	9	–	–	1	–	–	2
1 to 4 years	141	12	112	7	6	2	–	2	6
Husband	32	8	16	6	2	–	–	–	3
Wife	109	4	96	1	4	2	–	2	3
5 to 9 years	138	38	84	5	6	5	–	–	4
Husband	31	18	10	2	1	–	–	–	2
Wife	107	20	74	3	5	5	–	–	2
10 to 19 years	141	61	67	3	6	4	–	–	1
Husband	36	26	6	2	2	–	–	–	–
Wife	105	35	61	1	4	4	–	–	1
20 to 29 years	67	37	25	1	4	–	–	–	–
Husband	25	17	6	1	1	–	–	–	–
Wife	42	20	19	–	3	–	–	–	–
30 years and over	18	10	7	1	–	–	–	–	–
Husband	8	6	2	–	–	–	–	–	–
Wife	10	4	5	1	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	15.1	8.7	9.4	11.5	8.5	–	2.4	3.2

Number of libels for divorce pending January 1, 1939 (including all cases, whether decrees *nisi* had been entered or not)	616
Number of libels for divorce pending January 1, 1939, in which decrees *nisi* had been entered at that date	230
Number of libels for divorce filed during the year 1939	626
Number of libels for divorce in which decrees *nisi* were entered during the year 1939	257
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1939	487
Number of cases finally determined in 1939	605
Number of petitions for annulment in 1939	17

[1] Two libels were received from the Superior Court; six hundred and three from the Probate Court. One decree vacated. One decree revoked. Six libels discontinued. Seventy-six libels dismissed under Rule 43 of the Probate Court.

Table 63

Years.	Divorces Granted: 1915 to 1939.				
	Total number.	Granted to husband		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1915 to 1939	**87,600**	**22,802**	**26.0**	**64,798**	**74.0**
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6
1936	4,311	1,037	24.1	3,274	75.9
1937	4,687	1,145	24.4	3,542	75.6
1938	4,599	1,058	23.0	3,541	77.0
1939	4,425	983	22.2	3,442	77.8

Table 64

Period of Years.	Divorces Granted: 1915 to 1939.		
	Total number.	Increase over preceding period.	
		Number.	Per cent.
1915 to 1919	12,075	1,756	17.0
1920 to 1924	18,165	6,090	50.4
1925 to 1929	17,488	677[1]	3.7[1]
1930 to 1934	17,769	281	1.6
1935 to 1939	22,103	4,334	24.4

[1] Decrease.

Table 65

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1910 to 1935.							
	Divorces.			Population.				
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.		Population to one divorce.	Divorces per 100,000 population.
		Number.	Per cent.		Number.	Per cent.		
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252[1]	6.9[1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1
1935	4,081	335	8 9	4,350,910	101,296	2.4	1,066	93.8

[1] Decrease.

Table 66

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1910 to 1935.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.[2]	Number.	Per 100,000 population.		
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209
1935	4,350,910	–	3,987	92	–	–

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 and 1935 not available.

Table 67

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1915 to 1935.				
	Number.				
	1935.	1930.	1925.	1920.	1915.
The State.	**4,561**	**4,433**	**4,064**	**3,123**	**2,303**
Barnstable	57	44	36	22	22
Berkshire	169	128	141	84	65
Bristol	339	348	321	262	184
Dukes	9	7	4	5	3
Essex	472	511	496	416	304
Franklin	43	40	42	39	28
Hampden	365	360	332	247	172
Hampshire	46	44	34	29	22
Middlesex	970	909	761	491	388
Nantucket	6	3	5	2	1
Norfolk	321	260	186	118	86
Plymouth	175	167	160	150	122
Suffolk	1,147	1,163	1,129	974	696
Worcester	443	449	417	284	209

[1] For the five-year period of which the census year is the median year.

Table 68

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1915 to 1939.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**87,049[1]**	**100.0**	**100.0**	**22,586**	**25.9**	**100.0**	**64,463**	**74.1**	**100.0**
Desertion	38,068	100.0	43.8	14,790	38.9	65.5	23,278	61.1	36.1
Adultery	5,511	100.0	6.3	3,469	62.9	15.4	2,042	37.1	3.2
Cruel and abusive treatment	36,913	100.0	42.4	3,733	10.1	16.5	33,180	89.9	51.5
Intoxication	3,652	100.0	4.2	536	14.7	2.4	3,116	85.3	4.8
Non-support	2,458	100.0	2.8	–	–	–	2,458	100.0	3.8
Imprisonment	275	100.0	.3	4	1.5	–[2]	271	98.5	.4
Impotency	172	100.0	.2	54	31.4	.2	118	68.6	.2

[1] 1,182 Annulments not included.
[2] Less than one-tenth of one per cent.

Table 69

Years Divorces were granted.	Statutory Causes of Divorce: 1915 to 1939.								
	All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulments.
1915	2,252	1,124	235	571	214	72	4	11	21
1916	2,301	1,157	234	644	193	43	9	5	16
1917	2,635	1,345	268	687	236	68	5	5	21
1918	2,351	1,191	249	619	195	65	2	7	23
1919	2,536	1,328	228	748	158	45	3	5	21
1920	3,647	1,887	394	1,093	156	68	5	11	33
1921	3,803	1,970	356	1,242	117	71	4	11	32
1922	3,277	1,574	280	1,229	90	64	5	7	28
1923	3,593	1,622	271	1,442	123	87	9	9	30
1924	3,845	1,776	271	1,424	171	157	6	8	32
1925	3,395	1,558	240	1,272	146	111	11	9	48
1926	3,363	1,539	232	1,220	164	154	4	6	44
1927	3,493	1,580	254	1,363	123	119	9	5	40
1928	3,663	1,625	254	1,463	146	112	17	3	43
1929	3,574	1,482	222	1,555	138	114	11	12	40
1930	3,746	1,581	235	1,647	126	100	6	10	41
1931	3,625	1,488	183	1,675	112	114	8	7	38
1932	3,543	1,421	172	1,686	131	104	19	10	56
1933	3,210	1,212	146	1,632	91	110	14	5	61
1934	3,645	1,367	105	1,952	93	105	22	1	58
1935	4,081	1,527	133	2,149	122	126	19	5	70
1936	4,311	1,575	153	2,321	134	101	23	4	79
1937	4,687	1,884	134	2,345	163	132	22	7	121
1938	4,599	1,706	123	2,474	165	109	18	4	81
1939	4,425	1,549	139	2,460	145	107	20	5	105

Table 70

Years of Application.	Applications for Divorce: 1915 to 1939.											
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.		
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1915 to 1939	**103,074**	**87,600**	**85.0**	**559**	**.5**	**14,915**	**14.5**	**22,158**	**21.5**	**80,916**	**78.5**
1915	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9

[1] Less than one-tenth of one per cent

Table 71

Statutory Cause and Party to which Granted.	Divorces Granted classified by Statutory Cause and Party to which Granted: 1939.				
	Total Number.	Cases Contested.		Cases not Contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**4,425**	**1,050**	**23.7**	**3,375**	**76.3**
Husband	983	214	21.8	769	78.2
Wife	3,442	836	24.3	2,606	75.7
Desertion	1,549	204	13.2	1,345	86.8
Husband	583	82	14.1	501	85.9
Wife	966	122	12.6	844	87.4
Cruel and abusive treatment	2,460	768	31.2	1,692	68.8
Husband	271	97	35.8	174	64.2
Wife	2,189	671	30.7	1,518	69.3
Adultery	139	36	25.9	103	74.1
Husband	98	27	27.6	71	72.4
Wife	41	9	22.0	32	78.0
Intoxication	145	25	17.2	120	82.8
Husband	29	8	27.6	21	72.4
Wife	116	17	14.7	99	85.3
Non-support	107	17	15.9	90	84.1
Husband	–	–	–	–	–
Wife	107	17	15.9	90	84.1
Impotency	5	–	–	5	100.0
Husband	2	–	–	2	100.0
Wife	3	–	–	3	100.0
Imprisonment	20	–	–	20	100.0
Husband	–	–	–	–	–
Wife	20	–	–	20	100.0
Annulments	105	22	21.0	83	79.0
Husband	43	12	27.9	31	72.1
Wife	62	10	16.1	52	83.9

Table 72

Party to which Granted.	Libels for Divorce Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1939.							
	Total.		Granted.		Refused.		Dismissed.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**1,334**	**3,585**	**1,050**	**3,375**	**2**	**2**	**282**	**208**
Husband	401	863	214	769	2	1	185	93
Wife	933	2,722	836	2,606	–	1	97	115

Table 73

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1915 to 1939.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1915	2,728	20	23	437	946	940	280	82	10.7
1916	2,789	20	32	548	917	887	316	69	10.6
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924	4,286	41	71	990	1,287	1,351	456	90	10.6
1925	3,883	45	72	919	1,181	1,154	391	121	10.7
1926	4,044	44	67	979	1,225	1,195	430	104	10.6
1927	4,026	41	63	900	1,305	1,213	402	99	10.7
1928	4,180	40	79	975	1,371	1,232	385	98	10.2
1929	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932	4,094	43	76	941	1,214	1,306	433	81	10.5
1933	3,731	25	66	881	1,162	1,135	383	79	10.4
1934	4,238	32	74	960	1,280	1,336	456	100	10.6
1935	4,726	52	81	1,054	1,436	1,517	478	108	10.6
1936	4,892	49	83	1,045	1,473	1,615	493	134	10.7
1937	5,216	39	92	1,113	1,528	1,758	546	140	10.7
1938	5,214	64	98	1,205	1,529	1,636	529	152	10.6
1939	4,918	47	101	1,180	1,398	1,509	558	125	10.7

[1] Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

PAGE
Introductory 267
Estimated population 267
Statistical table 268

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1939 in this report are based on the Federal census taken as of April 1, 1930, and the State census taken as of January 1, 1935.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,350,910 at the State census of 1935 (January 1), and of 4,249,614 at the Federal census of 1930 (April 1). The increase during the intercensal period (57 months) was 101,296, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}350{,}910 - 4{,}249{,}614}{57} = 1{,}777$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1939, is estimated by adding to the population as it existed at the preceding census (January 1, 1935), 1777 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1939). There being 54 months between these dates, the calculation would be

$$4{,}350{,}910 + (54 \times 1777) = 4{,}446{,}868.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1935 is shown on page 268.

Table 74

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1935: 1910 to 1935.					
	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.	April 15, 1910.
The State	**4,350,910**	**4,249,614**	**4,144,205**	**3,852,356**	**3,693,310**	**3,366,416**
Cities over 100,000.						
Boston[1]	817,713	781,188	779,620	748,060	745,439	670,585
Worcester	190,471	195,311	190,757	179,754	162,697	145,986
Springfield	149,642	149,900	142,065	129,614	102,971	88,926
Cambridge	118,075	113,643	119,669	109,694	108,822	104,839
Fall River	117,414	115,274	128,993	120,485	124,791	119,295
New Bedford	110,022	112,597	119,539	121,217	109,568	96,652
Lynn	100,909	102,320	103,081	99,148	95,803	89,336
Somerville	100,773	103,908	99,032	93,091	86,854	77,236
Lowell	100,114	100,234	110,296	112,759	107,978	106,294
50,000 to 100,000.						
Lawrence	86,785	85,068	93,527	94,270	90,259	85,892
Quincy	76,909	71,983	60,055	47,876	40,674	32,642
Newton	66,144	65,276	53,003	46,054	43,113	39,806
Brockton	62,407	63,797	65,343	66,254	62,288	56,878
Medford	61,444	59,714	47,627	39,038	30,509	23,150
Malden	57,277	58,036	51,789	49,103	48,907	44,404
Holyoke	56,139	56,537	60,335	60,203	60,816	57,730
Brookline (town)	50,319	47,490	42,681	37,748	33,490	27,792
25,000 to 50,000.						
Haverhill	49,516	48,710	49,232	53,884	49,450	44,115
Pittsfield	47,516	49,677	46,877	41,763	39,607	32,121
Everett	47,228	48,424	42,072	40,120	37,718	33,484
Salem[2]	43,472	43,353	42,821	42,529	37,200	43,697
Chelsea	42,673	45,816	47,247	43,184	43,426	32,452
Chicopee	41,952	43,930	41,882	36,214	30,138	25,401
Fitchburg	41,700	40,692	43,609	41,029	39,656	37,826
Waltham	40,557	39,247	34,746	30,915	30,154	27,834
Arlington (town)	38,539	36,094	24,943	18,665	14,889	11,187
Taunton	37,431	37,355	39,255	37,137	36,161	34,259
Watertown (town)	35,827	34,913	25,480	21,457	16,515	12,875
Revere	35,319	35,680	33,261	28,823	25,178	18,219
Beverly	25,871	25,086	22,685	22,561	22,959	18,650
15,000 to 25,000.						
Belmont (town)	24,831	21,748	15,256	10,749	8,081	5,542
Northampton	24,525	24,381	24,145	21,951	21,654	19,431
Melrose	24,256	23,170	20,165	18,204	16,880	15,715
Gloucester	24,164	24,204	23,375	22,947	24,478	24,398
Framingham (town)	22,651	22,210	21,078	17,033	15,860	12,948
North Adams	22,085	21,621	22,717	22,282	22,035	22,019
Peabody	22,082	21,345	19,870	19,552	18,625	15,721
Leominster	21,894	21,810	22,120	19,744	17,646	17,580
Attleboro	21,835	21,769	20,623	19,731	18,480	16,215
Weymouth (town)	21,748	20,882	17,253	15,057	13,969	12,895
Methuen (town)	21,073	21,069	20,606	15,189	14,007	11,448
Gardner	20,397	19,399	18,730	16,971	16,376	14,699
Woburn	19,695	19,434	18,370	16,574	16,410	15,308
Westfield	18,788	19,775	19,342	18,604	18,411	16,044
Milton (town)	18,147	16,434	12,861	9,382	8,600	7,924
Braintree (town)	17,122	15,712	13,193	10,580	9,343	8,066
West Springfield (town)	17,118	16,684	15,326	13,443	11,339	9,224
Winthrop (town)	17,001	16,852	16,158	15,455	12,758	10,132
Wakefield (town)	16,494	16,318	15,611	13,025	12,781	11,404
Greenfield (town)	15,903	15,500	15,246	15,462	12,618	10,427
Southbridge (town)	15,786	14,264	15,489	14,245	14,217	12,592
Marlborough	15,781	15,587	16,236	15,028	15,250	14,579
Norwood (town)	15,574	15,049	14,151	12,627	10,977	8,014
Dedham (town)	15,371	15,136	13,918	10,792	11,043	9,284
Saugus (town)	15,076	14,700	12,743	10,874	10,226	8,047
Milford (town)	15,008	14,741	14,781	13,471	13,684	13,055

[1]Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910. No other counties have had their boundaries changed since 1874.

[2]Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914

APPENDIX

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH
1. DETAILED INTERNATIONAL LIST
2. ABRIDGED INTERNATIONAL LIST

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death, these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. DETAILED INTERNATIONAL LIST.

I. INFECTIOUS AND PARASITIC DISEASES.

1. Typhoid fever.*
2. Paratyphoid fever.*
3. Typhus fever.*
4. Relapsing fever.[2]
5. Undulant fever.
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    - (a) With respiratory complications specified.
    - (b) Without respiratory complications specified.
12. Cholera.

I. INFECTIOUS AND PARASITIC DISEASES.—*Cont.*

13. Dysentery.[3]
    - (a) Amebic.
    - (b) Bacillary.
    - (c) Unspecified or due to other causes.
14. Plague.*
    - (a) Bubonic.
    - (b) Pneumonic.
    - (c) Septicemic.
    - (d) Unspecified.
15. Erysipelas.*
16. Acute poliomyelitis and acute polioencephalitis.*
17. Lethargic or epidemic encephalitis.
18. Epidemic cerebrospinal meningitis.
19. Glanders.[4]

[1] The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification. The fourth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1929.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochætal*) *obermeieri*, before death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei*.

Detailed International List — *Continued.*

I. Infectious and Parasitic Diseases. —*Cont.*

20. Anthrax (bacillus anthracis) malignant pustule.[1]
21. Rabies.[2]
22. Tetanus.[3]
23. Tuberculosis of the respiratory system.*
24. Tuberculosis of the meninges and central nervous system.[4]
25. Tuberculosis of the intestines and peritoneum.[5]
26. Tuberculosis of the vertebral column.*
27. Tuberculosis of the bones and joints (vertebral column excepted).*[6]
    (*a*) Tuberculosis of the bones.
    (*b*) Tuberculosis of the joints.
28. Tuberculosis of the skin and subcutaneous cellular tissues.[6]
29. Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted).[6]
30. Tuberculosis of the genitourinary system.[6]
31. Tuberculosis of the other organs.[6]
32. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
    (*c*) Unspecified.
33. Leprosy.*
34. Syphilis.[7]
35. Gonococcus infection and other venereal diseases.[8]
36. Purulent infection, septicemia (nonpuerperal).
37. Yellow fever.*
38. Malaria.[9]
39. Other diseases due to protozoal parasites.
40. Ankylostomiasis.[10]
41. Hydatid cysts.
    (*a*) Of the liver.
    (*b*) Of other organs.
42. Other diseases caused by helminths.[11]
43. Mycoses.[12]
44. Other infectious and parasitic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.

II. Cancers and other Tumors.

45. Cancer and other malignant tumors of the buccal cavity and pharynx.*
    (*a*) Cancer of the lip.
    (*b*) Cancer of the tongue.
    (*c*) Cancer of the mouth.
    (*d*) Cancer of the jaw.
    (*e*) Cancer of other and unspecified parts of the buccal cavity.
    (*f*) Cancer of the pharynx.

II. Cancers and other Tumors.—*Cont.*

46. Cancer of the digestive tract and peritoneum.[13]
    (*a*) Cancer of the esophagus.
    (*b*) Cancer of the stomach and duodenum.
    (*c*) Cancer of the intestines (except duodenum, rectum and anus).
    (*d*) Cancer of the rectum and anus.
    (*e*) Cancer of the liver and biliary passages.
    (*f*) Cancer of the pancreas.
    (*g*) Cancer of the mesentery and peritoneum.
    (*h*) Cancer of others under this title.
47. Cancer of the respiratory system.[13]
    (*a*) Cancer of the larynx.
    (*b*) Cancer of the lungs and pleura.
    (*c*) Cancer of other respiratory organs.
48. Cancer of the uterus.[13]
49. Cancer of other female genital organs.[13]
    (*a*) Cancer of the ovary and Fallopian tube.
    (*b*) Cancer of the vagina and vulva.
    (*c*) Cancer of other female genital organs.
50. Cancer of the breast.*
51. Cancer of the male genitourinary organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (male).
    (*b*) Cancer of the bladder (male).
    (*c*) Cancer of the prostate.
    (*d*) Cancer of the testes.
    (*e*) Cancer of the scrotum.
    (*f*) Cancer of other male genitourinary organs.
52. Cancer of the skin.*
53. Cancer of other or unspecified organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (female).
    (*b*) Cancer of the bladder (female).
    (*c*) Cancer of the brain.
    (*d*) Cancer of the bones (except jaw).
    (*e*) Cancer of other or unspecified organs.
54. Nonmalignant tumors.*[13]
    (*a*) Tumors of the ovary.
    (*b*) Tumors of the uterus.
    (*c*) Tumors of other female genital organs.
    (*d*) Tumors of the brain.
    (*e*) Tumors of other organs.
55. Tumors of which the nature is not specified.*[13]
    (*a*) Tumors of the ovary (nature unspecified).
    (*b*) Tumors of the uterus (nature unspecified).
    (*c*) Tumors of other female genital organs (nature unspecified).
    (*d*) Tumors of the brain (nature unspecified).
    (*e*) Tumors of other organs (nature unspecified).

---

[1] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis*.

[2] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[7] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[8] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[9] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malaria* was found in the blood before death or at autopsy.

[10] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[11] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[12] A reliable statement of cause of death, without autopsy, *only* when lesion is *accessible in direct* examination, or the etiological factor has been identified in the discharges before death.

[13] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases.

56. Acute rheumatic fever.*
57. Chronic rheumatism, osteoarthritis.
58. Gout.
59. Diabetes mellitus.*
60. Scurvy.*
61. Beriberi.*
62. Pellagra.*
63. Rickets.*
64. Osteomalacia.
65. Diseases of the pituitary body.
66. Diseases of the thyroid and parathyroid glands.
    - (*a*) Simple goiter.
    - (*b*) Exophthalmic goiter.
    - (*c*) Myxedema and cretinism.
    - (*d*) Tetany.
    - (*e*) Other diseases of the thyroid and parathyroid glands.
67. Diseases of the thymus gland.
68. Diseases of the adrenals (Addison's disease not specified as tuberculous).*
69. Other general diseases.

IV. Diseases of the Blood and Blood-making Organs.

70. Hemorrhagic conditions.
    - (*a*) Primary purpuras.
    - (*b*) Hemophilia.
71. Anemias.[1]
    - (*a*) Pernicious anemia.
    - (*b*) Other anemias.
72. Leukemias and pseudoleukemias.[2]
    - (*a*) True leukemias.
    - (*b*) Pseudoleukemias (Hodgkin's disease).
73. Diseases of the spleen.
74. Other diseases of the blood and blood-making organs

V. Chronic Poisonings and Intoxications.

75. Alcoholism (acute or chronic).*
76. Chronic poisoning by other organic substances.[3]
    - (*a*) Occupational.
    - (*b*) Other chronic poisoning by organic substances.
77. Chronic poisoning by mineral substances.
    - (*a*) Lead.[4]
    - (*b*) Occupational (except lead).[5]
    - (*c*) Other chronic poisoning by mineral substances.[5]

VI. Diseases of the Nervous System and of the Organs of Special Sense.

78. Encephalitis (nonepidemic).
79. Meningitis.
    - (*a*) Simple meningitis.
    - (*b*) Nonepidemic cerebrospinal meningitis.
80. Progressive locomotor ataxia (tabes dorsalis).*
81. Other diseases of the spinal cord.

VI. Diseases of the Nervous System and of the Organs of Special Sense.—*Cont.*

82. Cerebral hemorrhage, cerebral embolism and thrombosis.
    - (*a*) Cerebral hemorrhage.
    - (*b*) Cerebral embolism and thrombosis.
    - (*c*) Softening of the brain.
    - (*d*) Hemiplegia and other paralysis, cause unspecified.
83. General paralysis of the insane.*
84. Dementia praecox and other psychoses.
85. Epilepsy.[6]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous system.*
    - (*a*) Neuralgia and neuritis.
    - (*b*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
    - (*a*) Diseases of the ear.
    - (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis.[7]
91. Acute endocarditis.*
    - (*a*) Specified as acute.
    - (*b*) Unspecified (under 45 years of age).
92. Chronic endocarditis, valvular diseases.*
    - (*a*) Endocarditis, specified as chronic, and other valvular diseases.
    - (*b*) Endocarditis, unspecified (45 years and over).
93. Diseases of the myocardium.*
    - (*a*) Acute myocarditis.
    - (*b*) Myocarditis, unspecified (under 45 years).
    - (*c*) Chronic myocarditis and myocardial degeneration.
    - (*d*) Unspecified.
94. Diseases of the coronary arteries and angina pectoris.*
    - (*a*) Angina pectoris.
    - (*b*) Diseases of the coronary arteries.
95. Other diseases of the heart.*
    - (*a*) Functional diseases of the heart.
    - (*b*) Other and unspecified.
96. Aneurysm (except of the heart).
97. Arteriosclerosis (diseases of the coronary arteries excepted).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[8]
101. Diseases of the lymphatic system (lymphangitis, etc.).*
102. Idiopathic anomalies of the blood-pressure.
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossæ and annexæ.*
105. Diseases of the larynx.*
106. Bronchitis.
    - (*a*) Acute.
    - (*b*) Chronic.*
    - (*c*) Unspecified (under 5 years of age).
    - (*d*) Unspecified (5 years and over).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[2] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[3] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[6] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[7] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[8] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

Detailed International List — *Continued.*

VIII. Diseases of the Respiratory System — *Cont.*

107. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.
    (*b*) Capillary bronchitis.
108. Lobar Pneumonia.
109. Pneumonia, unspecified.
110. Pleurisy.*
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lung.[1]
    (*a*) Pulmonary embolism and thrombosis.
    (*b*) Others under this title.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (tuberculosis excepted).*
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the respiratory system.
    (*b*) Others, including gangrene of the lung.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations).*
    (*a*) Diseases of the pharynx and tonsils.
    (*b*) Others under this title.
116. Diseases of the esophagus.*
117. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
118. Other diseases of the stomach (cancer excepted).
119. Diarrhea and enteritis (under 2 years of age).*
120. Diarrhea and enteritis (2 years and over).
121. Appendicitis.
122. Hernia, intestinal obstruction.
    (*a*) Hernia.[2]
    (*b*) Intestinal obstruction.[3]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
125. Other diseases of the liver (including yellow atrophy of liver).*
    (*a*) Yellow atrophy of liver.
    (*b*) Others under this title.
126. Biliary calculi.*
127. Other diseases of the gall-bladder and biliary passages.
128. Diseases of the pancreas.
129. Peritonitis, cause not specified.

X. Diseases of the Genitourinary System.

130. Acute nephritis (including unspecified under 10 years of age).
131. Chronic nephritis.*
132. Nephritis, unspecified (10 years and over).*
133. Other diseases of the kidneys and ureters (puerperal diseases excepted).
134. Calculi of the urinary passages.*
135. Diseases of the bladder (tumors excepted).*
136. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
137. Diseases of the prostate.*
138. Diseases of the male genital organs, not specified as venereal.*

X. Diseases of the Genitourinary System — *Cont.*

139. Diseases of the female genital organs, not specified as venereal.*
    (*a*) Cysts of the ovary.
    (*b*) Other diseases of the ovaries and diseases of the tubes and parametrium.
    (*c*) Diseases of the uterus.
    (*d*) Nonpuerperal diseases of the breast (cancer excepted).
    (*e*) Other diseases of the female genital organs.

XI. Diseases of Pregnancy, Childbirth and the Puerperal State.

140. Abortion with septic conditions.*
141. Abortion without mention of septic conditions (to include hemorrhages).*
142. Ectopic gestation.*
    (*a*) Septic conditions specified.
    (*b*) Septic conditions not mentioned.
143. Other accidents of pregnancy (not to include hemorrhages).*
144. Puerperal hemorrhage.*
    (*a*) Placenta praevia.
    (*b*) Other puerperal hemorrhages.
145. Puerperal septicemia (not specified as due to abortion).*
    (*a*) Puerperal septicemia and pyemia.
    (*b*) Puerperal tetanus.
146. Puerperal albuminuria and eclampsia.*
147. Other toxemias of pregnancy.*
148. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic).*
149. Other accidents of childbirth.*
    (*a*) Cesarean operation.
    (*b*) Others under this title.
150. Other and unspecified conditions of the puerperal state.*

XII. Diseases of the Skin and Cellular Tissue.

151. Furuncle, carbuncle.[4]
152. Phlegmon, acute abscess.[4]
153. Other diseases of the skin and annexa, and of the cellular tissue.*

XIII. Diseases of the Bones and Organs of Locomotion.

154. Osteomyelitis.*
155. Other diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints and other organs of locomotion.*
    (*a*) Diseases of the joints (tuberculosis and rheumatism excepted).
    (*b*) Diseases of other organs of locomotion.

XIV. Congenital Malformations.

157. Congenital malformations.*
    (*a*) Congenital hydrocephalus.
    (*b*) Spina bifida and meningocele.
    (*c*) Congenital malformations of the heart.
    (*d*) Other congenital malformations.

---

[1] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[2] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[3] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[4] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XV. Diseases of Early Infancy.

158. Congenital debility.
159. Premature birth.*
160. Injury at birth.*
    (*a*) Cesarean operation.
    (*b*) Without Cesarean operation.
161. Other diseases peculiar to early infancy.
    (*a*) Atelectasis.
    (*b*) Icterus of the new-born.
    (*c*) Sclerema.
    (*d*) Others under this title.

XVI. Senility.

162. Senility.

XVII. Violent and Accidental Deaths.

163. Suicide by solid or liquid poisons or by absorption of corrosive substances.[1]
    (*a*) Arsenical group.
    (*b*) Barbituric acid and all derivatives.
    (*c*) Cresol compounds group.
    (*d*) Mercury compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Lye group.
    (*g*) Tobacco and derivatives.
    (*h*) Narcotic group.
    (*m*) Hydrocyanic acid and all cyanides except gases.
    (*o*) Carbolic acid and phenol.
    (*x*) All other poisons or kinds not stated.
164. Suicide by poisonous gas.[2]
165. Suicide by hanging or strangulation.*
166. Suicide by drowning.*
167. Suicide by firearms.*
168. Suicide by cutting or piercing instruments.*
169. Suicide by jumping from high places.*
170. Suicide by crushing.*
171. Suicide by other means.*
172. Homicide (Infanticide, murder of infants less than one year of age).*
173. Homicide by firearms.*
174. Homicide by cutting or piercing instruments.*
175. Homicide by other means.*
176. Attack by venomous animals.*
177. Poisoning by food.[3]
178. Accidental absorption of poisonous gas.
179. Other acute accidental poisonings (gas excepted).
    (*a*) Arsenical group.
    (*b*) Barbituric acid and all derivatives.
    (*c*) Cresol compounds group.
    (*d*) Mercury compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Lye group.
    (*g*) Tobacco and derivatives.
    (*h*) Narcotic group.
    (*m*) Menthanol, denatured, wood and other alcohols (not ethyl).
    (*o*) Carbolic acid and phenol.
    (*x*) All other poisons or kinds not stated.
180. Conflagration.*
181. Accidental burns (conflagration excepted).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental traumatism by firearms (wounds of war excepted).
185. Accidental traumatism by cutting or piercing instruments(wounds of war excepted).[4]
186. Accidental traumatism by fall, crushing, landslide.*
    (*a*) Fall.
    (*b*) Crushing, landslide.
187. Cataclysm.
188. Injuries by animals.*
189. Hunger and thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents.
194. Other accidents.
    (*a*) Foreign bodies.
    (*b*) Others under this title.
195. Violent deaths of unknown nature.

XVII. Violent and Accidental Deaths.—*Cont.*

196. Wounds of war.
197. Execution of civilians by belligerent armies.
198. Legal executions.*

XVIII. Ill-defined Causes of Death.

199. Sudden death.
200. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown.

Supplement for Violent and Accidental Deaths.

201. Accidents in mines and quarries.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
202. Accidents from agricultural machinery.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
203. Elevator accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
204. Accidents from machinery used for recreation.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents
    (*k*) Foreign bodies.
    (*m*) Other accidents.
205. Other machinery accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.
[2] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.
[3] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.
[4] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

Detailed International List — *Continued.*

Supplement for Violent and Accidental Deaths— *Cont.*

206. Railroad and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
207. Other railroad accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
208. Street car and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
209. Other street car accidents.*
   (*a*) Accidental absorption of poisonous gas
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
210. Automobile accidents (primary).*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

Supplement for Violent and Accidental Deaths—*Cont.*

211. Motorcycle accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
212. Other land transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
213. Water transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
214. Air transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List Number.	Cause of Death.
1.	Typhoid and paratyphoid fever (1, 2).*
2.	Typhus fever (3).*
3.	Smallpox (6).*
4.	Measles (7).*
5.	Scarlet fever (8).*
6.	Whooping cough (9).*
7.	Diphtheria (10).*
8.	Influenza (11).
9.	Plague (14).*
10.	Tuberculosis of the respiratory system (23).*
11.	Other forms of tuberculosis (24, 25, 26, 27, 28, 29, 30, 31, 32).
12.	Syphilis (34).
13.	Malaria (38).
14.	Other infectious and parasitic diseases (4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, 44).
15.	Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53).
16.	Tumors, nonmalignant, or of which the nature is not specified (54, 55).*
17.	Chronic rheumatism and gout (57, 58).
18.	Diabetes mellitus (59).
19.	Alcoholism (acute or chronic) (75).
20.	Other general diseases and chronic poisonings (56, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 76, 77).
21.	Progressive locomotor ataxia and general paralysis of the insane (80, 83).
22.	Cerebral hemorrhage, cerebral embolism and thrombosis (82).
23.	Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84, 85, 86, 87, 88, 89).
24.	Diseases of the heart (90, 91, 92, 93, 94, 95).*
25.	Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26.	Bronchitis (106).
27.	Pneumonias (107, 108, 109).
28.	Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110, 111, 112, 113, 114).
29.	Diarrhea and enteritis (119, 120).
30.	Appendicitis (121).
31.	Diseases of the liver and biliary passages (124, 125, 126, 127).
32.	Other diseases of the digestive system (115, 116. 117, 118, 122, 123, 128, 129).
33.	Nephritis (130, 131, 132).
34.	Other diseases of the genitourinary system (133, 134, 135, 136, 137, 138, 139).
35.	Puerperal septicemia (140, 145).*
36.	Other diseases of pregnancy, childbirth and the puerperal state (141, 142, 143, 144, 146. 147, 148, 149, 150).*
37.	Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151, 152, 153, 154 155, 156).
38.	Congenital debility and malformations, premature birth and other diseases of early infancy (157, 158, 159, 160, 161).
39.	Senility (162).
40.	Suicide (163, 164, 165, 166, 167, 168, 169, 170, 171).*
41.	Homicide (172, 173, 174, 175).
42.	Violent and accidental deaths (suicide and homicide excepted) (176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
43.	Cause of death not specified or ill-defined (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 655 1

FEB 20 1942